

AZEOTROPIC DATA-II

ADVANCES IN CHEMISTRY SERIES **35**

AZEOTROPIC DATA-II

Editorial Library
American Chemical Society

Compiled by LEE H. HORSLEY
The Dow Chemical Co.
Midland, Mich.

With the cooperation of WILLIAM S. TAMPLIN
Union Carbide Chemicals Co.
South Charleston, W. Va.



Number 35

ADVANCES IN CHEMISTRY SERIES

American Chemical Society
Washington, D. C.

1962

Copyright © 1962
AMERICAN CHEMICAL SOCIETY
All Rights Reserved

Library of Congress Catalog Card 52-3085
PRINTED IN THE UNITED STATES OF AMERICA

ADVANCES IN CHEMISTRY SERIES

Robert F. Gould, Editor

AMERICAN CHEMICAL SOCIETY APPLIED PUBLICATIONS

ADVISORY BOARD

**Allen L. Alexander
John H. Fletcher
Wayne W. Hilty
Walter C. Saeman**

George W. Watt

**William J. Sparks
Calvin L. Stevens
Glenn E. Ullyot
Calvin A. VanderWerf**

INTRODUCTION

This volume is a supplement to "Azeotropic Data" published as ADVANCES IN CHEMISTRY SERIES No. 6, American Chemical Society (1952).

It includes revised data on systems in the original table plus new data on azeotropes, nonazeotropes, and vapor-liquid equilibria collected since 1952. No attempt has been made to evaluate the data. Where appreciable differences occur in data from different sources, more than one set of data is recorded. Where minor differences occur, only one set of data is recorded, but all references are cited.

A brief description is included for calculating azeotropic data for immiscible systems from vapor pressure data.

In general data have been obtained from the original literature. Where the original literature was not available, data have been taken from *Chemical Abstracts*. In a few instances, data have been taken from collections of azeotropic data in handbooks, review articles, and so forth.

Acknowledgment is made to Commercial Solvents Corp., The Dow Chemical Co., Eastman Chemical Products Inc., Farbenwerke Hoechst, Imperial Chemical Industries Limited, Minnesota Mining and Manufacturing Co., and Union Carbide Chemicals Co. for supplying unpublished data for inclusion in the tables.

The tables are arranged in the same manner as the previous volume. This is based on empirical formula as in *Chemical Abstracts* except that all inorganic compounds are listed first, alphabetically by empirical formula.

For a given binary system the lower order component according to empirical formula is chosen as the A-component and under each A-component the B-components are also arranged according to empirical formula. For ternary and quarternary systems the same arrangement is used, using the lowest order formula as A-component, the next lowest order as B-component, and so on.

With a few exceptions for common chemical names, nomenclature in the tables follows the *Chemical Abstracts* nomenclature system.

Abbreviations

max. b.p.	Maximum boiling point azeotrope (negative azeotrope)
min. b.p.	Minimum boiling point azeotrope (positive azeotrope)
atm.	Pressure in standard atmospheres
mm.	Pressure in millimeters of Hg
p.s.i.a.	Pressure in pounds per square inch absolute
p.s.i.g.	Pressure in pounds per square inch gage
v-l.	Vapor-liquid equilibrium data are given in the original reference
v.p.	Vapor pressure
vol. %	Azeotropic concentration is given in volume per cent. Unless so indicated, all concentration data are in weight %
~	Approximate
>, <	Greater than, less than

Corrections for Azeotropic Data—I

The following errors appeared in "Azeotropic Data," ADVANCES IN CHEMISTRY SERIES No. 6.

Page System

4	65	Replace A-component, thionyl chloride, with sulfonyl chloride.
6	131	Azeotropic composition is 7.9 wt. %. This is an error in the original reference.
7	176	Formula should be $C_3H_7NO_3$.
8	240	Replace 57% with 43% for azeotropic composition.
9	281	This system should follow system 277.
10	306	Replace "cyclohexane" with "cyclohexene."
13	482	Replace 6.32 by -6.32 for b.p. of methylamine.
19	834-835	A-component formula is $CHBr_3$.
23	1059-1060	Between systems 1059 and 1060 insert: A = CH_2I_2 Diiodomethane b. 181°C.
28	1389	Replace 59.05 with 49.05 for azeotropic b.p.
33	1696	A-component formula is C_2HBrCl_2 .
83	4708-4709	Replace 43.6 with 38 for A-component b.p.
114	6546	Replace 11 with 154.5 for azeotropic b.p.
123		Between system 7090 and 7091, omit: A = C_4H_9I 1-Iodo-2-methyl propane.
149	8651	Replace reference 244 with 243.
154	8920	Replace $C_7H_{16}O_4$, 2-[2-(2-methoxyethoxy)ethoxy]-ethanol, with $C_8H_{14}O_3$, 2-(2-ethoxyethoxy)ethanol, and insert after system 8909.
251	14519	% B-component should be 93.4%.
257	14658	% A-component should be 8.5%.
267		Formula Cl_2O_2S . Replace thionyl chloride with sulfonyl chloride.
284		Under $C_6H_6O_2$, pyrocatechol, replace system 3510 with 3570.
296		Formula C_8H_{18} . Replace 3-ethylheptane with 3-methylheptane.

Calculation of Azeotropic Data for Immiscible Systems

There are many binary heterogeneous azeotropes which are not listed in the literature because the azeotropic data can readily be calculated from the vapor pressure data of the components.

For a mixture of two completely immiscible liquids the total vapor pressure is equal to the sum of the vapor pressures of the two components at a given temperature. Therefore, from a plot of the vapor pressures of the two components, it is possible to determine the temperature at which the sum of the vapor pressures is equal to 760 mm. This temperature is the azeotropic boiling point of the system at 760 mm. The boiling point at any other pressure can be obtained in a similar manner.

Further, the azeotropic composition can be calculated from the expression

$$\text{Mole \% A} = \frac{V_A \times 100}{V_A + V_B}$$

V_A = vapor pressure of component A

V_B = vapor pressure of component B

Table I. Binary Systems

No.	Formula	B-Component		Azeotropic Data		
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =	A	Argon	-186			
1	O ₂	Oxygen	-183	Nonazeotrope	v-1	71
		1-15 atm.	v-1	232
		90°-96°K.	v-1	340
A =	C₅F₁₂	Perfluoropentane , 25°C.	...	Nonazeotrope	v-1	237
2						
A =	AsCl₃	Arsenic Chloride	130			
3	GeCl ₄	Germanium chloride	86.5	Nonazeotrope	v-1	298
A =	BeF₂	Beryllium Fluoride				
4	FNa	Sodium fluoride, 509°-1061°C.	...		v-1	299
A =	B₂H₆	Diborane				
5	C ₄ H ₁₀ O	Ethyl ether, 25-100 p.s.i.g.	...	Nonazeotrope	v-1	206
A =	BrF₃	Bromine Trifluoride	135			
6	BrF ₅	Bromine pentafluoride	...	Nonazeotrope	v-1	200
7	Br ₂	Bromine, 1760 mm. " 3800 mm.	75 100	84.4 81.5	v-1 v-1	101 101
8	FH	Hydrogen fluoride	19.4	Azeotropic		91
9	F ₆ U	Uranium hexafluoride	56	Nonazeotrope		91
A =	BrF₅	Bromine Pentafluoride				
10	FH	Hydrogen fluoride " 4 atm.	19.4 ...	20 ...	56 79	4,91 91
11	F ₆ U	Uranium hexafluoride " 3 atm. " 70° " 90° " 100 p.s.i.a.	56 ...	Min. b.p. ...	82 Nonazeotrope Nonazeotrope Nonazeotrope ...	91 91 v-1 v-1 v-1 91
					62.5	
Br₂	Bromine	58.9				
12	FH	Hydrogen fluoride	19.4	Azeotropic		91
13	F ₆ U	Uranium hexafluoride	56	Azeotropic		91
14	CCl ₄	Carbon tetrachloride, 736 mm.	76	57.7	89.1	v-1 311
15	C ₂ Cl ₃ F ₃	1,1,2-Trichloro-1,2, 2-trifluoroethane	47.6	41	40.8	v-1 312
16	C ₂ Cl ₄ F ₂	1,1,1,2-Tetrachloro- 2,2-difluoroethane	91.6	57.8	89.5	v-1 312
17	C ₂ HCl ₃ F ₂	1,2,2-Trichloro-1,1- difluoroethane, 736 mm.	71.1	54.1	73.5	v-1 313
18	C ₂ H ₂ Cl ₂ F ₂	1,1-Dichloro-2,2- difluoroethane, 735 mm.	59	49.6	62	v-1 313
19	C ₃ Cl ₃ F ₅	1,2,2-Trichloro-1,1, 3,3,3-pentafluoro- propane	72.5	49.1	60.5	v-1 312
20	C ₇ H ₅ F ₃	α, α-Trifluorotoluene	103.9	58.1	97	v-1 312
A =	Br₃P	Phosphorus Tribromide	175.3			
21	C _n H _{2n+2}	Paraffin hydrocarbons	...	Min. b.p.		234

	No.	Formula	B-Component		Azeotropic Data		
			Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =	CO ₂	Carbon Dioxide	-78.5				
	22 H ₂ S	Hydrogen sulfide, 20-80 atm.	-59.6	Nonazeotrope	v-1	16, 17	
	23 N ₂ O	Nitrous oxide	-90.7	Min. b.p.	v-1	293	
	24 C ₂ H ₂	Acetylene	-84	Nonazeotrope	v-1	293	
		" Crit. press.	...	Nonazeotrope	v-1	293	
	25 C ₂ H ₄	Ethylene, <4 atm.	...	Nonazeotrope	v-1	293	
		" 12 atm.	...	28.9	v-1	293	
		" Crit. press.	...	51	v-1	293	
	26 C ₂ H ₆	Ethane	-88.6	...	59.5	v-1	293
		" Crit. press.	...	77.5	v-1	293	
A =	ClF ₃	Chlorine Trifluoride					
	27 ClH	Hydrogen chloride	-85	Reacts		4	
	28 FH	Hydrogen fluoride	19.4	Azeotropic		91	
		" 1183 mm.	...	20	93	v-1	90
		" 90 p.s.i.g.	94.5		91
		" 125 p.s.i.g.	94		91
		" 143 p.s.i.g.	93.8		91
		" 148 p.s.i.g.	93.7		91
	29 F ₆ U	Uranium hexafluoride	56	Nonazeotrope	v-1	89, 91	
A =	ClH	Hydrogen Chloride	-85				
	30 Cl ₂	Chlorine, 350 mm.	-44	Nonazeotrope		4	
	31 H ₂ O	Water, 100 p.s.i.g.	169	177	85.2	334	
		" 520 p.s.i.g.	244	250	93.5	334	
		" 860 p.s.i.g.	275	280	97.2	334	
		" 1360 p.s.i.g.	306	310	99.4	334	
		" 1815 p.s.i.g.	328	330	99.9	334	
	32 CH ₄ O	Methanol	64.7	Max. b.p.		76	
A =	Cl ₂	Chlorine	-34.6				
	33 FH	Hydrogen fluoride, 350 mm.	3.0	-47	92	4	
		"	19.4	-35	...	4	
A =	Cl ₂ SO ₂	Sulfuryl Chloride	69.1				
	34 CC ₁ ₄	Carbon tetrachloride	76.75	Nonazeotrope	v-1	338	
	35 C ₂ Cl ₆	Hexachloroethane	184.8	Nonazeotrope	v-1	338	
	36 C ₂ H ₂ Cl ₄	1,1,2,2,-Tetra- chloroethane	146.2	Nonazeotrope	v-1	338	
	37 C ₂ H ₄ Cl ₂	1,2-Dichloroethane	83.45	Nonazeotrope	v-1	338	
A =	Cl ₃ HSi	Trichlorosilane					
	38 C ₆ H ₆	Benzene, 30°-40° C.	...	Nonazeotrope, v.p. curve		302	
A =	Cl ₃ P	Phosphorus Trichloride	76				
	39 C ₆ H ₁₂	Cyclohexane	80.75	Nonazeotrope		236	
	40 C ₆ H ₁₄	Hexane	68.7	8 vol. %		234	
	41 C ₇ H ₁₆	2,2-Dimethylpentane	79.1	Min. b.p.		234, 236	
	42 C ₇ H ₁₆	2,3-Dimethylpentane	89.8	74.5	98.8 vol. %	234	
	43 C ₇ H ₁₆	2,4-Dimethylpentane	80.5	74.2	73	234	
	44 C ₇ H ₁₆	2,2,3-Trimethylbutane	80.9	74.5	77	234	
A =	Cl ₄ Si	Silicon Tetrachloride	57.6				
	45 CH ₃ SiCl ₃	Methyl trichloro- silane, 20°-66°	...	Nonazeotrope, v.p. curve		179	
	46 CH ₄ SiCl ₂	Methyl dichloro- silane, 20°-66°	...	Nonazeotrope, v.p. curve		179	
A =	Cl ₄ Sn	Tin Chloride	114.1				
	47 CCl ₄	Carbon tetrachloride	76.8	Nonazeotrope	v-1	34	
	48 C ₈ H ₁₈	n-Octane	125.7	Nonazeotrope	v-1	34	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B.P., °C.	Azeotropic Data		
				B.P., °C.	Wt.%A	Ref.
A =	Cl_4Ti 49 $\text{C}_2\text{Cl}_4\text{O}$	Titanium Tetrachloride Trichloroacetyl chloride	146.2 118	Nonazeotrope	v-l	300
	50 $\text{C}_2\text{H}_2\text{Cl}_2\text{O}$ 51 $\text{C}_2\text{H}_2\text{Cl}_4$	Chloroacetyl chloride 1,1,2,2-Tetrachloroethane, 740 mm.	105 136.6	Nonazeotrope 135.4	v-l	300 32
A =	DH 52 D_2 53 H_2	Deuterium Hydride Deuterium, 18°-28° K. Hydrogen, 18°-28° K.	- -249.7 -252.7	Nonazeotrope Nonazeotrope	v-l	238 238
A =	D_2 54 H_2	Deuterium Hydrogen, 18°-28° K.	-249.7 -252.7	Nonazeotrope	v-l	238
A =	FH 55 F_5Sb 56 F_6U	Hydrogen Fluoride Antimony pentafluoride Uranium hexafluoride " 85 p.s.i.g. " 110 p.s.i.g. " 132 p.s.i.g. " 145 p.s.i.g.	19.4 142.7	Nonazeotrope	v-l	301 91 91 91 91 91 91
	57 CCl_2F_2	Dichlorodifluoromethane, 150 p.s.i.g.	48	39	7.5	334
	58 CHClF_2	Chlorodifluoromethane " 70 p.s.i.g. " 150 p.s.i.g. " 230 p.s.i.g.	7 29 45	<7 24 36	3 2.7 2.8	334 334 334
	59 $\text{C}_2\text{HF}_3\text{O}_2$	Trifluoroacetic acid		Nonazeotrope	v-l	222
A =	F_6S 60 C_5F_{12}	Sulfur Hexafluoride Perfluoropentane, 25°C.	-	Nonazeotrope	v-l	237
A =	F_6W 61 C_5F_{10}	Tungsten Hexafluoride Perfluorocyclopentane "	25/1019; 45/1982 mm. 25/833 25/1035 45/1642 45/2010	85.4 83.4	v-l v-l	288 288
	62 C_5F_{12}	Perfluoropentane, 1140 mm.	40.86	28.11	93.2	v-l
A =	HNO_3 63 H_2O	Nitric Acid Water, 50 mm. " 100 mm. " 200 mm. " 400 mm. " 760 mm.	86 37 51.6 66.5 83.0 100	57.8 72.4 86.4 103.2 120.7 120.7	13.7 13.8 14.0 14.2 14.4	v-l v-l v-l v-l v-l
	64 CHCl_3	Chloroform	See also $\text{H}_2\text{O-N}_2\text{O}_5$ below 61	47.5	15	258
A =	H_2O 65 H_2O_2 66 H_2SO_4	Water Hydrogen peroxide Hydrogen sulfate " 200 mm.	100	100 330 1.7 1.6	v-l	104 334 334
	67 H_4N_2	Hydrazine, 124.8 mm. " 281.8 mm. " 411.2 mm. " 560.4 mm. " 700.6 mm. " 760 mm.	66.8 86.5 96.8 105.2 111.7 113.8	74.2 93.3 103.6 111.3 117.6 120	33.2 32.3 31.0 31.4 32.6 32.3	v-l v-l v-l v-l v-l v-l
	68 N_2O_5	Nitrogen pentoxide " " " " " Max. b.p. Min. b.p. Max. b.p.	40 14.3 12.5	v-l	199 199 199
	69 CS_2 70 CHCl_3 71 CH_2O_2	Carbon disulfide Chloroform Formic acid, 40-760 mm. " " " " "	46.5 61 100.75	43.6 56.1 107.65	2 2.8 25.5	334 56 42 v-l v-l v-l 217, 360

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
72	CH ₃ NO ₂	Nitromethane	101.2	83.59	23.6	54, 55	
73	CH ₃ O	Methanol	64.7	Nonazeotrope	v-1	68	
74	C ₂ Cl ₃ F ₃	1,1,2-Trichlorotri-fluoroethane	47.5	44.5	1.0	334	
75	C ₂ Cl ₄	Tetrachloroethylene	121	88.5	17.2	334	
		"	121	87.7	15.8	170	
76	C ₂ HF ₃ O ₂	Trifluoroacetic acid	...	105	21	222	
77	C ₂ H ₃ Cl ₂ NO ₂	Methyl N,N-dichloro-carbamate	...	93	50 vol. %	39	
78	C ₂ H ₃ Cl ₃	1,1,2-Trichloro-ethane	113.8	86.0	16.4	334	
79	C ₂ H ₃ N	Acetonitrile, 10 mm.	-15	<16	2.6	336	
	"	50 mm.	13	<12	5.8	336	
	"	760 mm.	80.1	76.5	16.3	336	
80	C ₂ H ₄ Cl ₂	1,2-Dichloroethane	83.5	71.6	8.2	334	
	"		...	75.5	8.2	55	
	"	150 mm.	...	33.5	4.9	55	
	"	75 mm.	...	19.0	4.9	55	
81	C ₂ H ₄ O ₂	Acetic acid	118.1	Nonazeotrope	v-1	56	
82	C ₂ H ₅ BrO	2-Bromoethanol, 150 mm.	100	58	55.7	76	
83	C ₂ H ₅ ClO	2-Chloroethanol, 50 mm.	60	37.1	60.2	334	
	"	100 mm.	75	51.1	59.3	334	
84	C ₂ H ₅ NO ₂	Nitroethane	114.07	87.22	28.5	54, 55	
85	C ₂ H ₆ O	Ethyl alcohol, 150°-350° C.	v-1	14
	"	250-2500 mm.	v-1	251
86	C ₂ H ₆ O ₂	Ethylene glycol, 76-760 mm.	...	Nonazeotrope	v-1	60	
87	C ₂ H ₇ NO	2-Aminoethanol	170.5	Nonazeotrope	334		
	"	100 mm.	112	Nonazeotrope	334		
88	C ₂ H ₈ N ₂	1,1-Dimethylhydra-zine, 102 mm.	...	Max. b.p.	82.5	37	
	"	"	...	Nonazeotrope	37		
89	C ₂ H ₈ N ₂	1,2-Ethylenediamine	116	...	18.0	v-1	76
	"	>3400 mm.	...	Nonazeotrope	76		
	"	"	116.9	119	18.4	334	
90	C ₃ HF ₅ O ₂	Pentafluoropropionic acid	...	109	10	222	
91	C ₃ H ₃ N	Acrylonitrile	77.2	70.6	14.3	334	
92	C ₃ H ₃ NS	Thiazole, 695.5 mm.	...	90	34.8	v-1	219
	"	750 mm.	111.5	92.1	35.3	v-1	219
93	C ₃ H ₄ O	Acrolein	52.8	52.4	2.6	334	
94	C ₃ H ₄ O	2-Propyn-1-ol	115	97	54.5	95	
95	C ₃ H ₄ O ₂	Acrylic acid	141.2	Nonazeotrope	334		
96	C ₃ H ₄ O ₃	Ethylene carbonate	...	Nonazeotrope	334		
97	C ₃ H ₅ Cl	3-Chloropropene	44.9	43.0	2.2	334	
98	C ₃ H ₅ Cl	Methylvinyl chloride	...	33	0.9	334	
99	C ₃ H ₅ NO	Hydracrylonitrile	229.7	Nonazeotrope	334		
100	C ₃ H ₆ Cl ₂ O	2,3-Dichloro-1-propanol	183.8	99.4	87	334	
	"	50 p.s.i.a.	56.1	Nonazeotrope	v-1	254	
	"	100 p.s.i.a.	...	Nonazeotrope	v-1	254	
	"	200 p.s.i.a.	...	125.4	5.2	v-1	254
	"	250 p.s.i.a.	...	157.6	7.2	v-1	254
	"	500 p.s.i.a.	...	168.4	9.4	v-1	254
102	C ₃ H ₆ O	Allyl alcohol, 752 mm.	96.90	v-1	130
103	C ₃ H ₆ O	Propionaldehyde	47.9	47.5	2	334	
	"	"	...	47.5	2.5	84	
104	C ₃ H ₆ O	Propylene oxide	35	Nonazeotrope	v-1	60	
105	C ₃ H ₆ O ₂	1,3-Dioxolane	75.6	71.9	7	334	
106	C ₃ H ₆ O ₂	Ethyl formate	54.2	52.6	5	334	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
107	C ₃ H ₆ O ₂	2-Methoxyacetaldehyde, 770 mm.	92	88.5	12.8	77	
108	C ₃ H ₆ O ₂	Methyl acetate, " <10 p.s.i.a.	...	Nonazeotrope	131		
		" 56.3	56.1	5	334		
		" 265 mm.	30	30	1.5	334	
109	C ₃ H ₇ Cl	1-Chloropropane	46.6	44	2.2	334	
110	C ₃ H ₇ Cl	2-Chloropropane	36.5	35.0	1	334	
111	C ₃ H ₇ NO	Dimethylformamide, 500 mm.	138	Nonazeotrope	334		
		" 200-760 mm.	...	Nonazeotrope	v-l	319	
112	C ₃ H ₇ NO ₂	1-Nitropropane	131.18	91.63	36.5	54, 55	
113	C ₃ H ₇ NO ₂	2-Nitropropane	120.25	88.55	29.4	54, 55	
114	C ₃ H ₈ O	Propyl alcohol, 47 mm. " 200 mm.	31.8	117	
		" 400 mm.	56.68	29.6	v-l	228,	
		" 600 mm.	...	71.92	29.0	306	
		"	...	81.68	28.5	v-l	306
		"	...	87.65	28.3	v-l	306
		"	In 1.5M CaCl ₂ Solution		v-l	72	
115	C ₃ H ₈ O	Isopropyl alcohol, 95 mm.	...	36	13	v-l	347
		" 190 mm.	...	49.33	12.8	v-l	347
		" 380 mm.	...	63.90	12.6	v-l	347
		" 760 mm.	82.5	80.10	12.0	v-l	347
		" 3087 mm.	...	120.45	11.7	v-l	347
		" 150°-300° C.	...		v-l	14	
		"	...	Evaporation data		196	
		"	Effect of dissolved salt		v-l	265	
116	C ₃ H ₈ O ₂	2-Methoxyethanol, 100 mm.	...	51.5	80.5	v-l	152
		" 752 mm.	...	99.2	81	v-l	152
		" 150 mm.	79.2	Nonazeotrope		334	
		" 760 mm.	124.6	99.9	84.7	334	
		" 100 p.s.i.g.	212	169	73.3	334	
117	C ₃ H ₈ O ₂	1,2-Propanediol	188	Nonazeotrope	v-l	60	
118	C ₃ H ₈ O ₂	1,3-Propanediol	214.8	Nonazeotrope	v-l	334	
119	C ₃ H ₉ N	Propylamine	47.8	Nonazeotrope		334	
120	C ₃ H ₉ N	Trimethylamine " 0°-100° C.	3.2	75.5	10	v-l	148
		"	...	v-l	148		
121	C ₃ H ₉ NO	1-Amino-2-propanol	159.9	Nonazeotrope		334	
122	C ₄ HF ₇ O ₂	Perfluorobutyric acid	122.0	97	71	222	
123	C ₄ H ₅ N	3-Butenenitrile	118.9	89.4	34	334	
124	C ₄ H ₅ N	Methacrylonitrile	...	76.5	16	269	
125	C ₄ H ₆ ClN	2-Chloro-2-methyl-propionitrile	116	87	22	269	
126	C ₄ H ₆ O	Crotonaldehyde, 111 mm.	84.9	40	19	334	
		" 273 mm.	112.3	60	22	334	
		" 412 mm.	126.4	70	23	334	
		"	102.4	84	24.8	96,	
						142,	334
127	C ₄ H ₆ O	Methacrylaldehyde	68.0	63.6	7.7	269,	334
128	C ₄ H ₆ O ₂	3-Butenoic acid	...	Nonazeotrope		334	
129	C ₄ H ₆ O ₂	trans-Crotonic acid	185	Nonazeotrope		334	
130	C ₄ H ₆ O ₂	Crotonic acid	...	99.9	97.8	84	
131	C ₄ H ₆ O ₂	Butyrolactone	204.3	Nonazeotrope		334	
132	C ₄ H ₆ O ₂	Vinyl acetate	72.7	66	7.3	334	
133	C ₄ H ₆ O ₃	Propylene carbonate	242.1	Nonazeotrope		334	
134	C ₄ H ₇ ClO	2-Chloroethyl vinyl ether	109.1	84	17	334	
135	C ₄ H ₇ N	Butyronitrile	117.6	88.7	32.5	334	
136	C ₄ H ₇ NO	2-Hydroxyisobutyronitrile, 30 mm. " 50 mm.	...	Nonazeotrope		334	
		"	...	Nonazeotrope		334	

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
137	C ₄ H ₈ Cl ₂ O	Bis(2-chloroethyl) ether	179.2	98	65.5	334	
138	C ₄ H ₈ O	2-Butanone	79.6	73.4	11.0	78	
	"	3.5 p.s.i.g.	...	79.3	12.1	78	
	"	9.2 p.s.i.g.	...	88.0	12.5	78	
	"	30 p.s.i.g.	...	111	15.8	78	
	"	60 p.s.i.g.	...	125	18.3	78	
	"	14.7 p.s.i.a.	...	73.3	11.6	v-1	254
	"	50 p.s.i.a.	...	112.2	15.9		254
	"	100 p.s.i.a.	...	139.0	19.3		254
	"	250 p.s.i.a.	...	180.7	23.4		254
	"	500 p.s.i.a.	...	216.1	26.4		254
	"				Evaporation behavior		196
139	C ₄ H ₈ O	Butyraldehyde	74.8	68.0	9.7	334	
	"		...	67.8	6.7	84	
140	C ₄ H ₈ O	Ethyl vinyl ether	35.5	34.6	1.5	334	
141	C ₄ H ₈ O	Isobutyraldehyde	63.5	64.3	6.7	84	
142	C ₄ H ₈ O	Methyl propenyl ether	46.3	46.3	0.5	334	
143	C ₄ H ₈ OS	2-Methylthiopropionaldehyde, 85 mm.	...	48	64	76	
	"	412 mm.	...	82	60	76	
	"	753 mm.	...	97.5	68	76	
	"	759 mm.	...	97.5	63	76	
144	C ₄ H ₈ OS	1,4-Oxathiane	149.2	95.6	48	334	
145	C ₄ H ₈ O ₂	p-Dioxane	Effect of dissolved salt		v-1	265	
	"	260 mm.	...	60	15.4	60	
146	C ₄ H ₈ O ₂	Ethoxyacetaldehyde	105	90	21.8	77	
147	C ₄ H ₈ O ₂	2-Hydroxybutyraldehyde, 80 mm.	...		Nonazeotrope	334	
148	C ₄ H ₈ O ₂	Isobutyric acid	154.5	98.8	71.8	84	
149	C ₄ H ₈ O ₂	3-Methoxypropionaldehyde, 100 mm.	...	45	30	334	
150	C ₄ H ₈ O ₂	2-Methyl-1,3-dioxolane	82.5	75	8	76	
151	C ₄ H ₈ O ₂	Methyl propionate	79.7	71.0	8.2	84	
152	C ₄ H ₈ O ₂	2-Vinylxyethanol	143	98	65	94	
153	C ₄ H ₉ NO	Morpholine	128.3		Nonazeotrope	334	
154	C ₄ H ₉ NO ₂	N-(2-Hydroxyethyl) acetamide	...		Nonazeotrope	334	
155	C ₄ H ₁₀ O	Butyl alcohol	...		Evaporation behavior	196	
	"	250-2500 mm.	v-1	251	
	"	30 mm.	48	28	52.4	335	
156	C ₄ H ₁₀ O	sec-Butyl alcohol	99.5	87.0	26.8	v-1	352
	"		...		Evaporation behavior	196	
	"	20 mm.	99.5	88.5	32	334	
	"		27.3	16.0	32.2	147	
157	C ₄ H ₁₀ O	Ethyl ether, 20 p.s.i.g.	62	60	2.0	334	
158	C ₄ H ₁₀ O	Isobutyl alcohol, 745 mm.	v-1	335	
159	C ₄ H ₁₀ O ₂	1,2-Dimethoxyethane, 100 mm.	35	...	6	9	
	"		85.2	...	10.4	9	
	"		85	77.4	10.1	76	
160	C ₄ H ₁₀ O ₂	2-Ethoxyethanol, <100 mm.	...		Nonazeotrope		18
	"	200 mm.	...	66.4	70	v-1	18
	"	400 mm.	...	82.4	79	v-1	18
	"		134	98.2	87	v-1	18
	"	200 mm.	96.5	66.4	85		334
	"	400 mm.	115.6	82.4	76		334
	"		135.6	99.4	71.2		334
161	C ₄ H ₁₀ O ₃	Diethylene glycol, 10 mm.	...		Nonazeotrope	v-1	60
	"		...		Nonazeotrope	v-1	60
162	C ₄ H ₁₁ N	Butylamine, 575 mm.	69	69	1.3	334	
	"	20 p.s.i.g.	106	-	6.5		334

TABLE I BINARY SYSTEMS

No.	Formula	B-Component		Azeotropic Data		
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =	H ₂ O	Water (continued)	100			
163	C ₄ H ₁₁ N	Diethylamine	55.5			
164	C ₄ H ₁₁ NO	2-Dimethylamino-ethanol, 27 p.s.i.g.	174	-	90.2	334
	"	744 mm.	133.9	99	92.6	334
	"	540 mm.	123.4	91	95.2	334
	"	250 mm.	100.7	71	98.2	334
165	C ₄ H ₁₁ NO ₂	2,2'-Iminodiethanol	...		Nonazeotrope	334
166	C ₅ H ₄ O ₂	2-Furaldehyde, 1-18 atm.	161.7	-	-	v-l
167	C ₅ H ₅ N	Pyridine	115.3	93.6	41.3	147
	"	120 mm.	...	-	46.2	117
	"	758 mm.	...	-	40.5	117
	"	>760 mm.	...	30	40.7	v-l
	"	>760 mm.	...	50	-	v-l
	"	>760 mm.	...	80	40.7	146, 360
				Effect of dissolved salt	v-l	265
168	C ₅ H ₆ N ₂	2-Methylpyrazine, 737 mm.	133	97	55	351
	"	130	92.6	36 vol. %	279	
169	C ₅ H ₆ O	2-Methylfuran, 740 mm.	62.7	57.3	3.4	v-l
170	C ₅ H ₇ N	3-Methyl-3-butene-nitrile	137.0	93.0	43.2	334
171	C ₅ H ₈ O	Allyl vinyl ether	67.4	60	5.4	334
172	C ₅ H ₈ O	Cyclopentanone	130.8	94.6	42.4	v-l
	"	740 mm.	130	92.6	36 vol. %	279
173	C ₅ H ₈ O	1-Methoxy-1,3-butadiene	90.7	76.2	12.7	334
174	C ₅ H ₈ O	3-Penten-2-one	123.5	92	28.6	334
175	C ₅ H ₈ O	3-Methyl-3-butene-2-one	97.9	81.5	18.4	334
176	C ₅ H ₈ O	4-Pentenal	106	84.3	21	334
177	C ₅ H ₈ O ₂	Allyl acetate	104.1	83	16.7	334
178	C ₅ H ₈ O ₂	Ethyl acrylate	99.5	81.1	15	283
	"	195 mm.	61	48	12	334
179	C ₅ H ₈ O ₂	Isopropenyl acetate, 200 mm.	60.2	48	11	334
	"	97.4	79.3	13.4	334	
180	C ₅ H ₈ O ₂	Methyl methacrylate	100.8	83	14	283
181	C ₅ H ₈ O ₂	2,4-Pentanedione	140.6	94.4	41	334
182	C ₅ H ₈ O ₂	Δ-Valerolactone	...		Nonazeotrope	334
183	C ₅ H ₈ O ₂	Vinyl propionate	95.0	79	13	334
184	C ₅ H ₁₀ Cl ₂ O ₂	Bis(2-chloroethoxy)methane	218.1	99.4	86.8	334
185	C ₅ H ₁₀ N ₂	3-Dimethylamino-propionitrile	174.5	99.6	84	334
186	C ₅ H ₁₀ O	cis-1-Butenyl methyl ether	72.0	64	6.1	334
187	C ₅ H ₁₀ O	trans-1-Butenyl methyl ether	76.7	67	7.2	334
188	C ₅ H ₁₀ O	Isopropenyl ethyl ether	61.9	58	2	334
189	C ₅ H ₁₀ O	Isopropyl vinyl ether	55.7	51.8	2.7	334
190	C ₅ H ₁₀ O	Propyl vinyl ether	65.1	59	5	334
191	C ₅ H ₁₀ O	Tetrahydropyran	88	71	8.5	82
192	C ₅ H ₁₀ O	Valeraldehyde	103.3	83	19	334
193	C ₅ H ₁₀ O	Valeraldehydes (isomers)	98.6	80	17	334
194	C ₅ H ₁₀ O ₂	Ethyl propionate, 350 mm.	76.0	61	13.3	334
195	C ₅ H ₁₀ O ₂	3-Methoxybutyraldehyde, 100 mm.	...	50	37	334
	"	200 mm.	...	64	37	334
	"	131	>92	35	334	

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
196	C ₅ H ₁₀ O ₂	Propyl acetate, 200-700 mm.	...			v-1	307
197	C ₅ H ₁₀ O ₂	Valeric acid	185.5	99.8	89		334
198	C ₅ H ₁₀ O ₂	Valeric acid (isomers)	183.2	99.6	85		334
199	C ₅ H ₁₀ O ₂	1-Vinylxylo-2-propanol	...	~100	75		94
200	C ₅ H ₁₀ O ₂	3-Vinylxylo-1-propanol	...	~100	75		94
201	C ₅ H ₁₀ O ₃	3-Ethoxypropionic acid	219.2	Nonazeotrope			334
202	C ₅ H ₁₀ O ₃	3-Methoxybutyric acid	...	Nonazeotrope			334
203	C ₅ H ₁₀ O ₃	Methoxymethyl propio- nate	...	95	56		334
204	C ₅ H ₁₁ NO	4-Methylmorpholine	115.6	94.2	24		334
205	C ₅ H ₁₂	Pentane	36.1	34.6	1.4		334
206	C ₅ H ₁₂ N ₂	1-Methylpiperazine	138.0	Nonazeotrope			334
207	C ₅ H ₁₂ O ₂	1,2-Dimethoxypropane	92	80	11		334
208	C ₅ H ₁₂ O ₂	1-Ethoxy-2-propanol	132.2	97.3	50.1		334
209	C ₅ H ₁₂ O ₂	3-Methoxy-1-butanol	161.1	98.5	80		334
210	C ₅ H ₁₂ O ₂	1,5-Pentanediol	242.5	Nonazeotrope			334
211	C ₅ H ₁₂ O ₂	2-Propanoylethanol	151.5	98.8	70		334
212	C ₅ H ₁₃ N	N-Methylbutylamine	91.1	82.7	15		334
213	C ₅ H ₁₃ NO	1-Ethylamino-2- propanol	159.4	Nonazeotrope			334
214	C ₅ H ₁₄ N ₂	N,N-Dimethyl-1,3- propanediamine	134.9	Nonazeotrope			334
215	C ₆ H ₇ N	Aniline, 742 mm.	...	98.6	80.8	v-1	143
	"	6 atm.	...	155	76.6	v-1	143
	"	11 atm.	...	182	76.2	v-1	143
	"	16.4 atm.	...	200	77.4	v-1	143
216	C ₆ H ₇ N	3-Picoline	144.1	97	60	v-1	365
217	C ₆ H ₇ N	4-Picoline	144.3	97.35	62.8	v-1	365
	"		...	97.4	63.5		334
218	C ₆ H ₈ N ₂	2,5-Dimethylpyrazine	154	98.5	65		351
219	C ₆ H ₈ O	2,5-Dimethylfuran	93.3	77.0	11.7		334
220	C ₆ H ₈ O	2,4-Hexadienol	171	98.0	70		334
221	C ₆ H ₈ O ₂	1,3-Butadienyl acetate	138.5	93	35.6		334
222	C ₆ H ₈ O ₂	Vinyl crotonate	133.9	92	31		334
223	C ₆ H ₉ N ₃	3,3'-Iminodipropio- nitrile	...	Nonazeotrope			334
224	C ₆ H ₁₀	2-Ethyl-1,3-butadiene	66.9	60.2	5.3		334
225	C ₆ H ₁₀ O	Cyclohexanone, < 760 mm.	...	90	...	v-1	121
	"		155.6	96.3	55	v-1	121
	"		155.4	95	61.6		334
226	C ₆ H ₁₀ O	2-Ethylcrotonalde- hyde	135.3	92.7	38		334
227	C ₆ H ₁₀ O	2-Hexenal	149	95.1	48.6		334
228	C ₆ H ₁₀ O	5-Penten-2-one	128.9	92.1	35.3		334
229	C ₆ H ₁₀ O	2-Methyl-2-pentenal	138.2	93.5	40		334
230	C ₆ H ₁₀ O ₂	Ethyl crotonate	137.8	93.5	38		334
231	C ₆ H ₁₀ O ₂	Vinyl butyrate	116.7	87.2	20.4		334
232	C ₆ H ₁₀ O ₂	Vinyl isobutyrate	105.4	83.5	17		334
233	C ₆ H ₁₀ O ₄	Ethylene glycol diacetate	190.8	99.7	84.6		334
234	C ₆ H ₁₁ N	Diallylamine	110.5	87.2	24		334
235	C ₆ H ₁₁ NO	6-Caprolactam, 50-760 mm.	v-1	333
236	C ₆ H ₁₁ NO ₃	2-Methyl-2-nitropropyl vinyl ether, 10 mm.	77-78	...	8.6		341
237	C ₆ H ₁₂	Cyclohexane	80.8	69.5	8.4		147
238	C ₆ H ₁₂	4-Methyl-2-pentene	56.7	53.5	3.5		334
239	C ₆ H ₁₂ Cl ₂ O	Bis(chloroisopropyl) ether	187.0	98.5	62.6		334
240	C ₆ H ₁₂ Cl ₂ O ₂	1,2-Bis(2-chloro- ethoxy)ethane	240.9	99.7	94.0		334
241	C ₆ H ₁₂ O	Butyl vinyl ether	94.2	77.5	11.6		334

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
242	C ₆ H ₁₂ O	Cyclohexanol, 42 mm.	...	35	86	374	
	"	57 mm.	...	40	84.8	374	
	"	95 mm.	...	50	82.5	374	
	"	158 mm.	...	60	80.2	374	
	"	252 mm.	...	70	77.8	374	
	"	385 mm.	...	80	75.2	374	
	"	570 mm.	...	90	72.6	374	
	"	684 mm.	...	95	70.7	374	
	"		160.65	97.8	69.5	374	
	"	<760 mm.	160.65	90	74	v-1	122
243	C ₆ H ₁₂ O	2-Ethylbutyraldehyde	116.7	87.5	23.7	334	
244	C ₆ H ₁₂ O	Isobutyl vinyl ether	83.4	70.5	7.8	334	
245	C ₆ H ₁₂ O	Hexaldehyde	128.3	91.0	31.3	334	
246	C ₆ H ₁₂ O	2-Methylpentanal	118.3	88.5	23	334	
247	C ₆ H ₁₂ OS	2-Ethylthioethyl vinyl ether	169.7	97.8	61	334	
248	C ₆ H ₁₂ O ₂	2-Ethylbutyric acid	194.2	99.7	87	334	
249	C ₆ H ₁₂ O ₂	Hexanoic acid	205.7	99.8	92.1	334	
250	C ₆ H ₁₂ O ₂	4-Hydroxy-4-methyl-2-pentanone	...	Nonazeotrope	v-1	125	
	"	100 mm.	...	Nonazeotrope	v-1	125	
	"	200 mm.	123.5	66.4	97	v-1	125
	"	400 mm.	143	82.6	90	v-1	125
	"	760 mm.	161	99.5	85	v-1	125
	"		169.2	99.6	87	335	
251	C ₆ H ₁₂ O ₂	2-Ethyl-2-methyl-1,3-dioxolane	117.6	88.5	20	334	
252	C ₆ H ₁₂ O ₂	2-Methylpentanoic acid	196.4	99.4	87.9	334	
253	C ₆ H ₁₂ O ₂	4-Vinylxylo-1-butanol	-	Min. b.p.		94	
254	C ₆ H ₁₂ O ₂	Tetrahydropyan-2-methanol	187.2	Nonazeotrope		334	
255	C ₆ H ₁₂ O ₃	2-Ethoxyethyl acetate	156.2	97.5	55.6	334	
256	C ₆ H ₁₂ O ₃	Methyl 3-ethoxypropionate, 50 mm.	...	37	50	334	
257	C ₆ H ₁₂ O ₃	2-(2-Vinylxyloethoxy)ethanol	...	~100	97-8	94	
	"		207.6	Nonazeotrope		334	
258	C ₆ H ₁₃ Cl	1-Chlorohexane	134.5	91.8	29.7	334	
259	C ₆ H ₁₃ N	Cyclohexylamine,					
		40 mm.	51.4	31.7	69.0	38	
	"	70 mm.	...	41.9	66.0	38	
	"	100 mm.	72	49.0	64.1	38	
	"	200 mm.	90.9	63.6	60.7	38	
	"	300 mm.	102.5	72.7	59.1	38	
	"	500 mm.	118.9	85.3	57.0	38	
	"	760 mm.	134.5	96.4	55.8	38	
260	C ₆ H ₁₃ N	Hexamethyleneimine	138	95.5	49.5	81	
261	C ₆ H ₁₃ NO	2,6-Dimethylmorpholine	146.6	99.6	70	334	
262	C ₆ H ₁₃ NO	4-Ethylmorpholine	138.3	96.7	46.2	334	
263	C ₆ H ₁₃ NO ₂	4-Morpholineethanol	225.5	Nonazeotrope		334	
264	C ₆ H ₁₄	Hexane	68.7	61.6	5.6	334	
265	C ₆ H ₁₄ N ₂	2,5-Dimethylpiperazine	164	Nonazeotrope		334	
266	C ₆ H ₁₄ N ₂ O	4-(2-Aminoethyl)morpholine	204.7	Nonazeotrope		334	
267	C ₆ H ₁₄ N ₂ O	1-Piperazineethanol	246.3	Nonazeotrope		334	
268	C ₆ H ₁₄ O	Butyl ethyl ether	92.2	76.6	11.9	334	
269	C ₆ H ₁₄ O	2-Ethyl-1-butanol	147.0	96.7	58	335	
270	C ₆ H ₁₄ O	Hexyl alcohol	157.1	97.8	67.2	335	
271	C ₆ H ₁₄ O	Isopropyl ether,	131 mm.	22.47	20.0	2.6	334
	"	297 mm.	41.82	38.0	3.4	334	
	"	481 mm.	54.75	50.0	4.0	334	
	"	1520 mm.	92	88	7.6	334	

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.		B.P., °C.	Wt.%A	Ref.
A =	H ₂ O	Water (continued)	100				
272	C ₆ H ₁₄ O	2-Methyl-1-pentanol	148	97.2	60	334	
273	C ₆ H ₁₄ O	4-Methyl-2-pentanol	131.8	94.3	43.3	334	
274	C ₆ H ₁₄ O ₂	1,1-Diethoxyethane	102.1	82.6	14.3	334	
275	C ₆ H ₁₄ O ₂	1,1-Dimethoxybutane	114	87.3	20.3	334	
276	C ₆ H ₁₄ O ₂	1,3-Dimethoxybutane	120.3	89.6	30	334	
277	C ₆ H ₁₄ O ₂	1,1-Dimethoxy-2-methylpropane	104.7	83.9	14.3	334	
278	C ₆ H ₁₄ O ₂	2-Methyl-1,5-pentanediol	242.4	Nonazeotrope		334	
279	C ₆ H ₁₄ O ₂	3-Methyl-1,5-pentanediol	248.4	Nonazeotrope		334	
280	C ₆ H ₁₄ O ₃	Bis(2-methoxyethyl)ether, 100 mm.	103	-	89.5	9	
		" 760 mm.	162	-	80.2	9	
		" 800 mm.	164	-	80	9	
		" 760 mm.	164	99.55	78	v-1	76
281	C ₆ H ₁₄ O ₃	2-(2-Ethoxyethoxy)ethanol	202.8	Nonazeotrope		334	
282	C ₆ H ₁₅ N	Diisopropylamine	84.1	74.1	9	334	
283	C ₆ H ₁₅ N	1,3-Dimethylbutyl-amine	108.5	89.5	28.6	334	
284	C ₆ H ₁₅ N	Dipropylamine	109	86.7	-	41	
285	C ₆ H ₁₅ N	N-Ethylbutylamine	111.2	87.5	43.6	334	
286	C ₆ H ₁₅ N	Hexylamine	132.7	95.5	49	334	
287	C ₆ H ₁₅ N	Triethylamine	89.4	Compound forma-tion	v-1	315	
288	C ₆ H ₁₅ NO	2-Butylaminoethanol	199.3	Nonazeotrope		334	
289	C ₆ H ₁₅ NO	2-Diethylaminoethanol	162.1	98.9	74.4	334	
290	C ₆ H ₁₅ NO	1-Isopropylamino-2-propanol	164.5	99.8	86	334	
291	C ₆ H ₁₅ N ₃	4-(2-Aminoethyl)piperazine	222.0	Nonazeotrope		334	
292	C ₆ H ₁₆ N ₂	N,N-Diethylethylene-diamine	144.9	99.8	79.5	334	
293	C ₆ H ₁₆ N ₂	N,N,N',N'-Tetra-methylethylene-diamine	119-22	95.6	30	287	
294	C ₇ H ₈	Toluene	110.7	Evaporation behavior		196	
		"	110.6	85	20.2	334	
295	C ₇ H ₈ O ₂	Guaiacol	205.0	99.5	87.5	96	
296	C ₇ H ₉ ClO	2-Chloroallylidene diacetate	212.1	99.7	85	334	
297	C ₇ H ₉ N	2,6-Lutidine	142	96.02	51.8	v-1	365
298	C ₇ H ₉ N	Tetrahydrobenzonitrile	195.1	98.8	78.3	334	
299	C ₇ H ₁₀ O	1,2,3,6-Tetrahydro-benzaldehyde	164.2	96.9	60	334	
300	C ₇ H ₁₀ O ₄	Allylidene diacetate	-	98.7	71	334	
301	C ₇ H ₁₂	2,4-Dimethyl-1,3-pen-tadiene, 750.6 mm.	93.3	76.8	13	334	
302	C ₇ H ₁₂ O	3-Hepten-2-one	162.9	96	55.7	334	
303	C ₇ H ₁₂ O ₂	Butyl acrylate	147	94.5	40	76	
		" 100 mm.	...	94.3	38	334	
304	C ₇ H ₁₂ O ₂	2-Ethoxy-3,4-dihydro-1,2-pyran	142.9	93.6	34.9	334	
305	C ₇ H ₁₂ O ₄	Pimelic acid, 100 mm.	272	Nonazeotrope		334	
306	C ₇ H ₁₄ O	Butyl isopropenyl ether	114.8	86.3	18.8	334	
307	C ₇ H ₁₄ O	3-Heptanone	147.6	94.6	42.2	334	
308	C ₇ H ₁₄ O	4-Heptanone	143.7	94.3	40.5	334	
309	C ₇ H ₁₄ O	5-Methyl-2-hexanone	144	94.7	44	334	
		"	...	93.0	75	84	
310	C ₇ H ₁₄ O ₂	Amyl acetate (isomers)	146	94	36.2	334	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
311	C ₇ H ₁₄ O ₃	Ethyl 3-ethoxy-propionate	170.1	97	63	334	
		" 100 mm.	107.8	50.5	71	334	
312	C ₇ H ₁₄ O ₃	3-Methoxybutyl acetate	171.3	96.5	65.4	334	
313	C ₇ H ₁₄ O ₄	2-(2-Methoxyethoxy)ethyl acetate	208.9	Nonazeotrope	334		
314	C ₇ H ₁₆	Heptane	98.4	79.2	12.9	334	
315	C ₇ H ₁₆ O	5-Methyl-2-hexanol	...	96.5	59.1	84	
316	C ₇ H ₁₆ O ₂	1-Butoxy-2-ethoxyethane	149.9	95.6	42	334	
317	C ₇ H ₁₆ O ₂	1-Butoxy-2-propanol	170.1	98.6	72	334	
318	C ₇ H ₁₆ O ₂	2-Ethyl-1,5-pentanediol	253.3	Nonazeotrope	334		
319	C ₇ H ₁₆ O ₃	1-(2-Ethoxyethoxy)-2-propanol	198.1	Nonazeotrope	334		
320	C ₇ H ₁₆ O ₃	2-Ethoxyethyl-2-methoxyethyl ether	-	99.5	82	334	
321	C ₇ H ₁₆ O ₃	2-(2-Propoxyethoxy)ethanol	215.8	Nonazeotrope	334		
322	C ₇ H ₁₇ NO	1-Diethylamino-2-propanol	159.5	97.2	55	334	
323	C ₇ H ₁₈ N ₂	3-Diethylamino-propylamine	169.4	99.8	93	334	
324	C ₈ H ₈	Styrene	145.1	93.9	40.9	334	
325	C ₈ H ₈ Cl ₂ O ₂	2-(2,4-Dichlorophenoxy)ethanol	...	~100	~99.6	334	
326	C ₈ H ₈ O	Acetophenone	201.6	99.1	81.5	334	
327	C ₈ H ₈	(Epoxyethyl)benzene	194.2	99.2	77.6	334	
328	C ₈ H ₁₀	Ethylbenzene	136.2	92	33.0	334	
		"	...	91	30.6	84	
329	C ₈ H ₁₀	m-Xylene	139.1	94.5	40	334	
330	C ₈ H ₁₀ O	α-Methylbenzyl alcohol	203.4	99.7	89	335	
331	C ₈ H ₁₁ N	N-Ethylaniline	204.8	99.2	83.9	334	
332	C ₈ H ₁₁ N	α-Methylbenzylamine	188.6	99.4	83.8	334	
333	C ₈ H ₁₁ N	2-Methyl-5-ethylpyridine	178.3	98.4	72	334	
334	C ₈ H ₁₁ N	ar-Methyl-1,2,3,6-tetrahydrobenzonitrile	205.4	99.1	82.6	334	
335	C ₈ H ₁₂ O	2-Methyl-1,2,3,6-tetrahydrobenzaldehyde	176.4	97.7	92.2	334	
336	C ₈ H ₁₂ O ₂	3,4-Dihydro-2,5-dimethyl-2H-pyran-2-carboxaldehyde	170.9	97.4	56	334	
337	C ₈ H ₁₂ O ₄	Diethyl fumarate	218.1	99.5	87.5	334	
338	C ₈ H ₁₄	Diisobutylene	102.3	82	12	334	
339	C ₈ H ₁₄ O	Bicyclo[2.2.1]heptane-2-methanol	203.9	99.7	91	334	
340	C ₈ H ₁₄ O	Diisobutylene oxide	...	94	37	334	
341	C ₈ H ₁₄ O	2-Ethyl-2-hexenal	176	97.6	60.9	334	
342	C ₈ H ₁₄ O	2-Octenal	...	99.2	76.2	334	
343	C ₈ H ₁₄ O ₂	1,1-Diallyloxyethane	150.9	95.3	41	334	
344	C ₈ H ₁₄ O ₂	2-Ethyl-3-hexenoic acid	231.8	99.9	97.4	334	
345	C ₈ H ₁₄ O ₂	Vinyl 2-methylvalerate	148.8	95	38	334	
346	C ₈ H ₁₄ O ₃	Bis(2-vinyloxyethyl)ether	198.7	99.4	82	334	
347	C ₈ H ₁₄ O ₃	Butyl acetoacetate	213.9	99.4	84.1	334	
348	C ₈ H ₁₄ O ₄	Diethyl succinate	216.2	99.9	91	334	
349	C ₈ H ₁₅ N	2-(Aminomethyl)bicyclo[2.2.1]heptane	185.9	99	82	334	
350	C ₈ H ₁₆ O	2-Ethylhexaldehyde	163.6	96.4	51.6	334	

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
351	C ₈ H ₁₆ O	2,4,4-Trimethyl-1,2-epoxypentane	140.9	93.4	33	334	
352	C ₈ H ₁₆ O	2,4,4-Trimethyl-2,3-epoxypentane	127.3	91	25	334	
353	C ₈ H ₁₆ OS	2-Butylthioethyl vinyl ether	210.5	99.3	80	334	
354	C ₈ H ₁₆ O ₂	2-Butoxyethyl vinyl ether	...	97.0	52.8	334	
355	C ₈ H ₁₆ O ₂	2,3-Epoxy-2-ethyl-hexanol	...	100	99.5	334	
356	C ₈ H ₁₆ O ₂	2-Ethylbutyl acetate	162.3	97.0	52.4	334	
357	C ₈ H ₁₆ O ₂	2-Ethylhexanoic acid	227.6	99.9	96.4	334	
		"	...	99.5	97.6	84	
358	C ₈ H ₁₆ O ₂	Hexyl acetate	171.0	97.4	61	334	
359	C ₈ H ₁₆ O ₂	Iso-octanoic acid (isomers)	220	99.9	96	334	
360	C ₈ H ₁₆ O ₂	4-Methyl-2-pentyl acetate	146.1	94.8	36.7	334	
361	C ₈ H ₁₆ O ₃	2-Butoxyethyl acetate	192.2	98.8	71.9	334	
362	C ₈ H ₁₆ O ₃	2,5-Diethoxytetrahydrofuran	173.0	98	60	334	
363	C ₈ H ₁₆ O ₃	2-Ethoxyethyl 2-vinyloxyethyl ether	194.0	99.3	82.3	334	
364	C ₈ H ₁₆ O ₄	2-(2-Ethoxyethoxy)ethyl acetate	217.4	Nonazeotrope	334		
365	C ₈ H ₁₇ Cl	1-Chloro-2-ethylhexane	173	97.3	55	334	
366	C ₈ H ₁₇ N	N-Ethylcyclohexylamine	164.9	97.1	58	334	
367	C ₈ H ₁₇ N	5-Ethyl-2-methylpiperidine	163.4	97.1	57.0	334	
368	C ₈ H ₁₇ N	α-Methylcyclohexylmethylamine	...	99.0	79	334	
369	C ₈ H ₁₇ NO	4-Ethyl-2,6-dimethylmorpholine	158.1	97.5	49	334	
370	C ₈ H ₁₈	Octane	125.7	89.6	25.5	334	
371	C ₈ H ₁₈ O	2-Ethyl-1-hexanol	184.8	99.1	80	335	
372	C ₈ H ₁₈ O	Iso-octyl alcohol (isomers)	186.5	99.8	82	334	
373	C ₈ H ₁₈ O ₂	2-Ethyl-1,3-hexanediol	243.1	Nonazeotrope	334		
374	C ₈ H ₁₈ O ₂	1-Butoxy-2-ethoxyethane	164.2	96.8	50	334	
375	C ₈ H ₁₈ O ₂	1,1-Diethoxybutane	146.3	94.2	34.5	334	
376	C ₈ H ₁₈ O ₂	5-Ethoxy-3-methylpentanol	211.7	99.9	97	334	
377	C ₈ H ₁₈ O ₂	2-Ethyl-3-methyl-1,5-pentanediol	265.5	Nonazeotrope	334		
378	C ₈ H ₁₈ O ₂	2-Hexyloxyethanol	208.1	99.7	91	334	
379	C ₈ H ₁₈ O ₂	2-(2-Methylpentyloxy)ethanol	197.1	99.6	86	334	
380	C ₈ H ₁₈ O ₃	2-(2-Butoxyethoxy)ethanol	230.6	Nonazeotrope	334		
381	C ₈ H ₁₈ O ₃	Bis(2-ethoxyethyl)ether	188.4	99.4	69	334	
382	C ₈ H ₁₈ O ₄	1,2-Bis(2-methoxyethoxy)ethane	...	Nonazeotrope	9		
383	C ₈ H ₁₉ N	Dibutylamine	159.6	97	50.5	334	
384	C ₈ H ₁₉ N	2-Ethylhexylamine	169.1	98.2	64	334	
385	C ₈ H ₁₉ NO	2-Diisopropylaminoethanol	190.9	99.2	85	334	
386	C ₈ H ₁₉ NO ₂	2,2'-Butyliminodiethanol	...	Nonazeotrope	334		
387	C ₈ H ₁₉ NO ₂	1,1'-Ethyliminodi-2-propanol	238.9	Nonazeotrope	334		
388	C ₉ H ₈ O ₂	Vinyl benzoate	...	99.3	82.6	334	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
389	C ₉ H ₁₀ O ₂	1,2-Epoxy-3-phenoxyp propane	244.4	99.8	96.1	334	
390	C ₉ H ₁₁ N	5-Ethyl-2-vinyl-pyridine	...	99.4	85	334	
391	C ₉ H ₁₂	Cumene	152.4	95	43.8	334	
392	C ₉ H ₁₂ O ₂	Bicyclo[2.2.1]hept-5-ene-2-ol acetate	188.6	98.6	70	334	
393	C ₉ H ₁₃ NO	5-Ethyl-2-pyridine-ethanol	...			334	
394	C ₉ H ₁₄ O	Isophorone	215.2	99.5	83.9	334	
395	C ₉ H ₁₅ O	" 25 p.s.i.g.	251	130	86.5	334	
		1-Methyl-2,5-endomethylene-cyclohexane-1-methanol	211.1	99.7	90.6	334	
396	C ₉ H ₁₅ N	Triallylamine	151.1	95	38	334	
397	C ₉ H ₁₆ O	5-Ethyl-3-hepten-2-one	193.5	98.7	73.4	334	
398	C ₉ H ₁₆ O ₄	Dimethyl pimelate	248.9	99.9	96.8	334	
399	C ₉ H ₁₈ O ₂	2,6-Dimethyl-4-heptanone	169.4	97.0	51.9	334	
400	C ₉ H ₁₈ O ₂	2-Heptyl acetate	176.4	97.8	58.9	334	
401	C ₉ H ₁₈ O ₂	3-Heptyl acetate	173.8	97.5	57.6	334	
402	C ₉ H ₁₈ O ₃	3-(2-Ethylbutoxy)propionic acid	...	100	> 99	334	
403	C ₉ H ₂₀	Nonane	150.7	94.8	82	332	
		"	150.8	95	39.8	334	
404	C ₉ H ₂₀ O	2,6-Dimethyl-4-heptanol	178.1	98.5	70.4	335	
405	C ₉ H ₂₀ O ₂	2-Ethyl-2-butyl-1,3-propanediol	...		Nonazeotrope	334	
406	C ₉ H ₂₀ O ₃	1-(2-Butoxyethoxy)-2-propanol	230.3	99.9	95	334	
407	C ₉ H ₂₀ O ₃	2-Methoxymethyl-2,4-dimethyl-1,5-pentanediol	...		Nonazeotrope	334	
408	C ₉ H ₂₀ O ₃	1,1,3-Triethoxypropane	...	99	70	334	
409	C ₉ H ₂₁ N	N-Methyldibutylamine	163.1	96.5	48.0	334	
410	C ₉ H ₂₁ N	Tripropylamine	156	94.3	-	41	
411	C ₉ H ₂₁ NO ₂	1,1'-Isopropylimino-di-2-propanol	248.6		Nonazeotrope	334	
412	C ₉ H ₂₁ NO ₄	2-(2-[2-(3-Amino-propoxy)ethoxy]-ethoxy)ethanol	...		Nonazeotrope	334	
413	C ₁₀ H ₁₀ O ₄	Dimethyl phthalate	282.9	100	98.9	334	
414	C ₁₀ H ₁₂ O ₃	2-Phenoxyethyl acetate	260.6	99.9	97.4	334	
415	C ₁₀ H ₁₄	Dicyclopentadiene	172	98	67.7	334	
416	C ₁₀ H ₁₄ N ₂	Nicotine, 110 mm. " 478 mm. " 572 mm. " 624 mm. " 760 mm.	...	Nonazeotrope	v-1	106	
			99.70	v-1	106
			99.02	v-1	106
			98.50	v-1	106
			...	99.85	97.48	v-1	106
417	C ₁₀ H ₁₄ O ₂	Ethyl bicyclo[2.2.1]hept-5-ene-2-carboxylate	198	99.2	80	334	
418	C ₁₀ H ₁₄ O ₃	2-(2-Phenoxyethoxy)ethanol	297.9		Nonazeotrope	334	
419	C ₁₀ H ₁₅ N	N-Butylaniline	240.4	99.8	94.4	334	
420	C ₁₀ H ₁₅ N	N-Ethyl- α -methylbenzylamine	201.2	99.2	80	334	
421	C ₁₀ H ₁₅ N	N,N, α -Trimethylbenzylamine	195.8	98.6	74.8	334	

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
422	C ₁₀ H ₁₅ NO	2-(α -Methylbenzyl-amino)ethanol	...	Nonazeotrope	334		
423	C ₁₀ H ₁₆ O	Dicyclopentenol	...	100	96.6	334	
424	C ₁₀ H ₁₆ O	Trimethyltetrahydro-benzaldehyde	204.5	99.0	77.0	334	
425	C ₁₀ H ₁₆ O ₄	Diisopropyl maleate	228.7	99.9	93	334	
426	C ₁₀ H ₁₈ O ₂	Vinyl 2-ethylhexanoate	185.2	98.6	68	334	
427	C ₁₀ H ₁₈ O ₂	Vinyl octanoate (isomers)	...	99.1	74	334	
428	C ₁₀ H ₂₀ O	2-Ethylhexyl vinyl ether	177.7	97.8	59.1	334	
429	C ₁₀ H ₂₀ O ₂	2-Ethylbutyl butyrate	199.6	98.6	74.9	334	
430	C ₁₀ H ₂₀ O ₂	2-Ethylhexyl acetate	198.4	99.0	73.5	334	
431	C ₁₀ H ₂₀ O ₂	4-Methyl-2-pentyl butyrate	182.6	98.2	60.8	334	
432	C ₁₀ H ₂₀ O ₃	2-Butoxyethyl 2-vinyloxyethyl ether	226.7	99.8	90	334	
433	C ₁₀ H ₂₁ Cl	Chlorodecane (isomers)	210.6	99.7	84	334	
434	C ₁₀ H ₂₁ N	N-Butylcyclohexyl-amine	209.5	99.5	81	334	
435	C ₁₀ H ₂₂ O	Decyl alcohol (isomers)	217.3	100	94.8	335	
436	C ₁₀ H ₂₂ O	2-Ethyoctanol	220.5	99.9	94.0	334	
437	C ₁₀ H ₂₂ O	2-Propylheptanol	217.9	99.8	92	334	
438	C ₁₀ H ₂₂ O ₂	1,2-Dibutoxyethane	203.6	99.1	76.8	334	
439	C ₁₀ H ₂₂ O ₂	1,1-Diisobutoxyethane	160.5	97.4	52.5	334	
440	C ₁₀ H ₂₂ O ₃	2-(2-Hexyloxyethoxy)ethanol	259.1	100	98.1	334	
441	C ₁₀ H ₂₂ O ₄	1,2-Bis(2-ethoxyethoxy)ethane	246.9	Nonazeotrope	334		
442	C ₁₀ H ₂₂ O ₅	Bis[2-(2-methoxyethoxyethyl] ether	...	Nonazeotrope	9, 334		
443	C ₁₀ H ₂₃ N	Decylamine (isomers)	203.7	99.5	82	334	
444	C ₁₀ H ₂₃ N	Diamylamine (isomers)	190	99.3	76	334	
445	C ₁₀ H ₂₃ N	N,N-Dimethyl-2-ethyl-hexylamine	176.1	98.2	58	334	
446	C ₁₀ H ₂₃ NO	2-Dibutylaminoethanol	228.7	99.9	91.0	334	
447	C ₁₁ H ₁₄ O ₃	Butyl salicylate	268.2	99.9	95.8	334	
448	C ₁₁ H ₁₄ O ₃	Ethyl 6-formylbicyclo[2.2.1]hept-5-en-2-carboxylate	...	100	97	334	
449	C ₁₁ H ₁₆ O ₃	Allyl 6-methyl-3,4-epoxycyclohexane-carboxylate	251.4	100	98.1	334	
450	C ₁₁ H ₁₈ O ₂	Isopropyl 6-methyl-3-cyclohexene-carboxylate	215.2	99.7	84	334	
451	C ₁₁ H ₂₀ O	5-Ethyl-3-nonen-2-one	226.4	99.6	92	334	
452	C ₁₁ H ₂₀ O ₄	Diethyl pimelate	268.1	100	98.3	334	
453	C ₁₁ H ₂₂ O	5-Ethyl-2-nanone	222.9	99.6	87.1	334	
454	C ₁₁ H ₂₂ O ₂	2,6-Dimethyl-4-heptyl acetate	192.2	98.7	67.6	334	
455	C ₁₁ H ₂₂ O ₃	4-Methoxy-2,6-dipropyl-1,3-dioxane	223.6	99.6	88.1	334	
456	C ₁₁ H ₂₄	Undecane	194.5	98.85	96	332	
457	C ₁₁ H ₂₄ O	5-Ethyl-2-nananol	225.4	99.7	89.1	334	
458	C ₁₁ H ₂₄ O ₂	2,2-Dibutoxypropane	...	98.9	69.6	334	
459	C ₁₁ H ₂₄ O ₂	2,6-Dimethyl-4-heptyloxyethanol	225.5	99.9	91	334	
460	C ₁₁ H ₂₄ O ₄	1,1,3,3-Tetraethoxypropane	220.1	99.8	87.4	334	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
461	C ₁₁ H ₂₅ NO	1-Dibutylamino-2-propanol	229.1	99.8	88.4	334	
462	C ₁₂ H ₂₄ O ₄	Diethyl phthalate	294.3	99.9	98.4	334	
463	C ₁₂ H ₂₈ O	Triisobutylene oxide	...	99.3	72	334	
464	C ₁₂ H ₁₉ N	N-Butyl- α -methylbenzylamine	239.3	99.8	92	334	
465	C ₁₂ H ₂₀ O ₂	sec-Butyl-6-methyl-3-cyclohexene-carboxylate	...	100	92	334	
466	C ₁₂ H ₂₀ O ₄	Dibutyl fumarate	285.2	99.9	98.5	334	
467	C ₁₂ H ₂₀ O ₄	Dibutyl maleate	280.6	99.9	98.4	334	
468	C ₁₂ H ₂₂ O ₂	2-Ethylhexyl crotonate	241.2	99.9	93.4	334	
469	C ₁₂ H ₂₂ O ₂	Vinyl decanoate (isomers)	...	99.9	88	334	
470	C ₁₂ H ₂₂ O ₄	Diethyl 2-ethyl-3-methylglutarate	255.8	100	97.1	334	
471	C ₁₂ H ₂₃ N	Dicyclohexylamine	255.8	Nonazeotrope		38	
472	C ₁₂ H ₂₄ O	2,6,8-Trimethyl-4-nonanone	218.2	99	84	334	
473	C ₁₂ H ₂₄ O ₂	2-Ethylbutyl 2-ethylbutyrate	222.6	99.6	85.6	334	
474	C ₁₂ H ₂₄ O ₂	2-Ethylbutyl hexanoate	236.2	99.7	91.2	334	
475	C ₁₂ H ₂₄ O ₂	Hexyl 2-ethylbutyrate	230.3	99.7	88.8	334	
476	C ₁₂ H ₂₄ O ₂	Hexyl hexanoate	245.2	99.8	93.3	334	
477	C ₁₂ H ₂₆	Dodecane	214.5	99.45	98	332	
478	C ₁₂ H ₂₆ O	2-Butyl-1-octanol	253.4	99.9	97.5	334	
479	C ₁₂ H ₂₆ O	2,6,8-Trimethyl-4-nonal	225.5	99.6	89.7	335	
480	C ₁₂ H ₂₆ O ₂	1,1-Diethoxy-2-ethylhexane	207.8	99.3	78.6	334	
481	C ₁₂ H ₂₆ O ₂	1,1-Diisopentoxyethane	213.6	99.3	78.8	334	
482	C ₁₂ H ₂₆ O ₂	3-Ethoxy-4-ethyl-octanol	249.2	100	98	334	
483	C ₁₂ H ₂₆ O ₃	Bis(2-butoxyethyl)ether	254.6	99.8	94.7	334	
484	C ₁₂ H ₂₆ O ₃	1,1,3-Triethoxyhexane	...	99.6	85	334	
485	C ₁₂ H ₂₇ N	Dihexylamine	239.8	99.8	92.8	334	
486	C ₁₂ H ₂₇ N	Tributylamine	213.9	99.8	82	334	
487	C ₁₂ H ₂₇ O ₄ P	Tributyl phosphate	...	100	99.4	334	
488	C ₁₃ H ₂₄ O ₂	Decyl acrylate (isomers)	...	99.9	94.9	334	
489	C ₁₄ H ₂₂ O	2-(Bethylhexyl)phenol	297.0	100	> 99	334	
490	C ₁₄ H ₂₃ N	N-(Eethylhexyl)aniline	...	100	99.3	334	
491	C ₁₄ H ₂₄	1,3,6,8-Tetramethyl-1,6-cyclodecadiene	220.5	99.5	82.3	334	
492	C ₁₄ H ₂₆ O ₄	Dibutyl adipate	...	100	> 99	334	
493	C ₁₄ H ₂₈ O	Trimethylnonyl vinyl ether	223.4	99.6	84.3	334	
494	C ₁₄ H ₂₈ O ₂	2-Ethylbutyl 2-ethylhexanoate	261.5	99.9	95.8	334	
495	C ₁₄ H ₂₈ O ₂	2-Ethylhexyl 2-ethylbutyrate	252.8	99.9	94.8	334	
496	C ₁₄ H ₂₈ O ₂	2-Ethylhexyl hexanoate	267.2	99.9	96.4	334	
497	C ₁₄ H ₂₈ O ₂	Hexyl 2-ethylhexanoate	254.3	99.9	94.6	334	
498	C ₁₄ H ₂₉ N	N-(2-Eethylhexyl)cyclohexylamine	...	100	99.7	334	
499	C ₁₄ H ₃₀ O	7-Ethyl-2-methyl-4-undecanol	264.3	99.9	96.3	334	
500	C ₁₄ H ₃₀ O ₂	2-(2,6,8-Trimethyl-4-nonyloxy)ethanol	...	100	99.0	334	
501	C ₁₅ H ₂₈ O ₄	Dibutyl pimelate	...	100	> 99.5	334	
502	C ₁₅ H ₃₂ O	2,8-Dimethyl-6-isobutyl-4-nonanol	265.4	99.9	97.2	334	

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	H ₂ O	Water (continued)	100				
503	C ₁₆ H ₁₈ O	Bis(α-methylbenzyl) ether	286.7	100	98.7	334	
504	C ₁₆ H ₂₈ O ₄	Bis(4-methyl-2-pentyl) maleate	...	100	99	334	
505	C ₁₆ H ₃₀ O ₂	Tridecyl acrylate	...	100	98.8	334	
506	C ₁₆ H ₃₁ N	Bis(methylcyclohexylmethyl)amine	...	100	99.45	334	
507	C ₁₆ H ₃₂ O ₂	2-Ethylhexyl 2-ethylhexanoate	280.4	99.9	97.9	334	
508	C ₁₆ H ₃₄ O	Bis(2-ethylhexyl) ether	269.8	99.8	96.4	334	
509	C ₁₆ H ₃₅ N	Bis(2-ethylhexyl) amine	280.7	100	97.6	334	
510	C ₁₇ H ₃₆ O	3,9-Diethyl-6-tridecanol	309	100	> 99	334	
511	C ₁₈ H ₂₄ N ₂	Bis(α-methylbenzyl) ethylenediamine	...	100	> 99.9	334	
512	C ₁₈ H ₃₈ O ₂	1,1-Bis(2-ethylhexyloxy)ethane	...	99.0	.99.9	334	
513	C ₁₈ H ₃₉ NO	2-[Bis(2-ethylhexyl)amino]ethanol	...	100	> 99.5	334	
514	C ₂₀ H ₃₆ O ₄	Bis(2-ethylhexyl)fumarate	...	100	> 99.9	334	
515	C ₂₀ H ₃₆ O ₄	Bis(2-ethylhexyl)maleate	...	100	> 99.9	334	
516	C ₂₀ H ₄₀ O ₃	2-Ethylhexyl 3-(2-ethylhexyloxy)butyrate	...	100	> 99.5	334	
517	C ₂₀ H ₄₂ O	Decyl ether (isomers)	...	100	99.6	334	
518	C ₂₀ H ₄₂ O	Eicosanol (isomers)	...	100	99.8	334	
519	C ₂₀ H ₄₃ N	Didecylamine (isomers)	...	100	99.6	334	
520	C ₂₁ H ₃₈ O ₃	Allyl 9,10-epoxystearate	...	Nonazeotrope		334	
521	C ₂₄ H ₅₂ O ₄ Si	Tetra(2-ethylbutoxy)silane	...	100	99.9	334	
522	C ₃₁ H ₅₈ O ₆	Tri(2-ethylhexyl)1,2,4-butane-tricarboxylate	...	100	99.8	334	
A =	H ₂ S	Hydrogen Sulfide	-59.6				
523	C ₂ H ₆	Ethane, 200 p.s.i.g.	...	-21.6	7.9	v-1	159
		" 300 p.s.i.g.	...	-6.5	11.6	v-1	159
		" 400 p.s.i.g.	...	5	14.5	v-1	159
		" 500 p.s.i.g.	...	15	17.1	v-1	159
		" 600 p.s.i.g.	...	23.5	19.6	v-1	159
524	C ₃ H ₈	Propane, 200 p.s.i.g.	...	7.8	75.2	v-1	161
		" 400 p.s.i.g.	...	37.1	82	v-1	161
		" 600 p.s.i.g.	...	56	83.7	v-1	161
		" 800 p.s.i.g.	...	72	87.2	v-1	161
		" 1000 p.s.i.g.	...	84.2	89.9	v-1	161
		" 1200 p.s.i.g.	...	95	92.7	v-1	161
A =	H ₃ N	Ammonia	-33.4				
525	C ₂ H ₇ N	Ethylamine, 0°-30° C.	...	Nonazeotrope		334	
526	C ₃ H ₄	Propadiene	-32	-45	44.3	127	
527	C ₃ H ₅ F	2-Fluoropropene	-24	-40.5	34	127	
528	C ₄ H ₁₀	Butane, 300 p.s.i.g.	...	43	56.8	v-1	160
		" 500 p.s.i.g.	...	66	59.0	v-1	160
		" 700 p.s.i.g.	...	81	60.9	v-1	160
		" 900 p.s.i.g.	...	94	62.1	v-1	160
		" 1100 p.s.i.g.	...	104	63.4	v-1	160
529	C ₈ H ₁₈	Iso-octane, 200-1600 p.s.i.g.	v-1	162	
		" > 1400 p.s.i.g.	...	Min. b.p. 98-100%	v-1	162	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A = 530	He CH ₄	Helium Methane, 5-170 atm.	-268.9 ...		Nonazeotrope	v-1	165
A = 531	O ₂ S C ₂ H ₆ O	Sulfur Dioxide Methyl ether	-10 -23.6	0	65		102
A = 532	S Se	Sulfur Selenium	444.6 688	Compound formation	v-1		6
A = 533	CCl ₂ F ₂ CHClF ₂	Dichlorodifluoromethane Chlorodifluoro-methane " 4.93 atm. " 2059 mm.	-29.8 -40.8 0.04 ...	-41.4 0.00 2.1	25		86
534	CH ₃ Cl	Chloromethane, 5380 mm.	33.5	25.0	78		282
535	C ₂ H ₄ F ₂	1,1-Difluoroethane " " " " 60 p.s.i.a. " 112 p.s.i.a.	...	-30.5 0.00 24.90 40.08 4.44 25	77.55 73.80 71.22 69.31 76.2 74	260 260 260 281 281	346
536	C ₂ H ₆ O	Methyl ether, 2340 mm.	6	0	90		282
537	C ₃ F ₆	Hexafluoropropene, 2059 mm.	-6.1	-7.1	46.3	v-1	346
538	C ₃ HF ₇	Heptafluoropropane, 2328 mm.	17	0.00	86.5		261
539	C ₄ F ₈	Perfluorocyclobutane, 2059 mm.	21	Nonazeotrope			346
A = 540	CCl ₃ F	Trichlorofluoro-methane	24.9				
541	C ₂ H ₄ O C ₂ H ₄ O ₂	Acetaldehyde Methyl formate	20.2 32	15.6 20	55 82		102
A = 542	CCl ₄ CH ₄ O	Carbon Tetrachloride Methanol	76.74 64.7			v-1	245
543	C ₂ HCl ₃	Trichloroethylene	86.2	Ideal system		v-1	184
544	C ₂ H ₃ N	Acetonitrile, 371.2 mm.	...	45	84.5	v-1	22
545	C ₂ H ₄ Cl ₂	1,2-Dichloroethane	83.45	75.5	80		197
546	C ₂ H ₄ O ₂	Acetic acid, < 50 mm. " 90 mm. " 340 mm. " 530 mm. " 760 mm. " 1080 mm. " 1400 mm.	...	18.7 51.5 64.6 76 90 97.0	99.28 99.42 99 98.46 97.7 97.0	Nonazeotrope 132 132 132 132 132 132	132
547	C ₂ H ₆ O	Ethyl alcohol	78.3	65	84	v-1	136
548	C ₃ H ₆ O	Acetone, 513.2 mm. " 300 mm. " 450 mm. " 600 mm. " 760 mm.	...	45 31.29 41.56 49.36 56.08	9 9.03 11.80 12.48 55.98	v-1 v-1 v-1 v-1 12.6	23 10 10 10 v-1
549	C ₃ H ₆ O	Allyl alcohol	97.1	72.3	88.5		334
550	C ₃ H ₈ O	Propyl alcohol	97.2	72.8	88.5		334
551	C ₄ H ₈ O	2-Butanone, 342 mm. "	...	50.0 79.6	84.3 81.6	v-1 v-1	108 108
552	C ₄ H ₈ O ₂	Ethyl acetate	76.7	74.8	57		184
553	C ₄ H ₁₀ O	n-Butyl alcohol	117.75	76.55	97.6	v-1	136
554	C ₅ H ₄ O ₂	2-Furaldehyde	162	Nonazeotrope		v-1	349
555	C ₆ H ₆	Benzene " 40° C. " 760 mm. " >1800 mm.	80.1 ...	Min. b.p. Nonazeotrope 80.1 Nonazeotrope Min. b.p.	98 v-1 107 v-1 107	v-1 v-1 107 v-1 107	245
556	C ₇ H ₈	Toluene	110.7	Nonazeotrope		v-1	309

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	CS_2	Carbon Disulfide	46.2				
557	CH_3I	Iodomethane	42.55	41.2	18.6	v-1	116
558	$\text{C}_2\text{H}_4\text{Cl}_2$	1,1-Dichloroethane	57.2	46	94		334
559	$\text{C}_3\text{H}_7\text{Cl}$	1-Chloropropane	46.6	45.2	55		334
560	$\text{C}_4\text{H}_8\text{O}_2$	Ethyl acetate	76.7	46.1	97		334
561	$\text{C}_4\text{H}_10\text{O}$	Ethyl ether	34.6	34.4	1		334
A =	CHClF_2	Chlorodifluoromethane	-40.8	(-17.1°/2059 mm.)			
562	$\text{C}_2\text{Cl}_5\text{F}$	Chloropentafluoroethane	-38.5	-45.6	48.7		15
563	$\text{C}_2\text{H}_2\text{Cl}_2\text{F}_2$	1,2-Dichloro-1,2-difluoroethane, 755 mm.	29.8	-41.4	87.6		96
564	C_3F_6	Hexafluoropropene, 2059 mm.	-6.1	-17.3	69.7		346
565	C_3F_8	Perfluoropropane, 6.064 atm.	12.5	0	46		261
566	C_3H_8	Propane, 86.2 p.s.i.a. 6.002 atm.	...	0	68		280
567	C_4F_8	Perfluorocyclobutane, 2059 mm.	8.6	0	68.3		261
			21.0	Nonazeotrope			346
A =	CHCl_2F	Dichlorofluoromethane	7.63/723 mm.				
568	$\text{C}_2\text{Cl}_2\text{F}_4$	1,2-Dichloro-1,1,2,2-tetrafluoroethane, 723 mm.	2.22	0.00	25		261
A =	CHCl_3	Chloroform	61.2				
569	CH_2O_2	Formic acid	100.75	v-1	56
570	CH_4O	Methanol	64.7	v-1	31
	" 400 mm.	...	36.3	88.9	v-1	233	
	" 500 mm.	...	41.6	88.4	v-1	233	
	" 600 mm.	...	46.2	87.9	v-1	233	
571	C_2Cl_4	Tetrachloroethylene	121.1	Nonazeotrope	v-1		64
572	$\text{C}_2\text{H}_3\text{N}$	Acetonitrile	81.6	Nonazeotrope			334
573	$\text{C}_2\text{H}_4\text{O}_2$	Acetic acid	118.1	Nonazeotrope	v-1		56
574	$\text{C}_2\text{H}_6\text{O}$	Ethyl alcohol, 20 p.s.i.g.	101.7	82	89		335
575	$\text{C}_3\text{H}_6\text{O}$	Acetone, 101 mm. " 129 mm. " 202 mm. " 250 mm. " 308 mm. " 455 mm. " 546 mm.	...	15	74.3	286	
			...	20	75.0	286	
			...	30	76.1	286	
			...	35	76.3	286	
			...	40	76.7	286	
			...	50	77.1	286	
			...	55	77.3	286	
576	$\text{C}_3\text{H}_6\text{O}_2$	Methyl acetate	57.1	64.74	64.35	v-1	31, 195
577	$\text{C}_3\text{H}_6\text{O}_2$	Ethyl formate	54.1	62.7	87		195, 252
578	$\text{C}_3\text{H}_7\text{Br}$	2-Bromopropane	59.35	62.2	65		195, 252
579	$\text{C}_4\text{H}_8\text{O}$	2-Butanone	79.6	Nonazeotrope	v-1		183, 184
	$\text{C}_4\text{H}_8\text{O}$	2-Butanone	79.6	79.9	17		334
580	$\text{C}_4\text{H}_8\text{O}_2$	Isopropyl formate	68.8	70	13		195
581	$\text{C}_4\text{H}_{10}\text{O}$	Ethyl ether	34.5	Nonazeotrope	v-1		177
582	$\text{C}_6\text{H}_{12}\text{O}$	4-Methyl-2-pentanone	115.9	Nonazeotrope	v-1		157
583	$\text{C}_6\text{H}_{12}\text{O}_2$	Butyl acetate	126.2	Nonazeotrope	v-1		63
584	$\text{C}_9\text{H}_{10}\text{O}_2$	Ethyl benzoate	213.3	Nonazeotrope			334
A =	CH_2ClBr	Bromochloromethane	69				
585	CH_2Cl_2	Dichloromethane	40.7	Nonazeotrope			96
A =	CH_2Cl_2	Dichloromethane	40.0				
586	C_6H_{14}	2,2-Dimethylbutane, 742 mm.	49.74	35.6	53 vol. %		235

TABLE I BINARY SYSTEMS

No.	Formula	Name	B.P., °C.	Azeotropic Data		
				B.P., °C.	Wt.%A	Ref.
A =	CH_2O_2	Formic Acid	100.75			
587	$\text{C}_2\text{H}_4\text{O}_2$	Acetic acid	178.1	Nonazeotrope	v-1	56
588	$\text{C}_3\text{H}_7\text{NO}$	N,N-Dimethylformamide	153.0	153.2	1.2	295
	"	"	...	158.8	...	210
	"	100 mm.	90	98.5	...	v-1
	"	200 mm.	107.9	117.0	...	v-1
	"	760 mm.	153	158.8	...	v-1
589	$\text{C}_5\text{H}_5\text{N}$	Pyridine	115.5	107.43	61.4	v-1
A =	$\text{CH}_3\text{Cl}_3\text{Si}$	Trichloromethylsilane	...			
590	$\text{C}_3\text{H}_9\text{SiCl}$	Chlorotrimethylsilane	...	V.p. curves, non-azeotrope		179
A =	CH_3NO_2	Nitromethane	101.2			
591	CH_4O	Methanol	64.51	64.33	12.2	55
592	$\text{C}_2\text{H}_3\text{N}$	Acetonitrile, 60° C.	...	Nonazeotrope	v-1	22
593	$\text{C}_2\text{H}_6\text{O}$	Ethyl alcohol	78.32	76.05	29.0	55
594	$\text{C}_3\text{H}_6\text{O}$	Acetone, 45° C.	...	Nonazeotrope	v-1	22
595	$\text{C}_3\text{H}_8\text{O}$	Isopropyl alcohol	82.40	79.33	27.6	55
596	$\text{C}_3\text{H}_8\text{O}$	Propyl alcohol	97.25	Nonazeotrope	v-1	135
	"		97.15	89.09	48.4	55
597	$\text{C}_4\text{H}_{10}\text{O}$	Butyl alcohol	117.73	97.99	71.4	55
598	$\text{C}_4\text{H}_{10}\text{O}$	sec-Butyl alcohol	99.53	91.14	45.8	55
599	$\text{C}_4\text{H}_{10}\text{O}$	tert-Butyl alcohol	82.41	80.04	21.2	55
600	$\text{C}_4\text{H}_{10}\text{O}$	Isobutyl alcohol	107.89	94.46	57.6	55
601	C_6H_6	Benzene	80.1	...	12.7	v-1
602	C_6H_{12}	Cyclohexane	80.75	69.5	26.5	v-1
A =	CH_4	Methane	...			
603	C_2H_6	Ethane	...	Nonazeotrope	v-1	268
604	C_3H_8	Propane	...	Nonazeotrope	v-1	268
A =	$\text{CH}_4\text{Cl}_2\text{Si}$	Dichloromethylsilane	...			
605	$\text{C}_3\text{H}_9\text{ClSi}$	Chlorotrimethylsilane, 30°-40°	...	V.p. curve, non-azeotrope		302
A =	CH_4O	Methanol	64.7			
606	$\text{C}_2\text{Cl}_3\text{F}_3$	1,1,2-Trichloro-trifluoroethane	47.5	39.9	6	335
607	$\text{C}_2\text{H}_2\text{Cl}_2$	cis-1,2-Dichloroethylene	60.3	51.5	15.1	v-1
608	$\text{C}_2\text{H}_2\text{Cl}_2$	trans-1,2-Dichloroethylene	48.3	41.9	9.02	v-1
609	$\text{C}_2\text{H}_4\text{Cl}_2$	1,2-Dichloroethane	83.5	59.5	35	335
610	$\text{C}_2\text{H}_4\text{O}$	Acetaldehyde	20.2	Nonazeotrope	v-1	171
611	$\text{C}_2\text{H}_4\text{O}_2$	Acetic acid	118.1	Nonazeotrope	v-1	205, 285
612	$\text{C}_2\text{H}_6\text{O}$	Ethyl alcohol	78.3	Nonazeotrope	v-1	7, 68
613	$\text{C}_2\text{H}_6\text{O}$	Methyl ether	-23.65	v-1
614	$\text{C}_3\text{H}_3\text{N}$	Acrylonitrile, 175 mm.	37	29	47	335
615	$\text{C}_3\text{H}_6\text{O}$	Acetone, 752 mm.	...	55.07	14.8	v-1
	"		56.1	Nonazeotrope		192
	"	4.56 atm.	107	99	29	335
	"	7.82 atm.	132	120	34.6	335
	"	11.6 atm.	150	140	46	335
	"		149	135	40.4	335
616	$\text{C}_3\text{H}_6\text{O}_2$	Methyl acetate	57.1	53.9	17.7	v-1
	"	4.4 atm.	107	99	29	335
	"	7.8 atm.	132	120	34.6	335
	"	11.2 atm.	149	135	40.4	335
617	$\text{C}_3\text{H}_7\text{NO}_2$	1-Nitropropane	131.18	Nonazeotrope		55
618	$\text{C}_3\text{H}_7\text{NO}_2$	2-Nitropropane	120.25	Nonazeotrope		55

TABLE I BINARY SYSTEMS

No.	Formula	Name	B.P., °C.	Azeotropic Data		
				B.P., °C.	Wt.%A	Ref.
A =	CH_4O	Methanol (continued)	64.7			
657	C_6H_{14}	Hexane	68.95	49.5	26.4	175
	"	"	68.95	50.57	28	324
658	$\text{C}_6\text{H}_{14}\text{O}$	Butyl ethyl ether	92.2	62.6	56	335
659	$\text{C}_6\text{H}_{14}\text{O}_2$	1,1-Dimethoxybutane	114	Nonazeotrope		334
660	$\text{C}_6\text{H}_{14}\text{O}_2$	2,2-Dimethoxybutane	106-7	64.5	81.5	201
661	C_7H_8	Toluene	110.7	63.6	70.8	v-1
662	C_7H_{14}	<u>trans</u> -1,3-Dimethyl-cyclopentane	90.77	57.3	45 vol. %	291
663	C_7H_{16}	Heptane	98.4	58.8	46.1	174
	"	406 mm.	...	43.83	-	366
664	C_7H_{16}	2-Methylhexane	90.05	57.1	44 vol. %	291
665	C_7H_{16}	3-Methylhexane	91.85	57.6	44 vol. %	291
666	C_7H_{16}	2,2,3-Trimethylbutane	80.88	54.1	38 vol. %	291
667	C_8H_{10}	p-Xylene	138.35	64.0	5	84
668	$\text{C}_8\text{H}_{14}\text{O}$	2-Ethyl-2-hexenal	176	Nonazeotrope		334
669	C_8H_{18}	Octane	125.75	62.75	67.5	174
	"	406 mm.	...	47.65	-	366
670	$\text{C}_9\text{H}_{18}\text{O}$	2,6-Dimethyl-4-heptanone	169.4	Nonazeotrope		334
671	C_9H_{20}	Nonane, 406 mm.	...	48.93	-	366
	"	"	150.7	64.1	83.4	174
672	$\text{C}_{10}\text{H}_{22}$	Decane, 406 mm.	...	Nonazeotrope		366
	"	"	171.8	Nonazeotrope	v-1	249
673	$\text{C}_{11}\text{H}_{24}$	Undecane, 406 mm.	...	Nonazeotrope		366
A =	CH_4S	Methanethiol	6.00			
674	C_4H_8	2-Methylpropene, 95 p.s.i.a.	...	53	19.5	145
675	C_4H_{10}	2-Methylpropane	-11.70	-13.00	4.9	21
A =	CH_4N	Methylamine	-6			
676	C_4H_6	Butadiene	58	20
	"	5 atm.	74	20
	"	20 atm.	96	20
677	C_4H_8	1-Butene	50	20
	"	5 atm.	64	20
	"	20 atm.	74	20
A =	C_2ClF	Chloropentafluoroethane	-38.5			
678	$\text{C}_2\text{H}_4\text{F}_2$	1,1-Difluoroethane	-24.7	-41.3	83.8	198
A =	$\text{C}_2\text{Cl}_2\text{F}_4$	1,2-Dichlorotetrafluoroethane	...			
679	C_4H_{10}	Butane	-0.5	-2.2	59	102
A =	$\text{C}_2\text{Cl}_3\text{F}_3$	1,1,2-Trichlorotrifluoroethane	47.5			
680	$\text{C}_2\text{Cl}_4\text{F}_2$	1,1,2,2-Tetrachlorodifluoroethane	92.4	Nonazeotrope		96, 334
681	$\text{C}_2\text{H}_6\text{O}$	Ethyl alcohol	78.3	43.8	96.2	335
A =	C_2Cl_4	Tetrachloroethylene	121.1			
682	$\text{C}_2\text{H}_3\text{Cl}_3$	1,1,2-Trichloroethane	113.65	112.9	26	197
683	$\text{C}_3\text{H}_6\text{O}$	Acetone	56.1	Nonazeotrope	v-1	64
684	$\text{C}_3\text{H}_8\text{O}$	Isopropyl alcohol	82.3	81.7	19	334
685	$\text{C}_4\text{H}_{10}\text{O}$	Butyl alcohol	117.7	110	68	334
A =	C_2HCl_3	Trichloroethylene	86.2			
686	$\text{C}_2\text{H}_4\text{Cl}_2$	1,2-Dichloroethane	83.45	82.2	39	197
687	$\text{C}_2\text{H}_4\text{O}_2$	Acetic acid	117.9	Nonazeotrope		334
688	$\text{C}_3\text{H}_6\text{Cl}_2$	1,2-Dichloropropane	96.3	Nonazeotrope		334
689	$\text{C}_4\text{H}_8\text{O}$	2-Butanone	79.6	Nonazeotrope		184
690	$\text{C}_4\text{H}_8\text{O}_2$	Ethyl acetate, 700-760 mm.	...	Nonazeotrope	v-1	274

No.	Formula	B-Component	Azeotropic Data				
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₂ H ₂	Acetylene	-84				
691	C ₂ H ₄	Ethylene	-103.7	...	18	293	
	"	Crit. press.	...	19		293	
	"	-35°, 0°, 40° F.	v-1	137	
692	C ₂ H ₆	Ethane	-88.3	39		293	
	"	Crit. press.	...	44		293	
	"	-35°, 0°, 40° F.	v-1	137	
693	C ₃ H ₄	Propyne, -50° to 35° C.	...	Nonazeotrope	v-1	28	
A =	C ₂ H ₂ Cl ₂	cis-1,2-Dichloro-ethylene	60.3				
694	C ₂ H ₆ O	Ethyl alcohol	78.3	Calculated	v-1	5	
695	C ₃ H ₆ O	Acetone	56.4	61.9	73	5	
696	C ₃ H ₆ O ₂	Ethyl formate	54.0	Nonazeotrope	v-1	5	
697	C ₃ H ₆ O ₂	Methyl acetate	57.2	61.7	73	5	
698	C ₃ H ₈ O ₂	Methylal	42.6	Nonazeotrope	v-1	103	
699	C ₄ H ₈ O	2-Butanone	79.6	Nonazeotrope	v-1	5	
700	C ₄ H ₈ O	Tetrahydrofuran	66.1	69.8	44.5	v-1	103
701	C ₆ H ₁₄ O	Isopropyl ether	68.0	Nonazeotrope	v-1	103	
A =	C ₂ H ₂ Cl ₂	trans-1,2-Dichloro-ethylene	48.35				
702	C ₂ H ₆ O	Ethyl alcohol	78.3	Calculated	v-1	5	
703	C ₃ H ₆ O	Acetone	56.4	Nonazeotrope	v-1	5	
704	C ₃ H ₆ O ₂	Ethyl formate	54.0	Nonazeotrope	v-1	5	
705	C ₃ H ₆ O ₂	Methyl acetate	57.2	Nonazeotrope	v-1	5	
706	C ₃ H ₈ O ₂	Methylal	42.6	48.6	79.3	v-1	103
707	C ₄ H ₈ O	2-Butanone	79.6	Nonazeotrope	v-1	5	
708	C ₄ H ₈ O	Tetrahydrofuran	66.1	Nonazeotrope	v-1	103	
709	C ₆ H ₁₄ O	Isopropyl ether	68.0	Nonazeotrope	v-1	103	
A =	C ₂ H ₃ Cl	Vinyl Chloride	13.4				
710	C ₂ H ₄ Cl ₂	1,2-Dichloroethane	83.5	Nonazeotrope		334	
711	C ₃ H ₆ O	Acetone	56.1	Nonazeotrope		334	
A =	C ₂ H ₃ Cl ₃	1,1,1-Trichloroethane	74.1				
712	C ₂ H ₃ Cl ₃	1,1,2-Trichloroethane	113.9	Nonazeotrope		96	
713	C ₂ H ₄ Cl ₂	1,1-Dichloroethane	57.4	Nonazeotrope		96	
A =	C ₂ H ₃ F ₃ O	2,2,2-Trifluoroethanol	...				
714	C ₂ H ₆ O	Ethyl alcohol	78.3	81.75	57.65	226	
A =	C ₂ H ₃ N	Acetonitrile	81.55				
715	C ₂ H ₄ Cl ₂	1,2-Dichloroethane	83.15	~79.1	49	v-1	267
716	C ₃ H ₃ N	Acrylonitrile	77.1	Nonazeotrope		334	
717	C ₃ H ₆ O	Acetone, 45° C.	...	Nonazeotrope	v-1	25	
718	C ₃ H ₇ NO	N, N-Dimethylformamide	153	Nonazeotrope		334	
	"	100-500 mm.	...	Nonazeotrope		334	
719	C ₅ H ₁₂	Pentane, 24 p.s.i.g.	65	58	13		334
720	C ₆ H ₆	Benzene, 278 mm.	...	45	30.7	v-1	22
721	C ₆ H ₇ N	2-Picoline	134	Nonazeotrope	v-1	247	
722	C ₇ H ₁₆	Heptane	98.4	69.55	...		368
723	C ₈ H ₁₈	Octane	125.75	76.7	...		368
724	C ₉ H ₂₀	Nonane	150.7	79.82	...		368
725	C ₁₀ H ₂₂	Decane	173.3	81.45	...		368
726	C ₁₁ H ₂₄	Undecane	195.4	Nonazeotrope			368
A =	C ₂ H ₄	Ethylene	-103.7				
727	C ₂ H ₆	Ethane, -35°, 0°, 40° F.	-88.3	v-1	137
	"	0°, -40°, -100° F.	...	Nonazeotrope	v-1	129	
A =	C ₂ H ₄ Br ₂	1,2-Dibromoethane	131.5				
728	C ₈ H ₁₀	m-Xylene	139	Nonazeotrope		113	
729	C ₈ H ₁₀	p-Xylene	138.4	131.0	94	113	

TABLE I BINARY SYSTEMS

	No.	Formula	B-Component		Azeotropic Data		
			Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =		C ₂ H ₄ Cl ₂	1,2-Dichloroethane	83.65			
	730	C ₃ H ₆ Cl ₂	1,2-Dichloropropane	96.3	Nonazeotrope		334
	731	C ₃ H ₈ O	Isopropyl alcohol	82.3	72.7	60.8	334
	732	C ₄ H ₈ Cl ₂ O	Bis(2-chloroethyl)ether	179.2	Nonazeotrope		334
	733	C ₆ H ₆	Benzene	80.1	80.1	15 vol. %	235
	734	C ₆ H ₁₂	Cyclohexane	80.75	74.7	38 vol. %	235
	735	C ₇ H ₁₆	2,4-Dimethylpentane	80.8	73.7	35 vol. %	235
A =		C ₂ H ₄ O	Acetaldehyde	20.2			
	736	C ₂ H ₅ Cl	Chloroethane	12.3	11	9.5	96
	737	C ₃ H ₆ O	Propylene oxide, 35 p.s.i.g.	73	Nonazeotrope		334
	738	C ₄ H ₆ O ₂	Vinyl acetate	72.5	Nonazeotrope		96
	739	C ₄ H ₈ O	Ethyl vinyl ether	35.5	Nonazeotrope		334
	740	C ₄ H ₁₀	Butane	-0.5	-7	16	334
	741	C ₄ H ₁₀ O	Ethyl ether	34.5	18.9	76.5	243
	742	C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope		334
A =		C ₂ H ₄ O	Ethylene Oxide	10.5			
	743	C ₄ H ₁₀	Butane	-0.5	-6.5	22	334
A =		C ₂ H ₄ O ₂	Acetic Acid	118.1			
	744	C ₂ H ₆ O	Ethyl alcohol	78.3	Nonazeotrope	v-1	205, 285
	745	C ₃ H ₆ O ₂	Propionic acid	140.7	Ideal system	v-1	48
	746	C ₃ H ₈ O	Propyl alcohol	97.25	Nonazeotrope	v-1	205, 285
	747	C ₄ H ₆ O ₃	Acetic anhydride	139.9	Nonazeotrope		334
	748	C ₄ H ₈ O ₂	p-Dioxane	...	119.4	79.5	180
	749	C ₄ H ₈ O ₂	Ethyl acetate	76.7	Nonazeotrope		334
	750	C ₄ H ₉ NO	N,N-Dimethyl- acetamide	165	170.8	21.1	295
	751	C ₄ H ₁₀ O	Butyl alcohol	117.1	120.3	43	v-1 205, 285
	752	C ₅ H ₅ N	Pyridine	115.5	138.1	51.1	373
		" Crit. press.	345	348	20.2	323	
	753	C ₅ H ₁₀ O ₂	Isopropyl acetate	88.7	Nonazeotrope		334
	754	C ₅ H ₁₂	Pentane	36.15	Nonazeotrope		187
	755	C ₆ H ₇ N	2-Picoline	134	144.12	40.4	369
	756	C ₆ H ₁₄	Hexane	68.7	Nonazeotrope		334
		"	68.60	68.25	6.0	187, 189	
	757	C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope		334
	758	C ₇ H ₉	2,6-Lutidine	143.41	147.28	24	v-1 358
		"	144	148.1	22.9	364	
		"	...	162.3	19.5	370	
	759	C ₇ H ₁₆	Heptane	98.25	91.72	33	187, 189, 355, 373
	760	C ₈ H ₁₀	o-Xylene	143.6	116.6	78	372
	761	C ₈ H ₁₈	Octane	125.75	105.7	53.7	v-1 189, 355, 359
	762	C ₉ H ₁₂	Cumene	152.8	116	84	76
	763	C ₉ H ₂₀	Nonane	150.2	112.8	69	187, 189, 355
		"	150.2	113.25	69.6	324	
	764	C ₁₀ H ₁₆	Camphene, 100 mm.	...	60.6	90	v-1 294
	765	C ₁₀ H ₂₂	Decane	173.3	116.75	79.5	187, 189, 355
		"	173.3	117.2	79	324	
		"	...	116.10	87	v-1 358	
	766	C ₁₁ H ₂₄	Undecane	194.5	117.72	95	187, 189, 355
		"	194.5	117.17	78	324	
	767	C ₁₂ H ₂₀ O ₂	Isobornyl acetate	225.8	Ideal system	v-1	294
	768	C ₁₂ H ₂₆	Dodecane	216	Nonazeotrope		187
A =		C ₂ H ₅ Cl	Chloroethane	12.4			
	769	C ₄ H ₁₀	n-Butane	-0.5	...	15.6	255
		"	738.6 mm.	-0.5	-1.4	20.2	v-1 263

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₂ H ₅ ClO	2-Chloroethanol	128.7				
770	C ₄ H ₇ ClO	2-Chloroethyl vinyl ether, 120 mm.	...	55.62	14	341	
771	C ₄ H ₈ Cl ₂ O	Bis(2-chloroethyl)ether, 50 mm.	96	Nonazeotrope	334		
		"	179.2	Nonazeotrope	334		
772	C ₄ H ₈ O ₂	p-Dioxane	101.3	Nonazeotrope	334		
A =	C ₂ H ₅ NO	Acetamide	222				
773	C ₁₁ H ₁₀	2-Methylnaphthalene	241.1	...	55	98	
A =	C ₂ H ₅ NO ₂	Nitroethane	114.07				
774	C ₂ H ₆ O	Ethyl alcohol	78.32	78.03	12.6	55	
775	C ₃ H ₈ O	Isopropyl alcohol	82.40	81.82	10.6	55	
776	C ₃ H ₈ O	Propyl alcohol	97.15	94.49	31.8	55	
777	C ₄ H ₁₀ C	Butyl alcohol	117.75	107.94	58.6	55	
778	C ₄ H ₁₀ O	sec-Butyl alcohol	99.53	97.16	27.6	55	
779	C ₄ H ₁₀ O	tert-Butyl alcohol	82.41	82.22	4.5	55	
780	C ₄ H ₁₀ O	Isobutyl alcohol	107.89	102.68	40.8	55	
A =	C ₂ H ₆	Ethane					
781	C ₇ F ₁₆	Perfluorooctane, crit. region		Nonazeotrope	v-1	155	
A =	C ₂ H ₆ O	Ethyl Alcohol	78.3				
782	C ₃ H ₆ O	Acetone	56.4	Nonazeotrope	v-1	7,	134
783	C ₃ H ₇ NO ₂	1-Nitropropane	131.18	Nonazeotrope	55		
784	C ₃ H ₇ NO ₂	2-Nitropropane	120.25	78.28	93.6	55	
785	C ₃ H ₈ O	Isopropyl alcohol	82.3	Nonazeotrope	v-1	116	
786	C ₄ H ₈ O	2-Butanone	79.6	74.0	39	v-1	134
		"	79.6	74.8	34		334
787	C ₄ H ₈ O	Butyraldehyde	75.7	70.7	60.6	335	
788	C ₄ H ₈ O	Ethyl vinyl ether	35.5	Nonazeotrope	334		
789	C ₄ H ₈ O ₂	p-Dioxane, 200 mm.	...	46.4	68	v-1	124
		" 400 mm.	...	62.4	82		124
		" 600 mm.	...	72.19	88		124
		" 760 mm.	...	78.25	>98		124
790	C ₄ H ₈ O ₂	Ethyl acetate, 40°-60° C.		% Alc. increases with press.	v-1	228	
		" 77.4 mm.	...	15.95		117	
		" 760 mm.	...	30.97		117	
		"	77.05	72.18	25.8		228
791	C ₄ H ₁₀ O	Butyl alcohol	117.75	Nonazeotrope	v-1	134	
792	C ₄ H ₁₀ O	sec-Butyl alcohol	99.4	Nonazeotrope	v-1	134	
793	C ₄ H ₁₀ O ₂	2-Ethoxyethanol	134	Nonazeotrope	v-1	335	
794	C ₄ H ₁₁ N	Butylamine	77.8	82.2	49	335	
795	C ₄ H ₁₁ N	Diethylamine	55.5	Nonazeotrope	334		
796	C ₅ H ₈ O ₂	Ethyl acrylate, 100 mm.	44.9	32	54.4	335	
797	C ₅ H ₁₀	2-Methyl-1-butene	31.10	30.1	22 vol. %	291	
798	C ₅ H ₁₀ O	Isopropyl vinyl ether, 737 mm.	54.8	52.6	...	334	
799	C ₅ H ₁₀ O	2-Pentanone	102.35	78	93.3	v-1	134
800	C ₅ H ₁₀ O	Propyl vinyl ether	65.1	60	18.4	334	
801	C ₅ H ₁₂ O	Amyl alcohol	137.8	Nonazeotrope	v-1	134	
802	C ₅ H ₁₂ O	Butyl methyl ether	70.3	65.5	20	334	
803	C ₅ H ₁₂ O ₂	2,2-Dimethoxypropane	80	Min. b.p.		201	
804	C ₆ H ₆	Benzene, 310 mm.	...	45	26.2	v-1	22
		" 180 mm.	...	32.5	23.2	v-1	240
		" 400 mm.	...	51.2	28.1	v-1	240
		" 168.4 mm.	...	29.97	21.33	v-1	328
		" 233.5 mm.	...	38.37	23.72		328
		" 336.4 mm.	...	47.15	26.32		328
		" 584 mm.	...	61.06	30.35		328
		" 209 mm.	...	35.0	24.3		256
		" 760 mm.	80.1	67.9	31.7	v-1	191, 344

TABLE I BINARY SYSTEMS

No.	Formula	B-Component		Azeotropic Data		
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A = C ₂ H ₆ O		Ethyl Alcohol (continued)	78.3			
804 C ₆ H ₆		Benzene (continued)				
	"	5570 mm.	...	132.9	56	256
	"	11,720 mm.	...	166.9	69.5	256
	"	19,160 mm.	...	191.1	81	256
805 C ₆ H ₇ N		Aniline	184.35	v-1 138
806 C ₆ H ₁₀		1,3-Hexadiene	72.9	Min. b.p.	...	80
807 C ₆ H ₁₀		2,4-Hexadiene	82	Min. b.p.	...	80
808 C ₆ H ₁₀		3-Methylcyclopentene	64.9	57.2	20 vol. %	291
809 C ₆ H ₁₀		3-Methyl-1,3-pentadiene	77	Min. b.p.	...	80
810 C ₆ H ₁₂		Cyclohexane, 296 mm.	...	41.2	25.5	316
	"	420 mm.	...	49.3	27.3	316
	"	643 mm.	...	60.8	29.8	316
	"	760 mm.	...	64.8	31.3	316
	"	760 mm.	80.8	64.9	40	147
811 C ₆ H ₁₂		2-Ethyl-1-butene	64.95	57.0	23 vol. %	291
812 C ₆ H ₁₂		1-Hexene	63.49	56.1	22 vol. %	291
813 C ₆ H ₁₂		cis-2-Hexene	68.8	59.5	22 vol. %	291
814 C ₆ H ₁₂		cis-3-Hexene	66.4	49.6	26 vol. %	291
815 C ₆ H ₁₂		Methylcyclopentane	72.0	60.05	22.7 v-1	304
816 C ₆ H ₁₂		cis-3-Methyl-2-pentene	70.52	60.4	24 vol. %	291
817 C ₆ H ₁₂		trans-3-Methyl-2-pentene	67.6	58.8	20 vol. %	291
818 C ₆ H ₁₂		trans-4-Methyl-2-pentene	58.4	52.6	15 vol. %	291
819 C ₆ H ₁₂ O		Butyl vinyl ether	94.2	73	48	335
820 C ₆ H ₁₂ O		Isobutyl vinyl ether	83.4	69.2	33	335
821 C ₆ H ₁₂ O ₃		Paraldehyde	124.5	Nonazeotrope	334	
822 C ₆ H ₁₄		Hexane	68.95	58	20.8 v-1	304
	"	1545 mm.	26.3 vol. %	251
823 C ₆ H ₁₄		2-Methylpentane	60.27	53.1	12 vol. %	291
824 C ₆ H ₁₄ O		Ethyl butyl ether	92.2	73.8	49.3	335
825 C ₆ H ₁₄ O		Isopropyl ether	68.3	64	17.1	335
826 C ₆ H ₁₄ O ₂		1,2-Diethoxyethane	121.1	Nonazeotrope	334	
827 C ₆ H ₁₅ N		Triethylamine	89.7	76.9	51	335
828 C ₇ H ₈		Toluene	110.7	76.5	66.7 v-1	138, 191
	"	327 mm.	...	76.2	117	
	"	800 mm.	...	81.6	117	
829 C ₇ H ₁₂		1,3-Heptadiene	...	Min. b.p.	...	80
830 C ₇ H ₁₂		2,4-Heptadiene	...	Min. b.p.	...	80
831 C ₇ H ₁₄		1,1-Dimethylcyclopentane	87.85	68.0	37 vol. %	291
832 C ₇ H ₁₄		cis-1,2-Dimethylcyclopentane	99.53	72.1	46 vol. %	291
833 C ₇ H ₁₄		trans-1,2-Dimethylcyclopentane	91.87	69.6	39 vol. %	291
834 C ₇ H ₁₄		cis-1,3-Dimethylcyclopentane	91.73	69.5	38 vol. %	291
835 C ₇ H ₁₄		trans-1,3-Dimethylcyclopentane	90.77	69.1	37 vol. %	291
836 C ₇ H ₁₄		2,3-Dimethyl-1-pentene	84.2	67.1	35 vol. %	291
837 C ₇ H ₁₄		Ethylcyclopentane	103.47	73.1	48 vol. %	291
838 C ₇ H ₁₄		1,1,2,2-Tetramethylcyclopropane	75.9	62.6	30 vol. %	291
839 C ₇ H ₁₆		2,2-Dimethylpentane	79.20	63.9	25 vol. %	291
840 C ₇ H ₁₆		2,3-Dimethylpentane	89.78	68.6	34 vol. %	291
841 C ₇ H ₁₆		2,4-Dimethylpentane	80.50	64.6	29 vol. %	291
842 C ₇ H ₁₆		3,3-Dimethylpentane	86.07	67.1	38 vol. %	291
843 C ₇ H ₁₆		3-Ethylpentane	93.47	70	38 vol. %	291
844 C ₇ H ₁₆		Heptane	98.4	72	48 v-1	138, 239, 335
	"	180 mm.	...	37.5	43	v-1 158

No.	Formula	Name	B-Component		Azeotropic Data			
			B.P., °C.	B.P., °C.	Wt.%A	Ref.		
A =	C ₂ H ₆ O	Ethyl Alcohol (continued)	78.3					
844	C ₇ H ₁₆	Heptane (continued)						
		" 400 mm.	...	54.5	43	v-1	158	
		" 750 mm.	...	71.0	45	v-1	158	
845	C ₇ H ₁₆	2-Methylhexane	90.05	68.7	36 vol. %		291	
846	C ₇ H ₁₆	3-Methylhexane	91.85	69.3	36 vol. %		291	
847	C ₈ H ₁₆	1,1-Dimethylcyclo- hexane	119.54	76.2	65 vol. %		291	
848	C ₈ H ₁₆	cis-1,4-Dimethyl- cyclohexane	124.32	76.9	70 vol. %		291	
849	C ₈ H ₁₆	trans-1,3-Dimethyl- cyclohexane	124.45	76.9	70 vol. %		291	
850	C ₈ H ₁₆	trans-1,4-Dimethyl- cyclohexane	119.35	76.2	64 vol. %		291	
851	C ₈ H ₁₆	1-Ethyl-1-methyl- cyclopentane	121.52	76.5	66 vol. %		291	
852	C ₈ H ₁₆	1,cis-2,trans-3- Trimethylcyclo- pentane		117.5	75.9	62 vol. %		291
853	C ₈ H ₁₆	1,trans-2,cis-4- Trimethylcyclo- pentane	109.29	74.3	52 vol. %		291	
854	C ₈ H ₁₆	2,4,4-Trimethyl- 2-pentene	104.91	73.9	50 vol. %		291	
855	C ₈ H ₁₈	2,2-Dimethylhexane	106.84	73.6	46 vol. %		291	
856	C ₈ H ₁₈	2,3-Dimethylhexane	115.61	75.5	57 vol. %		291	
857	C ₈ H ₁₈	3,4-Dimethylhexane	117.73	75.8	60 vol. %		291	
858	C ₈ H ₁₈	2-Methylheptane	117.65	75.8	59 vol. %		291	
859	C ₈ H ₁₈	3-Methylheptane	118.93	76.0	61 vol. %		291	
860	C ₈ H ₁₈	4-Methylheptane	117.71	75.8	61 vol. %		291	
861	C ₈ H ₁₈	2,2,3-Trimethyl- pentane	109.84	74.3	53 vol. %		291	
862	C ₈ H ₁₈	2,2,4-Trimethyl- pentane	99.24	71.8	40 vol. %		291	
863	C ₈ H ₁₈	2,3,3-Trimethyl- pentane	114.76	75.3	56 vol. %		291	
864	C ₈ H ₁₈	2,3,4-Trimethyl- pentane		113.47	75.1	57 vol. %		291
865	C ₈ H ₁₈ O	Butyl ether	142.1	Nonazeotrope			334	
866	C ₈ H ₁₈ O ₂	2-Ethyl-1,3- hexanediol	243.1	Nonazeotrope			334	
A =	C ₂ H ₆ OS	Dimethylsulfoxide	...					
867	C ₆ H ₆	Benzene, 25°-70°	...	V.p. curve			164	
A =	C ₂ H ₆ O ₂	Ethylene Glycol	197.4					
868	C ₃ H ₄ O ₃	Ethylene carbonate,						
		10 mm.	...	88	13.9		262	
		" 25 mm.	...	107	7.5		262	
		" 50 mm.	...	122	2.6		262	
		" 72 mm.	...	163	0		262	
869	C ₄ H ₈ Cl ₂ O	Bis(2-chloroethyl) ether, 50 mm.	96	92.7	...		335	
		"	178.6	164	17.8		60	
870	C ₄ H ₈ O ₂	2-Vinylxyethanol	143	...	13		94	
871	C ₄ H ₈ O ₃	Ethylene glycol monoacetate	...	Nonazeotrope			147	
		" 150 mm.	...	Nonazeotrope			147	
872	C ₅ H ₁₂ O ₃	2-(2-Methoxyethoxy) ethanol	194	...	30	284,	335	
		" 50 mm.	115	114	4		335	
		" 200 mm.	151	149	12		335	
873	C ₆ H ₇ N	Aniline, 37.1 mm.	...	95	8.75	v-1	59	
		" 104.7 mm.	...	120	12.7	v-1	59	
		" 257.9 mm.	...	145	16.8	v-1	59	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₂ H ₆ O ₂	Ethylene Glycol (continued)	197.4				
874	C ₆ H ₁₂ O	Hexyl alcohol	157.1	Nonazeotrope		334	
875	C ₆ H ₁₄ O ₃	2-(2-Ethoxyethoxy) ethanol	202.8	192	45.5	284,	335
	"	100 mm.	137.3	134	33		335
	"	36 mm.	...	108.5	26.6		243
876	C ₇ H ₈	Toluene	110.6	110.1	2.3		335
877	C ₇ H ₈ O	Benzyl alcohol	205.2	193.1	56		60
878	C ₇ H ₈ O	o-Cresol	191	189.52	26		188
879	C ₇ H ₉ N	N-Methylaniline, 31.8 mm.	...	95	22.9	v-1	59
	"	95.3 mm.	...	120	26.6	v-1	59
	"	244 mm.	...	145	30.0	v-1	59
880	C ₈ H ₁₀	o-Xylene	144.4	135.7	6.9		335
881	C ₈ H ₁₁ N	N,N-Dimethylaniline, 39.3 mm.	...	95	17.6	v-1	59
	"	115 mm.	...	120	21.8	v-1	59
	"	293 mm.	...	145	26.5	v-1	59
882	C ₈ H ₁₁ N	s-Collidine	171.3	170.5	9.7		188
883	C ₈ H ₁₂ O	Butyl ether	142.1	139.5	6.4	334,	335
884	C ₈ H ₁₂ O ₃	2-(2-Butoxyethoxy) ethanol	230.6	Min. b.p.			284
885	C ₈ H ₁₉ NO	2-Diisopropylamino- ethanol, 10 mm.	79	74	10		335
	"	50 mm.	111	104	15		335
	"	100 mm.	127	121	18		335
886	C ₉ H ₁₄ O	Phorone	197.8	184.5	42		59
887	C ₁₀ H ₈	Naphthalene	217.9	183.6	46		147
888	C ₁₀ H ₂₀ OS	2-Hexylthioethyl vinyl ether	...	Min. b.p.			329
889	C ₁₀ H ₂₂ O ₄	Tripropylene glycol methyl ether	243	192	82	v-1	76
	"	...	138.5		77.2		76
	"	...	111.5		75.1		76
890	C ₁₂ H ₁₀ O	Phenyl ether, 50 mm.	161.0	120.4	62.3		335
	"	259.3	192.3		64.5		59
891	C ₁₂ H ₂₆ O	Hexyl ether, 50 mm.	137.0	112.8	35.6		335
892	C ₁₄ H ₁₀	Anthracene	340	197	98.3		305
893	C ₁₆ H ₃₄ O	2-Ethylhexyl ether, 10 mm.	135	87	...		335
A =	C ₂ H ₆ S	Methyl Sulfide	37.32				
894	C ₃ H ₁₀	Cyclopentane	49.35	37.09	87.5		70
895	C ₅ H ₁₀	2-Methyl-2-butene	38.60	34.83	53.6		70
896	C ₅ H ₁₀	2-Methyl-1-butene	31.25	30.64	17.0		70
897	C ₅ H ₁₂	2-Methylbutane	27.90	26.62	25.0		70
898	C ₅ H ₁₂	Pentane	36.15	31.80	46.6		70
899	C ₆ H ₁₄	2,2-Dimethylbutane	49.70	36.50	79.8		70
A =	C ₂ H ₆ S ₂	Methyl Disulfide	109.44				
900	C ₅ H ₆ S	2-Methylthiophene	111.92	Nonazeotrope			70
901	C ₅ H ₁₂ S	Ethyl isopropyl sulfide	107.22	106.37	...		70
902	C ₇ H ₈	Toluene	110.85	108.93	...		70
903	C ₇ H ₁₄	Methylcyclohexane	101.05	98.92	28.6		70
904	C ₇ H ₁₆	Heptane	98.40	96.44	26.3		70
905	C ₈ H ₁₆	trans-1,3-Dimethyl- cyclohexane	120.30	107.22	73.3		70
906	C ₈ H ₁₈	2,3-Dimethylhexane	109.15	102.84	48.2		70
907	C ₈ H ₁₈	2-Methylheptane	117.70	106.22	69.5		70
A =	C ₂ H ₇ N	Dimethylamine	7.4				
908	C ₄ H ₁₁ NO	2-(Dimethylamino) ethanol	134.6	Nonazeotrope			334

	No.	Formula	B-Component		Azeotropic Data		
			Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =	C ₂ H ₇ N	Ethylamine	16.6				
	909 C ₄ H ₁₁ N	Diethylamine	55.5	Nonazeotrope			334
	910 C ₄ H ₁₁ NO ₂	2,2'-Iminodiethanol	...	Nonazeotrope			334
A =	C ₂ H ₇ NO	2-Aminoethanol	171.0				
	911 C ₃ H ₆ O	Acetone	56.1	Nonazeotrope			334
	912 C ₄ H ₁₁ NO ₂	2,2'-Iminodiethanol, 10 mm.	150	Nonazeotrope			334
A =	C ₂ H ₈ N ₂	Ethylenediamine	116.9				
	913 C ₄ H ₈ O ₂	p-Dioxane	101.3	Nonazeotrope			334
	914 C ₄ H ₁₀ O	Butyl alcohol	117.7	124.7	35.7		335
	915 C ₄ H ₁₀ O	Isobutyl alcohol	107.9	120.5	50		335
	916 C ₆ H ₆	Benzene	80.1	Nonazeotrope			334
	917 C ₇ H ₈	Toluene	110.7	104	30.8		76
		"	...	103	30		334
A =	C ₃ HF ₅ O ₂	Pentafluoropropionic Acid	...				
	918 C ₆ F ₁₄	Perfluorohexane, 25° C.	...	Nonazeotrope	v-1	237	
A =	C ₃ H ₂ ClF ₃ O ₂	3-Chloro-2,2,3- trifluoropropionic Acid	...				
	919 C ₃ H ₇ NO	N,N-Dimethylform- amide, 20 mm.	...	115-120	...		93
A =	C ₃ H ₂ F ₄ O ₂	2,2,3,3-Tetrafluoro- propionic Acid	...				
	920 C ₃ H ₇ NO	N,N-Dimethylform- amide, 20 mm.	...	40	67		93
A =	C ₃ H ₃ ClF ₃ NO	3-Chloro-2,2,3- trifluoropropionamide	...				
	921 C ₃ H ₇ NO	N,N-Dimethylform- amide, 20 mm.	...	101-106	...		93
A =	C ₃ H ₃ F ₄ NO	2,2,3,3-Tetrafluoro- propionamide	...				
	922 C ₃ H ₇ NO	N,N-Dimethylform- amide, 20 mm.	...	91-4	66		93
		"	153	187	...		93
A =	C ₃ H ₃ N	Acrylonitrile	77.2				
	923 C ₃ H ₅ N	Propionitrile	97.4	Nonazeotrope			334
A =	C ₃ H ₄	Propadiene	-32				
	924 C ₃ H ₄	Propyne	-23.2	Nonazeotrope			334
	925 C ₃ H ₆	Propene	-47.7	Nonazeotrope			334
	926 C ₃ H ₈	Propane	-42.1	-42	11.6 vol. %		334
	927 C ₄ H ₆	1,3-Butadiene	-4.5	Nonazeotrope			334
A =	C ₃ H ₄	Propyne	-23.2				
	928 C ₃ H ₆	Propene	-47.7	Nonazeotrope			334
	929 C ₃ H ₈	Propane	-42.1	-42	11.7 vol. %		334
	930 C ₄ H ₆	1,3-Butadiene	-4.5	Nonazeotrope			334
A =	C ₃ H ₄ Cl ₄	Tetrachloropropene	...				
	931 C ₃ H ₈ Cl ₄	Tetrachloropentane, 12-150 mm.	...	Nonazeotrope	v-1	250	
A =	C ₃ H ₄ O	2-Propyn-1-ol	115				
	932 C ₆ H ₆	Benzene	80.1	78	9		95
A =	C ₃ H ₄ O ₂	Acrylic Acid	141.2				
	933 C ₅ H ₈ O ₂	Ethyl acrylate	99.3	Nonazeotrope			334

TABLE I BINARY SYSTEMS

No.	Formula	B-Component		Azeotropic Data			
		Name	B.P., °C.	B.P., °C.	Wt. %A	Ref.	
A = 934	C ₃ H ₅ Cl C ₃ H ₇ Cl	3-Chloropropene 2-Chloropropane	45.15 34.9	Nonazeotrope	v-1	83	
A = 935	C ₃ H ₅ ClO C ₅ H ₇ ClO	2-Chloro-2-propen-1-ol 2-Chlorallyl vinyl ether	10	341	
A = 936	C ₃ H ₅ ClO C ₃ H ₅ Cl ₃	Epichlorohydrin 1,2,3-Trichloropropane	116.45 156.85	Nonazeotrope	v-1	337	
A = 937	C ₃ H ₆ C ₃ H ₈	Propene Propane, 10°--190° F.	-48 ...	Nonazeotrope	v-1	128	
A = 938	C ₃ H ₆ Cl ₂ C ₃ H ₆ O	1,2-Dichloropropane Propylene oxide, 20 p.s.i.g.	96.3 60	Nonazeotrope	334		
	939 C ₃ H ₈ O ₂	1,2-Propanediol	187.3	Nonazeotrope	334		
A = 940	C ₃ H ₆ O C ₃ H ₈ O	Acetone Isopropyl alcohol	56.5 82.3	Nonazeotrope	v-1	45, 46	
	941 C ₄ H ₆ O ₂	Diketene	...	Nonazeotrope	334		
	942 C ₄ H ₆ O ₂	Vinyl acetate	72.7	Nonazeotrope	334		
	943 C ₄ H ₇ Cl	1-Chloro-2-methyl- propene	68	55.6	81	241	
	944 C ₄ H ₈ O	2-Butanone, 15-500 p.s.i.a.	...	Nonazeotrope	v-1	254, 334	
	945 C ₅ H ₆ O ₂	Isopropenyl acetate	96.5	Nonazeotrope	147		
	946 C ₅ H ₁₀	1-Pentene	29.97	28.9	19 vol. %	291	
	947 C ₅ H ₁₀ O ₂	Isopropyl acetate	88.7	Nonazeotrope	334		
	948 C ₅ H ₁₂	Pentane " <100 mm.	36.15 ...	32.5	20	131	
	949 C ₆ H ₆	Benzene, 45° C. "	...	Nonazeotrope	v-1	23	
			80.1	Nonazeotrope	v-1	36	
	950 C ₆ H ₁₂	Cyclohexane "	80.75 80.75	53.0	67.5	v-1	186
				...	67		256
	951 C ₆ H ₁₂	Methylcyclopentane	72.0	...	57	256	
	952 C ₆ H ₁₂	1,1,2-Trimethyl- cyclopropane	52.6	42.3	32 vol. %	291	
	953 C ₆ H ₁₂ O	4-Methyl-2-pantanone	115.9	Nonazeotrope	v-1	157	
	954 C ₆ H ₁₂ O ₂	Butyl acetate	126.2	Nonazeotrope	v-1	63	
	955 C ₆ H ₁₄	2,3-Dimethylbutane	58.0	...	46.5	256	
	956 C ₆ H ₁₄	Hexane	68.95	49.8	59	256, 334	
	957 C ₇ H ₁₆	Heptane	98.4	...	89.5	256	
A =	C ₃ H ₆ O	Allyl Alcohol	96.6				
	958 C ₃ H ₈ O	Isopropyl alcohol	82.3	Nonazeotrope	v-1	172	
	959 C ₅ H ₈ O	Allyl vinyl ether "	10	341	
			67.4	66.6	5	334	
	960 C ₅ H ₈ O ₂	Allyl acetate	...	95.1	63	1	
	961 C ₆ H ₁₂	Cyclohexane	80.8	74.0	58	147	
	962 C ₆ H ₁₄	Hexane	68.8	...	12.5	176	
	963 C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope	334		
A =	C ₃ H ₆ O C ₃ H ₈ O	Propionaldehyde Propylene oxide, 30 p.s.i.g.	48.7 69				
	964 C ₅ H ₆ O	2-Methylfuran	63.7	Nonazeotrope	334		
A =	C ₃ H ₆ O C ₄ H ₁₀ O	Propylene Oxide Ethyl ether	35 34.5	32.6	49.6	243	
	966 C ₅ H ₆ O						
A =	C ₃ H ₆ O ₂ C ₇ H ₈	1,3-Dioxolane Toluene	75.6 110.6	Nonazeotrope	334		
	967 C ₇ H ₁₆	Heptane	98.4	72.3	81	334	

No.	Formula	Name	B-Component		Azeotropic Data			
			B.P., °C.	B.P., °C.	Wt.%A	Ref.		
A =	C ₃ H ₆ O ₂	1,3-Dioxolane (continued)	75.6					
969	C ₈ H ₁₈ O	Butyl ether	142.1	Nonazeotrope		334		
970	C ₉ H ₂₀	Nonane	150.8	Nonazeotrope		334		
A =	C ₃ H ₆ O ₂	Ethyl Formate	54.1					
971	C ₃ H ₇ Br	2-Bromopropane	59.35	53.0	59.4	195, 252		
A =	C ₃ H ₆ O ₂	Methyl Acetate	56.95					
972	C ₃ H ₇ Br	2-Bromopropane	59.35	55.6	14.5	195		
973	C ₅ H ₆ O	2-Methylfuran	...	Nonazeotrope		270		
974	C ₅ H ₈	Cyclopentene	44.4	41.7	27.7	126		
975	C ₅ H ₁₀	Cyclopentane	49.3	43.2	37.9	126		
976	C ₅ H ₁₀	1-Pentene	30.1	30.0	3.3	126		
977	C ₅ H ₁₂	Pentane	36.08	34.05	22	126		
978	C ₆ H ₆	Benzene	80.1	56.7	99.7	126		
979	C ₆ H ₈	1,3-Cyclohexadiene	80.25	56.7	98.0	126		
980	C ₆ H ₁₀	Cyclohexene	83.1	56.5	90.2	126		
981	C ₆ H ₁₂	Cyclohexane	80.6	54.9	83.0	126		
982	C ₆ H ₁₂	2,3-Dimethyl-1-butene	55.62	48.95	42.8	126		
983	C ₆ H ₁₂	2,3-Dimethyl-2-butene	73.38	55.1	71.8	126		
984	C ₆ H ₁₂	3,3-Dimethyl-1-butene	41.4	39.9	8.8	126		
985	C ₆ H ₁₂	2-Ethyl-1-butene	64.8	52.8	60.1	126		
986	C ₆ H ₁₂	1-Hexene	63.58	52.5	63.6	126		
987	C ₆ H ₁₂	cis-2-Hexene	68.55	53.7	69.8	126		
988	C ₆ H ₁₂	3-Methyl-2-pentene	70.64	54.45	73.7	126		
989	C ₆ H ₁₂	4-Methyl-1-pentene	54.0	48.3	36.7	126		
990	C ₆ H ₁₂	trans-4-Methyl- 2-pentene	58.45	50.0	51.3	126		
991	C ₆ H ₁₂	Methylcyclopentane	71.8	53.0	68.0	126		
992	C ₆ H ₁₄	2,2-Dimethylbutane	49.65	43.7	38.2	126		
993	C ₆ H ₁₄	2,3-Dimethylbutane	58.05	48.0	48.25	126		
994	C ₆ H ₁₄	Hexane	68.85	51.75	60.7	126		
995	C ₆ H ₁₄	2-Methylpentane	60.2	49.25	51.6	126		
996	C ₆ H ₁₄	3-Methylpentane	63.25	50.05	57.4	126		
997	C ₇ H ₁₆	2,4-Dimethylpentane	80.7	54.7	72.4	126		
998	C ₇ H ₁₆	Heptane	98.45	56.65	96.45	126		
999	C ₇ H ₁₆	2-Methylhexane	90.0	56.0	88.6	126		
1000	C ₇ H ₁₆	3-Methylhexane	91.85	56.3	84.9	126		
1001	C ₇ H ₁₆	2,2,3-Trimethylbutane	80.9	55.1	74.2	126		
A =	C ₃ H ₆ O ₂	Propionic Acid	140.7					
1002	C ₄ H ₆ O ₃	Acetic anhydride	138	Nonazeotrope	v-1	250		
1003	C ₅ H ₅ N	Pyridine	115.5	148.6	67.2	370		
1004	C ₅ H ₁₁ NO	N,N-Dimethylpropion- amide	175.5	179.3	23.6	295		
1005	C ₆ H ₁₄	Hexane	68.85	Nonazeotrope		189		
1006	C ₇ H ₁₆	Heptane	98.15	97.82	2.0	189		
1007	C ₈ H ₁₈	Octane	125.12	120.89	24	189		
		"	125.12	...	24.2	v-1	154	
		" Satd. with Na propionate	6	v-1	154	
1008	C ₉ H ₂₀	Nonane	150.67	134.27	54	189		
1009	C ₁₀ H ₂₂	Decane	174.06	139.76	80.5	189		
1010	C ₁₁ H ₂₄	Undecane	193.85	Nonazeotrope		189		
A =	C ₃ H ₆ O ₃	Methyl Glycolate	151.2					
1011	C ₈ H ₁₀	Ethylbenzene	136.15	Min. b.p.	...	52		
1012	C ₈ H ₁₀	m-Xylene	139	Min. b.p.	...	52		
A =	C ₃ H ₆ O ₃	s-Trioxane	114.5					
1013	C ₆ H ₁₂	Cyclohexane	80.75	Min. b.p.	...	52		
A =	C ₃ H ₇ ClO	Propylene Chlorohydrin	73/100					
1014	C ₆ H ₁₂ Cl ₂ O	Bis(chloroisopropyl) ether, 100 mm.	121.9	Nonazeotrope		334		

TABLE I BINARY SYSTEMS

No.	Formula	Name	B.P., °C.	Azeotropic Data		
				B.P., °C.	Wt.%A	Ref.
A = 1015	C ₃ H ₇ NO C ₆ H ₆	N,N-Dimethylformamide Benzene	153 80.1	Nonazeotrope		52
A = 1016	C ₃ H ₇ NO C ₁₀ H ₂₂	Propionamide Decane, 50 mm. " 100 mm. " 200 mm. " 760 mm.	222.1 173.3	88 106 126 168	3 5 7.5 11.8	26
1017	C ₁₁ H ₂₄	Undecane, 50 mm. " 100 mm. " 200 mm. " 760 mm. 194.5	105 123 142 183	15 16 17.3 21	26
1018	C ₁₂ H ₂₆	Dodecane, 50 mm. " 100 mm. " 200 mm. " 760 mm. 216	115 132 152 193	26 26 26 31.6	26
A = 1019	C ₃ H ₇ NO ₂ C ₃ H ₈ O	1-Nitropropane Isopropyl alcohol	131.18 82.40	Nonazeotrope		55
1020	C ₃ H ₈ O	Propyl alcohol	97.15	96.95	8.8	55
1021	C ₄ H ₁₀ O	Butyl alcohol	117.73	115.30	32.2	55
1022	C ₄ H ₁₀ O	sec-Butyl alcohol	99.53	99.40	4.1	55
1023	C ₄ H ₁₀ O	tert-Butyl alcohol	82.41	Nonazeotrope		55
1024	C ₄ H ₁₀ O	Isobutyl alcohol	107.89	105.28	15.2	55
A = 1025	C ₃ H ₈ O	2-Nitropropane Isopropyl alcohol	120.25 82.40	82.24	4.2	55
1026	C ₃ H ₈ O	Propyl alcohol	97.15	95.97	24.9	55
1027	C ₄ H ₁₀ O	Butyl alcohol	117.73	111.61	52.4	55
1028	C ₄ H ₁₀ O	sec-Butyl alcohol	99.53	98.70	18.0	55
1029	C ₄ H ₁₀ O	tert-Butyl alcohol	82.41	Nonazeotrope		55
1030	C ₄ H ₁₀ O	Isobutyl alcohol	107.89	105.28	33.1	55
A = 1031	C ₃ H ₈ O	Isopropyl Alcohol	82.3			
1032	C ₄ H ₆ O ₂	Vinyl acetate	72.7	70.8	22.4	335
1033	C ₄ H ₆ O ₂	p-Dioxane	v-1	47
	C ₄ H ₆ O ₂	Ethyl acetate	77.05	75.9	v-1	228
	" 40°-60° C.	25	v-1	228
1034	C ₄ H ₆ O ₂	Methyl propionate	79.6	77	28	335
1035	C ₄ H ₉ Cl	1-Chloro-2-methyl-				
	propane	68.9	63.8	19		335
1036	C ₄ H ₁₀ O	Ethyl ether	34.6	Nonazeotrope		334
1037	C ₄ H ₁₁ N	Butylamine	77.8	84.7	60	335
1038	C ₅ H ₁₀ O	Isopropyl vinyl ether	16.5	341
1039	C ₅ H ₁₀ O	2-Pentanone	102.35	Nonazeotrope	v-1	11
1040	C ₆ H ₆	Benzene, 155 mm.	...	31.8	20.6	316
	" 243 mm.	...	41.8	23.6		316
	" 509 mm.	...	60.4	29.9		316
	" 607 mm.	...	65.3	31.4		316
	" 760 mm.	...	71.74	33.7		316
	" 196 mm.	...	37.2	22.4		256
	" 512 mm.	...	60.3	30		256
	" 4920 mm.	...	134.7	62		256
	" 10,180 mm.	...	166.3	79		256
	" 15,380 mm.	...	186.1	91		256
1041	C ₆ H ₁₀	1,3-Hexadiene	72.9	Min. b.p.		80
1042	C ₆ H ₁₀	2,4-Hexadiene	82	Min. b.p.		80
1043	C ₆ H ₁₀	3-Methyl-1,3-pentadiene	77	Min. b.p.		80
1044	C ₆ H ₁₀ O	Mesityl oxide	128.3	Nonazeotrope		334
1045	C ₆ H ₁₂	Cyclohexane, 129 mm.	...	26.3	18.3	316
	" 270 mm.	...	42.5	23.3		316
	" 434 mm.	...	54.1	27.1		316
	" 549 mm.	...	60.2	29.2		316
	" 760 mm.	...	69.4	32		316
1046	C ₆ H ₁₂ O	4-Methyl-2-pentanone	115.9	Nonazeotrope		11
1047	C ₆ H ₁₅ N	Diisopropylamine	84.1	79.7	40	335

No.	Formula	B-Component		Azeotropic Data		
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =	C ₃ H ₈ O	Isopropyl Alcohol (continued)	82.3			
1048	C ₆ H ₁₃ N	Hexylamine	132.7	Nonazeotrope	334	
1049	C ₇ H ₈	Toluene	110.7	...	52	327
	"		110.6	80.6	69	335
1050	C ₈ H ₁₄	Diisobutylene	102.3	77.8	54.5	335
1051	C ₈ H ₁₆	<u>trans</u> -1,2-Dimethyl- cyclohexane	123.42	81.4	79 vol. %	291
1052	C ₈ H ₁₆	<u>cis</u> -1-Ethyl-2-methyl- cyclopentane	128.05	82.2	83 vol. %	291
1053	C ₈ H ₁₆	<u>trans</u> -1-Ethyl-2- methylcyclopentane	121.2	81.6	76 vol. %	291
1054	C ₈ H ₁₆	<u>trans</u> -1-Ethyl-3- methylcyclopentane	120.8	81.4	75 vol. %	291
1055	C ₈ H ₁₆	1,1,2-Trimethyl- cyclopentane	113.73	80.4	66 vol. %	291
1056	C ₈ H ₁₆	1,1,3-Trimethyl- cyclopentane	104.89	78.5	53 vol. %	291
1057	C ₈ H ₁₆	1, <u>cis</u> -2, <u>trans</u> -3- Trimethylcyclo- pentane	117.5	81.1	71 vol. %	291
1058	C ₈ H ₁₆	1, <u>cis</u> -2, <u>trans</u> -4- Trimethylcyclo- pentane	116.73	80.9	71 vol. %	291
1059	C ₈ H ₁₈	2,2,4-Trimethyl- pentane	99.3	77.3	48.5 v-1	29
A =	C ₃ H ₈ O	Propyl Alcohol	97.25			
1060	C ₃ H ₈ S	1-Propanethiol, 766 mm.	67.8	66.4	8.65	181
1061	C ₄ H ₈ O ₂	Ethyl acetate,				
		40°-60° C.	77.05	Nonazeotrope	v-1	228
1062	C ₅ H ₁₀ O	3-Pantanone	101.8	94.9	57	334
1063	C ₅ H ₁₀ O ₂	Propyl acetate	101.6	94.7	49 v-1	264
	"	200 mm.	...	59.96	31.4 v-1	306
	"	400 mm.	...	77.06	39.2 v-1	306
	"	600 mm.	...	88.04	44.8 v-1	306
	"	760 mm.	...	94.7	48.9 v-1	306
1064	C ₆ H ₅ Cl	Chlorobenzene	132	96.5	80	334
1065	C ₆ H ₆	Benzene, 239 mm.	...	45	10.5 v-1	24
	"	44.7-309.7 p.s.i.g.	...	Effect of press.	v-1	277
	"	123 mm.	...	28.0	8.0 316, 344	
	"	289 mm.	...	49.8	11.6 316, 344	
	"	423 mm.	...	59.9	13.6 316, 344	
	"	610 mm.	...	70.1	15.7 316, 344	
	"	760 mm.	...	77.10	17.1 316, 344	
	"	342 mm.	...	53.7	12.3 256	
	"	573 mm.	...	68.6	15.3 256	
	"	2420 mm.	...	117.6	27.5 256	
	"	5020 mm.	...	147.5	37 256	
	"	10,050 mm.	...	183.8	50.5 256	
	"	18,200 mm.	...	218.3	66.1 256	
1066	C ₆ H ₁₂	Cyclohexane, 161 mm.	...	33.8	9.9 316	
	"	250 mm.	...	44.3	11.8 316	
	"	429 mm.	...	58.0	15.0 316	
	"	560 mm.	...	65.4	16.5 316	
	"	760 mm.	...	74.69	18.5 316	
	"	4-15 atm.	...	Effect of press.	v-1	278
1067	C ₆ H ₁₂ O	2-Methylpentanal	118.3	95	86	334
1068	C ₆ H ₁₆ OSi	(Trimethylsiloxy) propane, 735 mm.	100.3	87.5	...	193
1069	C ₇ H ₈	Toluene	110.7	...	50.5 v-1	327
	"		110.6	92.6	49 334	
	"		110.7	92.6	51.5 v-1	202
1070	C ₈ H ₈	Styrene, 50 mm.	...	38.5	84 v-1	211
	"		...	% PrOH increases	with press.	211

TABLE I BINARY SYSTEMS

No.	Formula	B-Component	Azeotropic Data		
		Name	B.P., °C.	B.P., °C.	Wt.%A
A =	C ₃ H ₈ O	Propyl Alcohol (continued)	97.25		
1071	C ₈ H ₁₀	Ethylbenzene, 50 mm.	...	% PrOH increases with press.	211
1072	C ₈ H ₁₀	p-Xylene	138.4	...	92
A =	C ₃ H ₈ OS	2-(Methylthio)ethanol		...	
1073	C ₅ H ₁₀ OS	2-Methylthioethyl vinyl ether, 22 mm.	...	75	20
A =	C ₃ H ₈ O ₂	2-Methoxyethanol	124.5		
1074	C ₆ H ₆	Benzene	80.1	Nonazeotrope	v-1
1075	C ₆ H ₁₂	Cyclohexane	80.7	Nonazeotrope	334
1076	C ₇ H ₁₄	"	77.5	15	v-1
1077	C ₇ H ₁₆ O ₂	trans-2-Heptene	98.0	92.9	19 vol. %
		1-tert-Butoxy-2- methoxyethane	...	119	45
1078	C ₈ H ₈	Styrene, 57 mm.	67.9	54.8	62 vol. %
		" 62 mm.	...	56.8	50.1 v-1
1079	C ₈ H ₁₀	Ethylbenzene, 62 mm.	...	51.9	34.3 v-1
1080	C ₈ H ₁₀	p-Xylene	138.35	119.3	54 vol. %
1081	C ₈ H ₁₂	4-Vinylcyclohexene, 57 mm.	...	44.4	30 vol. %
1082	C ₈ H ₁₆	cis-1,3-Dimethyl- cyclohexane	120.9	105.6	36 vol. %
1083	C ₈ H ₁₆	trans-1-Ethyl-2- methylcyclopentane	121.2	106.3	32 vol. %
1084	C ₈ H ₁₆	trans-1-Ethyl-3- methylcyclopentane	120.8	106.0	35 vol. %
1085	C ₈ H ₁₆	1,1,3-Trimethyl- cyclopentane	104.89	96.7	20 vol. %
1086	C ₈ H ₁₆	1,cis-2,cis-3-Tri- methylcyclopentane	123.0	107.4	35 vol. %
1087	C ₈ H ₁₆	1,trans-2,cis-3-Tri- methylcyclopentane	110.2	100.2	20 vol. %
1088	C ₈ H ₁₆	2,4,4-Trimethyl- 1-pentene	101.44	95.5	20 vol. %
1089	C ₉ H ₁₈	2,4-Dimethylhexane	109.43	99.3	26 vol. %
1090	C ₉ H ₁₈	2,2,3-Trimethylpentane	109.84	99.7	25 vol. %
1091	C ₉ H ₁₈	1,1,3-Trimethyl- cyclohexane	136.6	113.1	41 vol. %
1092	C ₉ H ₂₀	2,2,3,4-Tetramethyl- pentane	133.02	111.4	39 vol. %
1093	C ₉ H ₂₀	2,3,4-Trimethylhexane	139.0	113.5	39 vol. %
1094	C ₉ H ₂₀	2,3,5-Trimethylhexane	131.34	110.6	40 vol. %
A =	C ₃ H ₈ O ₂	1,2-Propanediol	187.8		
1095	C ₅ H ₁₀ O ₂	3-Vinyloxypropanol	...	Min. b.p.	94
1096	C ₆ H ₆	Benzene	80.1	Nonazeotrope	334
1097	C ₆ H ₁₄ O ₃	Dipropylene glycol, 10 mm.	...	Nonazeotrope	v-1
1098	C ₇ H ₈	Toluene	110.6	110.5	1.5
1099	C ₈ H ₈ O	Coumarone	173	Azeo. distillation	120
1100	C ₈ H ₁₀	o-Xylene	144.4	135.8	10
1101	C ₈ H ₁₈ O	Butyl ether	142.1	136	...
1102	C ₁₀ H ₈	Naphthalene	218.1	Azeo. distillation	120
1103	C ₁₀ H ₂₂ O ₄	Tripropylene glycol methyl ether, 50 mm.	...	Nonazeotrope	76
1104	C ₁₂ H ₂₆	Dodecane	216	175	67
1105	C ₁₄ H ₃₀	Tetradecane	252.5	179	76
1106	C ₁₆ H ₃₄ O	Bis(2-ethylhexyl) ether, 10 mm.	135	84	...
A =	C ₃ H ₈ O ₂	1,3-Propanediol	214		
1107	C ₅ H ₁₀ O ₂	3-Vinyloxy-1- propanol	10-15
					94

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.		B.P., °C.	Wt.%A	Ref.
A =	C ₃ H ₈ S	Ethyl Methyl Sulfide	66.61				
1108	C ₆ H ₁₂	Cyclohexane	80.35	Nonazeotrope			70
1109	C ₆ H ₁₂	1-Hexene	63.50	62.71	29.4		70
1110	C ₆ H ₁₂	Methylcyclopentane	71.85	65.59	64.1		70
1111	C ₆ H ₁₄	2,3-Dimethylbutane	58.10	57.41	18.7		70
1112	C ₆ H ₁₄	Hexane	68.75	63.94	56.6		70
1113	C ₇ H ₁₆	2,2-Dimethylpentane	79.20	66.37	88.2		70
A =	C ₃ H ₉ BO ₃	Trimethyl Borate	68.7				
1114	C ₄ H ₈ O	Tetrahydrofuran	65	Nonazeotrope	v-1	115	
A =	C ₃ H ₉ N	Isopropylamine	32.4				
1115	C ₆ H ₁₄	Hexane	68.7	Nonazeotrope			334
A =	C ₃ H ₉ NO	1-Amino-2-propanol	159.9				
1116	C ₆ H ₅ Cl	Chlorobenzene	131	128.30	13		259
1117	C ₆ H ₁₅ NO ₂	1,1'-Iminodi-2-propanol, 100 mm.	185	Nonazeotrope			334
1118	C ₇ H ₈	Toluene	110.7	110	5		259
1119	C ₇ H ₁₆	Heptane	98.4	96.6	6		334
A =	C ₃ H ₁₀ N ₂	1,2-Propanediamine	120.9				
1120	C ₄ H ₁₀ O	Butyl alcohol	117.7	126.5	49		335
1121	C ₄ H ₁₀ O	Isobutyl alcohol	107.9	123	65		335
1122	C ₇ H ₈	Toluene	110.6	105	32		334
A =	C ₄ Cl ₃ F ₇	2,2,3-Trichloro-heptafluorobutane	97.4				
1123	C ₅ Cl ₂ F ₆	1,2-Dichlorohexa-fluorocyclopentene	90.6	Nonazeotrope	v-1	354	
1124	C ₇ H ₁₆	Heptane	98.53	92.3	76	v-1	354
1125	C ₆ F ₁₆ O	Perfluorocyclic oxide	102.6	96.35	67	v-1	354
A =	C ₄ HF ₇ O ₂	Perfluorobutyric Acid	122.0				
1126	C ₆ H ₁₀	Ethylbenzene	136.15	115.4	80		52
1127	C ₈ H ₁₀	m-Xylene	139	117.5	83		52
1128	C ₈ H ₁₀	p-Xylene	138.4	117.6	82		52
A =	C ₄ H ₂ O ₃	Maleic Anhydride	...				
1129	C ₈ H ₁₀	m-Xylene, 150 mm.	...	Nonazeotrope			334
1130	C ₁₆ H ₂₂ O ₄	Dibutyl phthalate, 50 mm.	238	Nonazeotrope			334
A =	C ₄ H ₄	Vinylacetylene	...				
1131	C ₄ H ₅ Cl	2-Chloro-1,3-butadiene, 740 mm.	...	Nonazeotrope	v-1	151	
A =	C ₄ H ₄ O ₂	Diketene	...				
1132	C ₇ H ₈	Toluene, 60 mm.	...	41	10		84
A =	C ₄ H ₄ S	Thiophene	83.97				
1133	C ₄ H ₁₀ S	2-Butanethiol	85.15	82.27	...		70
1134	C ₄ H ₁₀ S	Isopropyl methyl sulfide	84.76	83.42	...		70
1135	C ₆ H ₆	Benzene	80.10	Nonazeotrope			70
1136	C ₆ H ₁₂	Cyclohexane	80.85	77.90	41.2		70
1137	C ₆ H ₁₂	Methylcyclopentane	71.85	71.47	14.0		70
1138	C ₆ H ₁₄	Hexane	68.75	68.46	11.2		70
1139	C ₇ H ₁₄	trans-1,3-Dimethyl-cyclopentane	90.80	82.00	67.7		70
1140	C ₇ H ₁₆	2,3-Dimethylpentane	89.90	80.90	64		70
1141	C ₇ H ₁₆	2,4-Dimethylpentane	80.55	76.58	42.7		70
1142	C ₇ H ₁₆	Heptane	98.40	83.09	83.2		70

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₄ H ₅ Cl	2-Chloro-1,3-butadiene	...				
1143	C ₄ H ₆ Cl ₂	1,3-Dichloro-2-butene, " 100 mm. " 340 mm.	...	Nonazeotrope Nonazeotrope	v-l v-l	151 151	
1144	C ₄ H ₆ O	3-Butene-2-one, " 100 mm. " 340 mm.	...	Nonazeotrope Nonazeotrope	v-l v-l	151 151	
A =	C ₄ H ₆ O ₂	2,3-Butanedione	90.7				
1145	C ₄ H ₆ O	2-Butanone	79.6	Nonazeotrope	334		
A =	C ₄ H ₆ O ₂	Vinyl Acetate	72.7				
1146	C ₄ H ₁₀ O	Butyl alcohol	117.7	Nonazeotrope	334		
1147	C ₆ H ₁₂	Cyclohexane	80.7	67.4	61.3	334	
1148	C ₇ H ₁₆	Heptane	98.4	72	83.5	334	
1149	C ₈ H ₁₈ O	Butyl ether	142.1	Nonazeotrope	334		
A =	C ₄ H ₆ O ₃	Acetic Anhydride	139.9				
1150	C ₅ H ₈ O ₂	Isopropenyl acetate	97.4	Nonazeotrope	334		
1151	C ₅ H ₁₀ O ₂	Isopropyl acetate	88.7	Nonazeotrope	334		
1152	C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope	334		
A =	C ₄ H ₇ ClO	2-Chloroethyl Vinyl Ether	109.1				
1153	C ₅ H ₁₂ O	Isoamyl alcohol " 50 mm.	131.8 67	109 39	99 99	335 335	
A =	C ₄ H ₈ Cl ₂ O	Bis(2-chloroethyl Ether)	178.65				
1154	C ₄ H ₁₀ O ₃	Diethylene glycol	245.5	174.6	92	60	
1155	C ₇ H ₁₆ O	3-Heptanol	156.4	141.2	28	334	
1156	C ₈ H ₁₈ O	2-Ethyl-1-hexanol, 50 mm.	109	96	90	335	
A =	C ₄ H ₈ O	2-Butanone	79.6				
1157	C ₄ H ₈ O ₂	Isopropyl formate	68.8	Nonazeotrope	310		
1158	C ₄ H ₉ Cl	1-Chloro-2-methyl-propane	68.8	Nonazeotrope	310		
1159	C ₄ H ₁₀ O	<u>sec</u> -Butyl alcohol " 374 mm.	99.5 ...	Nonazeotrope Nonazeotrope	v-l v-l	8 8	
1160	C ₅ H ₆ O	2-Methylfuran	...	Nonazeotrope	v-l	310	
1161	C ₆ H ₆	Benzene	80.1	78.1	47	v-l	74
	"	14.7 p.s.i.a.	...	78.2	45	v-l	321
	"	66.7 p.s.i.a.	...	133.0	67.6	v-l	321
	"	118.0 p.s.i.a.	...	160.7	90.0	v-l	321
	"	125.0 p.s.i.a.	...	Nonazeotrope	v-l	321	
1162	C ₆ H ₆ O	Phenol, 200-760 mm.	...	Nonazeotrope	v-l	33	
1163	C ₆ H ₈ O	2,5-Dimethylfuran	93.3	Nonazeotrope	334		
1164	C ₆ H ₁₂	Cyclohexane, 14.7 p.s.i.a. " 66.7 p.s.i.a. " 118.0 p.s.i.a. " 125.0 p.s.i.a.	...	71.0 128.7 156.4 182.5 80.85 80.85 80.85	52.5 61.0 64.0 69.0 45.5 44 42	321 321 321 321 186 73 256	
	"	80.85	71.6	45.5			
	"	80.85	71.5	44			
	"	80.85	...	42			
1165	C ₆ H ₁₄	2,3-Dimethylbutane	58	...	15.1	256	
1166	C ₆ H ₁₄	Hexane	68.95	...	29.6	256	
1167	C ₇ H ₁₄	Methylcyclohexane	101.15	...	80	256	
1168	C ₇ H ₁₆	Heptane	98.4	...	73	256	
1169	C ₈ H ₁₈	2,5-Dimethylhexane	109.4	...	95	256	
A =	C ₄ H ₈ O	Butyraldehyde	74.8				
1170	C ₄ H ₈ O	Isobutyraldehyde	69.5	Nonazeotrope	96		
1171	C ₄ H ₈ O ₂	Butyric acid	163.3	Nonazeotrope	334		

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₄ H ₈ O	Butyraldehyde (continued)	74.8				
1172	C ₄ H ₁₀ O	Isobutyl alcohol	107.9	Nonazeotrope		334	
1173	C ₄ H ₁₀ O ₂	1,1-Dimethoxyethane	64.5	Nonazeotrope		334	
1174	C ₆ H ₁₀ O	Mesityl oxide	128.3	Nonazeotrope		334	
1175	C ₆ H ₁₄	Hexane	68.7	60	26	334	
1176	C ₆ H ₁₄ O ₂	1,1-Dimethoxybutane	114	Nonazeotrope		334	
A =	C ₄ H ₈ O ₂	Butyric Acid	162.45				
1177	C ₅ H ₅ N	Pyridine	115.5	163.2	92	370	
1178	C ₆ H ₁₃ NO	N,N-Dimethylbutyramide, 100 mm.	124.5	130	32.6	295	
1179	C ₁₁ H ₂₄	Undecane	194.5	162.4	84.5	370	
A =	C ₄ H ₈ O ₂	p-Dioxane	101.3				
1180	C ₄ H ₁₀ O	Butyl alcohol	117.75	Nonazeotrope	v-l	215	
1181	C ₄ H ₁₀ O	Isobutyl alcohol	108	101.3	...	208	
1182	C ₆ H ₆	Benzene, 200-760 mm.	...	Nonazeotrope	v-l	124	
1183	C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope		334	
1184	C ₇ H ₈	Toluene, 200-760 mm.	...	Nonazeotrope	v-l	124	
A =	C ₄ H ₈ O ₂	Ethyl Acetate	77.05				
1185	C ₄ H ₁₀ O	Isobutyl alcohol, 100-760 mm.	v-l	316
1186	C ₄ H ₁₀ O ₂	2-Ethoxyethanol	135.1	Nonazeotrope	v-l	220	
1187	C ₅ H ₄ O ₂	2-Furaldehyde	161.45	Nonazeotrope		350	
1188	C ₆ H ₆	Benzene	80.1	Nonazeotrope	v-l	43, 44	
1189	C ₆ H ₁₂	Cyclohexane	80.75	71.6	56	v-l	43, 44
		" 233 mm.	...	38.7	50.1		316
		" 301 mm.	...	45.1	51		316
		" 415 mm.	...	53.6	52.3		316
		" 581 mm.	...	63.0	54.1		316
		" 756 mm.	...	71.1	55.3		316
1190	C ₆ H ₁₂ O ₂	Butyl acetate	126.1	Nonazeotrope		334	
1191	C ₆ H ₁₄ O ₂	2-Butoxyethanol	171.1	Nonazeotrope		334	
A =	C ₄ H ₈ O ₂	Isobutyric Acid	154.7				
1192	C ₅ H ₈ O ₃	Methyl acetoacetate	171.7	Nonazeotrope		334	
1193	C ₈ H ₁₀	Ethylbenzene	136.15	133.0	8.8	84	
		" 30 mm.	...	48.0	0.8	84	
1194	C ₈ H ₁₀	Mixed xylenes	...	133.0	10.0	84	
		" 56 mm.	...	62	1.0	84	
A =	C ₄ H ₈ O ₂	Propyl Formate	80.9				
1195	C ₆ H ₁₄	Hexane	68.95	63.6	29.5	324	
A =	C ₄ H ₈ S	Tetrahydrothiophene	120.79				
1196	C ₆ H ₁₄ S	Isopropyl sulfide	119.25	118.40	...	70	
1197	C ₇ H ₈	Toluene	110.85	Nonazeotrope		70	
1198	C ₈ H ₁₆	trans-1,3-Dimethylcyclohexane	120.30	115.90	43.1	70	
1199	C ₈ H ₁₆	Ethylcyclohexane	131.85	120.46	80.7	70	
1200	C ₈ H ₁₈	2,5-Dimethylhexane	109.15	107.95	16.8	70	
1201	C ₈ H ₁₈	2-Methylheptane	117.70	113.96	38.2	70	
1202	C ₈ H ₁₈	Octane	125.70	117.79	60.3	70	
A =	C ₄ H ₉ Cl	1-Chlorobutane	77.9				
1203	C ₄ H ₁₀ O	Butyl alcohol	117.75	Nonazeotrope	v-l	335	
A =	C ₄ H ₉ Cl ₃ Sn	Butyltin Trichloride	113/17				
1204	C ₈ H ₁₈ Cl ₂ Sn	Dibutyltin dichloride, 17 mm.	157	Nonazeotrope		334	
1205	C ₁₂ H ₂₇ Cl ₂ Sn	Tributyltin chloride, 17 mm.	166	Nonazeotrope		334	

TABLE I BINARY SYSTEMS

No.	Formula	B-Component		Azeotropic Data		
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =	C ₄ H ₉ NO	Morpholine	128.3			
1206	C ₈ H ₁₈ O	Butyl ether	142.1	126.7	73	334
1207	C ₉ H ₁₈ O	2,6-Dimethyl-4-heptanone	169.4	128	98	334
A =	C ₄ H ₉ NO ₃	2-Methyl-2-nitro-1-Propanol	...			
1208	C ₆ H ₁₁ NO ₃	2-Methyl-2-nitro-propyl vinyl ether, 10 mm.	...	71-81	8.6	341
A =	C ₄ H ₁₀ O	Butyl Alcohol	117.75			
1209	C ₄ H ₁₀ O	sec-Butyl alcohol	99.5	Nonazeotrope		334
1210	C ₄ H ₁₀ O	Isobutyl alcohol, to crit. region	107	Nonazeotrope	v-1	75, 334
	" 750 mm.	...		Nonazeotrope	v-1	335
1211	C ₄ H ₁₀ O	Ethyl ether, to crit. region	34.5	Nonazeotrope	v-1	75
1212	C ₄ H ₁₀ S	1-Butanethiol, 770 mm.	98	97.8	14.84	181
1213	C ₄ H ₁₁ N	Butylamine	77.1	Nonazeotrope		334
1214	C ₅ H ₆ N	Pyridine	115.5	118.6	69	v-1 141
1215	C ₅ H ₈ O ₂	Methyl methacrylate	99.8	Nonazeotrope		147
1216	C ₆ H ₆	Benzene, 45°	...	Nonazeotrope	v-1	24
	"	80.1	Nonazeotrope	v-1	344, 362	
1217	C ₆ H ₁₂	Cyclohexane	80.8	79.8	9.5	147, 335
1218	C ₆ H ₁₂ O	Butyl vinyl ether	94.2	93.3	7.8	335
1219	C ₆ H ₁₂ O	Hexaldehyde	128.3	116.8	77.1	335
1220	C ₆ H ₁₂ O ₂	Butyl acetate, 50 mm.	27.3	117
	"	126.2	117.6	67.2	117,	335
1221	C ₆ H ₁₄	Hexane	68.95	68.2	3.2	174, 335
1222	C ₆ H ₁₄ O ₂	2-Butoxyethanol	171.1	Nonazeotrope	v-1	335
1223	C ₇ H ₈	Toluene	110.7	105.5	27.5	v-1 377
	" 200 mm.	...	66.8	17.7	v-1	124
	" 400 mm.	...	85.45	22.9	v-1	124
	" 600 mm.	...	97.7	26.5	v-1	124
	" 760 mm.	...	105.3	29.7	v-1	124
1224	C ₇ H ₁₂ O ₂	Butyl acrylate, 100 mm.	69.77	69	75	334
	" 20 mm.	...	39	87.7	76	
	" 150 mm.	...	77	92.2	76	
	"	147	117	98.2	76	
1225	C ₇ H ₁₆	Heptane	98.4	93.85	18	174, 175
	"	98.4	~94	~16	v-1	141
1226	C ₇ H ₁₈ SiO	(Trimethylsiloxy)butane	...	Azeotropic		193
1227	C ₈ H ₁₀	Ethylbenzene, 50 mm.	36.3	v-1 92
	" 100 mm.	...	63.65	42.1	v-1	92
	" 300 mm.	51.0	v-1	92
	" 500 mm.	59.7	v-1	92
	" 760 mm.	136.15	115.85	65.1	v-1	92
1228	C ₈ H ₁₈	Octane	125.75	108.45	43.2	174, 175
1229	C ₈ H ₁₈ O	Butyl ether	142.1	117.6	82.5	335
1230	C ₈ H ₁₉ N	Dibutylamine	159.6	Nonazeotrope		334
1231	C ₉ H ₂₀	Nonane	150.7	115.9	71.5	174, 175
A =	C ₄ H ₁₀ O	sec-Butyl Alcohol	99.5			
1232	C ₆ H ₁₂ O ₂	Butyl acetate	126.1	Nonazeotrope		334
1233	C ₆ H ₁₂ O ₂	sec-Butyl acetate	112.2	Nonazeotrope		334
1234	C ₇ H ₁₄	Methylcyclohexane	101.5	89.7	38.2	v-1 352
1235	C ₇ H ₁₆	Heptane	98.4	88.1	36.7	v-1 352
1236	C ₈ H ₁₄	Diisobutylene	102.3	91	35	37
1237	C ₈ H ₁₈	Iso-octane	99.3	88.0	33.8	v-1 352

No.	Formula	B-Component		Azeotropic Data			
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A = 1238	C ₄ H ₁₀ O C ₆ H ₆	Isobutyl Alcohol Benzene	107 80.1	78.36 28.4	12 2.7	111 316	
	" 111 mm.		...	45.0	4.2	316	
	" 240 mm.		...	67.4	6.4	316	
	" 525 mm.		...	79.3	7.4	316	
	" 760 mm.		80.1	59.5	6.0	256	
	" 206 mm.		...	79.4	7.9	256	
	" 394 mm.		...	159.9	21.0	256	
	" 759 mm.		80.1	207.5	33	256	
	" 5420 mm.		...				
	" 12,930 mm.		...				
A = 1239	C ₄ H ₁₀ O C ₈ H ₁₈ O	Ethyl Ether Butyl ether, 600 mm.	34.5 142.4	Ideal system	v-1	257	
A = 1240	C ₄ H ₁₀ O ₂ C ₆ H ₁₄ O	1,2-Dimethoxyethane Isopropyl ether	85.2 68.3	Nonazeotrope		334	
A = 1241	C ₄ H ₁₀ O ₂ C ₆ H ₁₂ O ₂	1,4-Butanediol 4-Vinylxylobutanol	230 ...	Min. b.p.	...	94	
A = 1242	C ₄ H ₁₀ O ₂ C ₅ H ₈ O ₂	2-Ethoxyethanol Methyl methacrylate	134.0 99.8	Nonazeotrope		147	
1243	C ₅ H ₁₀ O ₂	Propyl acetate	101.6	Nonazeotrope	v-1	220	
1244	C ₆ H ₁₂ O ₂	Butyl acetate	126.2	125.7	13	v-1	221
1245	C ₆ H ₁₄ N ₂	2,5-Dimethylpiperazine	164	Nonazeotrope		334	
1246	C ₆ H ₁₄ O ₃	2-(2-Ethoxyethoxy) ethanol	202.8	Nonazeotrope		334	
1247	C ₈ H ₈	Styrene, 50 mm.	...	59.8	42.5	v-1	110
1248	C ₈ H ₁₀	Ethylbenzene, 50 mm.	...	53.9	27.6	v-1	110
	" 57 mm.		60.62	50.0	42 vol. %		291
	" 735 mm.		134.9	126.2	43.3	v-1	167
	"		136.15	128	45	v-1	227
1249	C ₈ H ₁₀	m-Xylene, 735 mm.	137.9	127.7	48.9	v-1	167
1250	C ₈ H ₁₀	o-Xylene, 735 mm.	143.1	129.6	57.2	v-1	167
1251	C ₈ H ₁₀	p-Xylene, 735 mm.	137.4	127.3	47.9	v-1	167
1252	C ₈ H ₁₆	trans-1,2-Dimethyl- cyclohexane	123.42	115.6	27 vol. %	291	
1253	C ₈ H ₁₆	Ethylcyclohexane	131.78	120.2	33 vol. %	291	
1254	C ₈ H ₁₆	cis-2-Octene	125.6	117.9	28 vol. %	291	
1255	C ₈ H ₁₈	2,5-Dimethylhexane	109.10	105.1	16 vol. %	291	
1256	C ₈ H ₁₈	3,3-Dimethylhexane	111.97	107.1	17 vol. %	291	
1257	C ₈ H ₁₈	3-Ethyl-3-methyl- pentane	118.26	111.7	23 vol. %	291	
1258	C ₈ H ₁₈	Octane	125.75	122.5	33.6	v-1	227
1259	C ₉ H ₁₂	o-Ethyltoluene	165.15	135.0	91 vol. %		291
1260	C ₉ H ₁₂	Mesitylene, 735 mm.	163.4	133.7	85.7	v-1	167
1261	C ₉ H ₁₈	Butylcyclopentane	156.56	130.2	61 vol. %		291
1262	C ₉ H ₁₈	Isobutylcyclopentane	147.6	127.4	49 vol. %		291
1263	C ₉ H ₁₈	Isopropylcyclohexane	154.5	129.6	56 vol. %		291
1264	C ₉ H ₁₈	1-Nonene	146.87	128.1	48 vol. %		291
1265	C ₉ H ₁₈	Propylcyclohexane	156.72	130.2	59 vol. %		291
1266	C ₉ H ₂₀	3,3-Diethylpentane	146.17	126.4	45 vol. %		291
1267	C ₉ H ₂₀	n-Nonane	150.8	128.0	50 vol. %		291
1268	C ₉ H ₂₀	2,2,3,3-Tetramethyl- pentane	140.27	124.1	40 vol. %		291
1269	C ₉ H ₂₀	2,2,4,4-Tetramethyl- pentane	122.28	114.3	26 vol. %		291
1270	C ₉ H ₂₀	2,3,3,4-Tetramethyl- pentane	141.55	124.6	41 vol. %		291
1271	C ₉ H ₂₀	2,2,3-Trimethylhexane	133.60	120.8	34 vol. %		291
1272	C ₉ H ₂₀	2,2,4-Trimethylhexane	126.54	116.8	26 vol. %		291
1273	C ₉ H ₂₀	2,3,3-Trimethylhexane	137.68	122.8	41 vol. %		291
1274	C ₉ H ₂₀	2,3,5-Trimethylhexane	131.34	119.5	32 vol. %		291
1275	C ₉ H ₂₀	2,4,4-Trimethylhexane	130.65	119.1	34 vol. %		291
1276	C ₉ H ₂₀	3,3,4-Trimethylhexane	140.46	124.0	40 vol. %		291

TABLE I BINARY SYSTEMS

No.	Formula	B-Component		Azeotropic Data		
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =	C ₄ H ₁₀ O ₂	2-Ethoxyethanol (continued)	134.0			
1277	C ₁₀ H ₂₀	tert-Butylcyclohexane	171.5	133.3	73 vol. %	291
A =	C ₄ H ₁₀ O ₃	Diethylene Glycol	245.5			
1278	C ₅ H ₁₂ O ₃	2-(2-Methoxyethoxy) ethanol	193.6	Nonazeotrope	334	
1279	C ₆ H ₆	Benzene	80.1	Nonazeotrope	334	
1280	C ₆ H ₁₂ O ₃	2-(2-Vinyloxyethoxy) ethanol	...	Min. b.p.	94	
1281	C ₆ H ₁₄ O ₃	2-(2-Ethoxyethoxy) ethanol	202.8	Nonazeotrope	334	
1282	C ₆ H ₁₄ O ₄	Triethylene glycol, 3 mm.	...	Nonazeotrope	v-1	60
1283	C ₈ H ₇ N	Indole	253	Azeo. distillation	120	
1284	C ₈ H ₁₀	Ethylbenzene	136.15	Azeo. distillation	120	
1285	C ₈ H ₁₀	p-Xylene	138.2	Azeo. distillation	120	
1286	C ₈ H ₁₈ O ₃	2-(2-Butoxyethoxy) ethanol, 10 mm.	109	Nonazeotrope	334	
1287	C ₈ H ₁₈ O ₄	2-[2-(2-Ethoxyethoxy) ethoxy]ethanol, 2 mm. " 3 mm.	98	87 43 ... 135 83.4	335 60	
1288	C ₁₀ H ₈	Naphthalene	218.1	Azeo. distillation	120	
1289	C ₁₁ H ₁₄ OS	2-(Benzylmercapto) ethyl vinyl ether	...			
1290	C ₁₂ H ₉ N	Carbazole, >10 mm.	294	Min. b.p.	329	
1291	C ₁₂ H ₁₀	Biphenyl	355.9	Nonazeotrope	100	
1292	C ₁₂ H ₁₀ O	Phenyl ether, 4 mm.	100	Azeo. distillation	120	
1293	C ₁₂ H ₂₄ OS	2-(2-Ethylhexylthio) ethyl vinyl ether	335	
1294	C ₁₂ H ₂₆ O	Hexyl ether, 50 mm.	137	Min. b.p.	329	
1295	C ₁₃ H ₁₀	Fluorene, 10-760 mm.	294	129.9 15.5 Min. b.p. ...	335 100	
1296	C ₁₄ H ₁₀	Phenanthrene, 20 mm. " 100 mm. " 200 mm. " 300 mm. " 400 mm.	...	146 93 ... 180 96.2 ... 203 98.5 ... 217 99.5 ... 226 99.9	100 100 100 100 100 100 100 100	
1297	C ₁₄ H ₁₄ O	Benzyl ether, 5 mm.	40	335
1298	C ₁₆ H ₃₄ O	Bis(2-ethylhexyl)ether, 10 mm.	135	114	...	335
A =	C ₄ H ₁₀ S	2-Butanethiol	85.15			
1299	C ₄ H ₁₀ S	Isopropyl methyl sulfide	84.76	Nonazeotrope	70	
A =	C ₄ H ₁₀ S	Ethyl Sulfide	92.07			
1300	C ₆ H ₆	Benzene	80.10	Nonazeotrope	70	
1301	C ₆ H ₁₂	Cyclohexane	80.85	Nonazeotrope	70	
1302	C ₇ H ₁₄	trans-1,3-Dimethyl- cyclopentane	90.80	88.89 41.0	70	
1303	C ₇ H ₁₄	1,1-Dimethylcyclo- pentane	87.90	86.98 26.1	70	
1304	C ₇ H ₁₄	Methylcyclohexane	101.05	92.10 94.5	70	
1305	C ₇ H ₁₆	3-Methylhexane	91.60	89.19 48.3	70	
1306	C ₇ H ₁₆	2,3-Dimethylpentane	89.90	87.93 38.6	70	
1307	C ₇ H ₁₆	2,4-Dimethylpentane	80.55	80.53 2.26	70	
1308	C ₈ H ₁₈	2,2,4-Trimethylpentane	99.30	91.44 77.0	70	
A =	C ₄ H ₁₀ S	Isopropyl Methyl Sulfide	84.76			
1309	C ₆ H ₁₂	Cyclohexane	80.85	79.76 30	70	
1310	C ₆ H ₁₂	Methylcyclopentane	71.85	Nonazeotrope	70	
1311	C ₇ H ₁₄	trans-1,3-Dimethyl- cyclopentane	90.80	84.38 80.4	70	
1312	C ₇ H ₁₄	1,1-Dimethylcyclo- pentane	87.90	83.62 64.9	70	
1313	C ₇ H ₁₆	3-Methylhexane	91.60	84.38 82.4	70	

No.	Formula	B-Component		Azeotropic Data		
		Name	B.P., °C.	B.P., °C.	Wt.%A	Ref.
A =	C ₄ H ₁₀ S	Isopropyl Methyl Sulfide (continued)	84.76			
1314	C ₇ H ₁₆	2,3-Dimethylpentane	89.90	83.83	72.8	70
1315	C ₇ H ₁₆	2,4-Dimethylpentane	80.55	79.39	29.7	70
1316	C ₇ H ₁₆	2,2-Dimethylpentane	79.20	78.40	23.3	70
A =	C ₄ H ₁₀ S	Methyl Propyl Sulfide	95.47			
1317	C ₇ H ₁₄	Ethylcyclopentane	103.45	95.41	90.7	70
1318	C ₇ H ₁₄	Methylcyclohexane	101.05	95.06	78.0	70
1319	C ₇ H ₁₄	<i>trans</i> -1,3-Dimethyl-cyclopentane	90.80	90.11	24.3	70
1320	C ₇ H ₁₄	1,1-Dimethylcyclo-pentane	87.90	87.66	9.7	70
1321	C ₇ H ₁₆	3-Methylhexane	91.60	90.53	32.95	70
1322	C ₇ H ₁₆	2,3-Dimethylpentane	89.90	89.10	22.75	70
1323	C ₈ H ₁₈	2,2-Dimethylhexane	106.85	95.42	94.4	70
1324	C ₈ H ₁₈	2,2,4-Trimethylpentane	99.30	94.00	62.2	70
A =	C ₄ H ₁₀ S ₂	Ethyl Disulfide	154.11			
1325	C ₉ H ₂₀	Nonane	150.65	148.62	41.2	70
1326	C ₁₀ H ₂₂	3-Ethyl-3-methyl-heptane	163.00	153.02	80.2	70
A =	C ₄ H ₁₁ N	Diethylamine	55.5			
1327	C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope		334
1328	C ₆ H ₁₅ NO	2-(Diethylamino)-ethanol	162.1	Nonazeotrope		334
A =	C ₄ H ₁₁ NO ₂	2,2'-Iminodiethanol	126/2 mm.			
1329	C ₆ H ₁₅ NO ₃	2,2',2"-Nitrilotri-ethanol, 2 mm.	195	Nonazeotrope		334
A =	C ₅ Cl ₂ F ₆	1,2-Dichlorohexa-fluorocyclopentene	90.6			
1330	C ₈ F ₁₆ O	Perfluorocyclic oxide	102.6	90.4	80	v-1 354
A =	C ₅ F ₁₀	Perfluorocyclopentane	...			
1331	C ₅ F ₁₂	Perfluoropentane, 9.6°-25° C.	...	Nonazeotrope		v-1 237
1332	C ₆ F ₁₄	Perfluorohexane, 15°-25° C.	...	Nonazeotrope		v-1 237
A =	C ₅ H ₄ F ₈ O	2,2,3,3,4,4,5,5-Octafluoro-1-pentanol	...			
1333	C ₅ H ₁₂ O	Active amyl alcohol	128.5	Nonazeotrope		330
1334	C ₅ H ₁₂ O	Isoamyl alcohol	132.0	Nonazeotrope		330
A =	C ₅ H ₄ O ₂	2-Furaldehyde	161.45			
1335	C ₅ H ₆ O ₂	Furfuryl alcohol, 25 mm.	...	Nonazeotrope		v-1 348
1336	C ₆ H ₆	Benzene	80.1	Nonazeotrope		v-1 52, 331
1337	C ₆ H ₁₂	Cyclohexane	80.75	Nonazeotrope		v-1 52, 331
1338	C ₇ H ₁₄	Methylcyclohexane	101.05	100.8	4.1	v-1 114
1339	C ₇ H ₁₆	Heptane	98.40	98.3	5.3	v-1 114
A =	C ₅ H ₅ N	Pyridine	115.5			
1340	C ₅ H ₁₁ N	Piperidine	106	105.8	3.4	147
1341	C ₅ H ₁₂ O	3-Pentanol	115.6	117.4	45	334
1342	C ₇ H ₈	Toluene	110.8	110.1	22.2	v-1 141, 371
1343	C ₇ H ₁₆	Heptane	98.40	95.60	25.3	355, 373
		"	98.40	95	13.3	v-1 141
1344	C ₈ H ₁₀	Ethylbenzene	136.15	Nonazeotrope		363
1345	C ₈ H ₁₀	<i>o</i> -Xylene	143.6	Nonazeotrope		372

TABLE I BINARY SYSTEMS

No.	Formula	Name	B.P., °C.	Azeotropic Data			
				B.P., °C.	Wt.%A	Ref.	
A =	C ₅ H ₅ N	Pyridine (continued)	115.5				
1346	C ₈ H ₁₈	Octane	125.75	109.5	56.1	355	
1347	C ₉ H ₂₀	Nonane	150.7	115.1	89.9	355	
1348	C ₁₀ H ₈ N ₂	2,2'-Dipyridyl	274	Nonazeotrope		147	
1349	C ₁₀ H ₂₂	Decane	173.3	Nonazeotrope		355	
A =	C ₅ H ₆ S	2-Methylthiophene	111.92				
1350	C ₇ H ₁₆	Heptane	98.40	97.77	2.2	70	
1351	C ₈ H ₁₈	2-Methylheptane	117.70	109.97	67.8	70	
1352	C ₈ H ₁₈	2,5-Dimethylhexane	109.15	106.12	39.6	70	
1353	C ₈ H ₁₈	2,2-Dimethylhexane	106.85	104.62	33.2	70	
A =	C ₅ H ₆ S	3-Methylthiophene	114.96				
1354	C ₇ H ₁₄	Ethylcyclopentane	103.45	102.82	3.9	70	
1355	C ₇ H ₁₆	Heptane	98.40	Nonazeotrope		70	
1356	C ₈ H ₁₆	trans-1,3-Dimethyl-cyclohexane	120.3	113.17	66	70	
1357	C ₈ H ₁₆	1,1,2-Trimethylcyclopentane	113.75	110.47	43.2	70	
1358	C ₈ H ₁₈	Octane	125.70	114.15	82	70	
1359	C ₈ H ₁₈	2-Methylheptane	117.70	111.86	58.8	70	
1360	C ₈ H ₁₈	2,5-Dimethylhexane	109.15	107.12	31.7	70	
A =	C ₅ H ₈	Isoprene	34.3				
1361	C ₅ H ₁₀	3-Methyl-1-butene	21.2	Nonazeotrope		248	
1362	C ₅ H ₁₀	2-Methyl-1-butene	32	Nonazeotrope		248	
1363	C ₅ H ₁₀	2-Methyl-2-butene	37.7	Nonazeotrope		248	
1364	C ₅ H ₁₂	2-Methylbutane	27.6	Nonazeotrope		248	
1365	C ₅ H ₁₂	Pentane, 758 mm.	36	33.6	72.5	v-l	248
A =	C ₅ H ₈ Cl ₄	Tetrachloropentane	...				
1366	C ₇ H ₁₂ Cl ₄	Tetrachloroheptane, 12-150 mm.	...	Nonazeotrope		v-l	250
A =	C ₅ H ₈ O	Cyclopentanone	129.5				
1367	C ₅ H ₁₂ O	Active amyl alcohol	128.5	Nonazeotrope		330	
1368	C ₅ H ₁₂ O	Isoamyl alcohol	131.85	127.8	60	v-l	87, 88
	"		131.85	129.4	...		314
	"		131.85	Nonazeotrope			2
1369	C ₅ H ₁₂ O	2-Methyl-1-butanol	128.9	127	...		87, 88
	"		128.9	124.6	...		314
A =	C ₅ H ₈ O ₂	Ethyl Acrylate	99.3				
1370	C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope		334	
A =	C ₅ H ₈ O ₂	Methyl Methacrylate	61.8/200 mm.				
1371	C ₈ H ₁₄ O ₂	Butyl methacrylate, 200 mm.	117.7	Nonazeotrope		147	
1372	C ₈ H ₁₄ O ₃	2-Ethoxyethyl methacrylate, 200 mm.	134.3	Nonazeotrope		147	
A =	C ₅ H ₈ O ₂	2,4-Pentanedione	140.2				
1373	C ₅ H ₈ O ₂	Isopropenyl acetate	96.5	Nonazeotrope		147	
A =	C ₅ H ₁₀	Cyclopentane	49.4				
1374	C ₆ H ₆	Benzene	80.1	Nonazeotrope		v-l	230
1375	C ₆ H ₁₄	2,2-Dimethylbutane	49.7	49.1	82.3		214
A =	C ₅ H ₁₀	3-Methyl-1-butene	22.5				
1376	C ₅ H ₁₂	2-Methylbutane	27.6	Nonazeotrope		248	
A =	C ₅ H ₁₀	2-Methyl-2-butene	37.7				
1377	C ₅ H ₁₂	Pentane	36.15	Nonazeotrope		248	

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₅ H ₁₀ O	3-Methyl-2-butanone	95.4				
1378	C ₆ H ₁₂	Cyclohexane	80.75	...	14.8	256	
1379	C ₇ H ₁₆	Heptane	98.4	...	48	256	
A =	C ₅ H ₁₀ O	2-Pentanone	102.35				
1380	C ₆ H ₁₂	Cyclohexane	80.75	...	5.0	256	
A =	C ₅ H ₁₀ O	3-Pentanone	102				
1381	C ₇ H ₁₄	Methylcyclohexane	101.15	...	40	256	
1382	C ₇ H ₁₆	Heptane	98.4	...	35	256	
1383	C ₈ H ₁₆	1,3-Dimethylcyclohexane	120.7	...	83	256	
1384	C ₈ H ₁₈	2,5-Dimethylhexane	109.4	...	60	256	
A =	C ₅ H ₁₀ O ₂	Isopropyl Acetate	88.7				
1385	C ₆ H ₈ O	2,5-Dimethylfuran	93.3	Nonazeotrope		334	
A =	C ₅ H ₁₀ O ₂	Valeric Acid	186.35				
1386	C ₇ H ₁₅ NO	N,N-Dimethylvaleramide, 100 mm.	141	145.8	30.8	295	
A =	C ₅ H ₁₂	Pentane	36.15				
1387	C ₆ H ₆	Benzene	80.2	Nonazeotrope	v-1	52, 229	
1388	C ₆ H ₁₂	Cyclohexane	80.75	Nonazeotrope	v-1	231	
1389	C ₆ H ₁₂	Methylcyclopentane	72.0	Nonazeotrope	v-1	52, 231	
1390	C ₇ F ₁₆	Perfluoroheptane, crit. region	82.5	Azeotrope	v-1	155	
1391	C ₇ H ₁₄	Methylcyclohexane	101.15	Nonazeotrope	v-1	52, 231	
A =	C ₅ H ₁₂ O	Amyl Alcohol	137.8				
1392	C ₆ H ₆	Benzene	80.2	Nonazeotrope	v-1	344	
1393	C ₆ H ₁₀ O	Methylcyclopentanone	138	Min. b.p.	87, 88,	314	
1394	C ₆ H ₁₄ N ₂	2,5-Dimethylpiperazine	164	Nonazeotrope	334		
1395	C ₈ H ₁₈	C ₈ paraffins	120-130	Min. b.p.	314		
1396	C ₈ H ₁₈	Octane	125.75	121.8	...	314	
1397	C ₁₁ H ₂₄ O ₂	Diamyloxymethane	...	Nonazeotrope	334		
A =	C ₅ H ₁₂ O	Active Amyl Alcohol	128.5				
1398	C ₅ H ₁₂ O	Isoamyl alcohol	131	Nonazeotrope	v-1	246	
1399	C ₆ H ₅ Cl	Chlorobenzene	132	124.4	43	330	
1400	C ₆ H ₅ FO	o-Fluorophenol	...	Nonazeotrope	330		
1401	C ₆ H ₇ N	2-Picoline	129	132.8	49	330	
1402	C ₆ H ₁₀ O	Mesityl oxide	129.5	Nonazeotrope	330		
1403	C ₇ H ₇ F	o-Fluorotoluene	114	112.0	16	330	
1404	C ₇ H ₈	Toluene	111	109.9	12	330	
1405	C ₇ H ₉ N	2,6-Lutidine	144	Nonazeotrope	330		
1406	C ₇ H ₁₄ O	2,4-Dimethyl-3-pentanone	125	124.1	21	330	
1407	C ₇ H ₁₅ N	1,2-Dimethylpiperidine	128	130.3	...	330	
1408	C ₇ H ₁₅ N	2,6-Dimethylpiperidine	128	130.7	54	330	
1409	C ₈ H ₁₀	Ethylbenzene	136	125.0	53	330	
1410	C ₈ H ₁₈	n-Octane	126.0	117.0	34	330	
1411	C ₉ H ₂₀	2,2,5-Trimethylhexane	124	115.5	29	330	
A =	C ₅ H ₁₂ O	Isoamyl Alcohol	131				
1412	C ₅ H ₁₂ S	3-Methyl-1-butanethiol	116	115.6	22.89	181	
1413	C ₆ H ₆ Cl	Chlorobenzene	132	123.9	38	330	
1414	C ₆ H ₅ FO	o-Fluorophenol	...	Nonazeotrope	330		
1415	C ₆ H ₇ N	2-Picoline	129	132.8	61	330	
1416	C ₆ H ₁₀ O	Mesityl oxide	129.5	Nonazeotrope	330		
1417	C ₇ H _n	C ₇ hydrocarbons	95-120	Min. b.p.	314		
1418	C ₇ H ₇ F	o-Fluorotoluene	114	112.1	14	330	
1419	C ₇ H ₈	Toluene	111	109.7	10	330, 371	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₅ H ₁₂ O	Isoamyl Alcohol (continued)	131				
1420	C ₇ H ₉ N	2,6-Lutidine, 70 mm.	...	Max. b.p.		330	
	"	"	144	Nonazeotrope		330	
1421	C ₇ H ₁₄ O	2,4-Dimethyl- 3-pentanone	125	124.5	8	330	
1422	C ₇ H ₁₅ N	1,2-Dimethyl- piperidine	128	132.5	81	330	
1423	C ₇ H ₁₅ N	2,6-Dimethyl- piperidine	128	132.6	76	330	
1424	C ₈ H ₁₀	Ethylbenzene	136	125.7	49	330	
1425	C ₈ H ₁₈	n-Octane	126	117.0	30	330	
1426	C ₉ H ₂₀	2,2,5-Trimethylhexane	124	116.0	26	330	
A =	C ₅ H ₁₂ O	2-Methyl-1-Butanol	128.9				
1427	C ₇ H _n	C ₇ hydrocarbons	95-120	Min. b.p.		314	
1428	C ₇ H ₈	Toluene	110.7	Min. b.p.		314	
A =	C ₅ H ₁₂ O	2-Methyl-2-butanol	101.7				
1429	C ₆ H ₆	Benzene	80.2	80.0	15	52	
	"	715 mm.	4.95 v-1	272	
1430	C ₇ H ₈	Toluene	110.7	100.5	56	52	
	"	715 mm.	32.5 v-1	272	
A =	C ₅ H ₁₂ O ₃	2-(2-Methoxyethoxy) ethanol	192.95				
1431	C ₈ H ₆ Cl ₂	α-Dichlorostyrene, 15 mm.	...	86-90	...	49	
	"	29 mm.	...	100-101	...	49	
1432	C ₉ H ₁₂	p-Ethyltoluene	161.99	161.4	9 vol. %	291	
1433	C ₉ H ₁₂	m-Ethyltoluene	161.31	160.9	13 vol. %	291	
1434	C ₉ H ₁₂	o-Ethyltoluene	165.15	164.3	16 vol. %	291	
1435	C ₉ H ₁₂	1,2,3-Trimethyl- benzene	176.08	173.4	26 vol. %	291	
1436	C ₉ H ₁₂	1,2,4-Trimethyl- benzene	169.35	167.9	21 vol. %	291	
1437	C ₉ H ₁₂	Mesitylene	164.72	163.8	12 vol. %	291	
1438	C ₁₀ H ₁₄	Butylbenzene	183.27	177.9	32 vol. %	291	
1439	C ₁₀ H ₁₄	sec-Butylbenzene	173.30	170.7	16 vol. %	291	
1440	C ₁₀ H ₁₄	tert-Butylbenzene	169.11	167.6	13 vol. %	291	
1441	C ₁₀ H ₁₄	Isobutylbenzene	172.76	170.3	24 vol. %	291	
1442	C ₁₀ H ₁₄	m-Diethylbenzene	181.13	176.3	29 vol. %	291	
1443	C ₁₀ H ₁₄	p-Diethylbenzene	183.78	177.9	31 vol. %	291	
1444	C ₁₀ H ₁₄	5-Ethyl-m-xylene	183.75	177.9	30 vol. %	291	
1445	C ₁₀ H ₁₄	p-Cymene	177.10	173.3	22 vol. %	291	
1446	C ₁₀ H ₁₄	1,2,3,5-Tetramethyl- benzene	197.93	185.9	48 vol. %	291	
1447	C ₁₁ H ₁₀	2-Methylnaphthalene	241.1	Nonazeotrope		98	
1448	C ₁₁ H ₁₆	tert-Amylbenzene	198.1	182.8	40 vol. %	291	
1449	C ₁₁ H ₂₂	tert-Amylcyclohexane	198.1	180.6	40 vol. %	291	
1450	C ₁₁ H ₂₄	n-Undecane	195.88	178.7	40 vol. %	291	
1451	C ₁₂ H ₂₆	n-Dodecane, 217 mm.	169.79	144.2	52 vol. %	291	
1452	C ₁₂ H ₂₆	2,2,4,6-Pentamethyl- heptane	185.6	173.6	30 vol. %	291	
1453	C ₁₂ H ₂₆	2,2,4,6,6-Pentamethyl- heptane	177.9	168.9	23 vol. %	291	
1454	C ₁₃ H ₂₆	1-Tridecene	232.78	191.6	70 vol. %	291	
A =	C ₆ F ₁₂ O	Perfluorocyclic Ether	...				
1455	C ₆ F ₁₄	Perfluorohexane, 25°	...	Nonazeotrope	v-1	237	
A =	C ₆ F ₁₄	Perfluorohexane	...				
1456	C ₆ H ₁₄	Hexane, 325 mm.	...	25	83.4	v-1	79
	"	479 mm.	...	35	83.7	v-1	79
	"	689 mm.	...	45	80.0	v-1	79

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₆ F ₁₄	Perfluorohexane (continued)	...				
1457	C ₁₂ F ₂₇ N	Tris(perfluorobutyl) amine, 25°	...	Nonazeotrope	v-l	237	
A =	C ₆ H ₃ Cl ₃ C ₉ H ₆ N ₂ O ₂	1,2,4-Trichlorobenzene 2,4-Tolylene diisocyanate, 40 mm.	...	Nonazeotrope	v-l	119	
A =	C ₆ H ₄ Cl ₂ C ₉ H ₆ O ₂ N ₂	o-Dichlorobenzene 2,4-Tolylene diisocyanate, 15 mm.	67.0/15				
1459		Di-p-isocyanatodi- phenylmethane, 5 mm.	128.7	Nonazeotrope		147	
1460	C ₁₅ H ₁₀ O ₂ N ₂		192.0	Nonazeotrope		147	
A =	C ₆ H ₅ Br C ₆ H ₁₂ O	Bromobenzene Cyclohexanol,	156.1				
1461		250 mm. " 500 mm. " 730 mm.	127.0 144.4 158.6	113.6 136.8 150.6	85.5 81.5 74.8	v-l	318
A =	C ₆ H ₅ Cl C ₆ H ₁₄ C ₉ H ₆ N ₂ O ₂	Chlorobenzene n-Hexane 2,4-Tolylene diiso- cyanate, 40 mm.	131.8 68.95 ...	Nonazeotrope Nonazeotrope			52
1462				v-l	119		
1463							
A =	C ₆ H ₅ F C ₆ H ₆	Fluorobenzene Benzene	84.9 80.1	Ideal system	v-l	12	
A =	C ₆ H ₅ NO ₂ C ₆ H ₁₂	Nitrobenzene Cyclohexane	210.85 80.75	Nonazeotrope			52
A =	C ₆ H ₆ C ₆ H ₁₂	Benzene Cyclohexane	80.1 80.75	77.6	51.2	v-l	44, 191, 343
1466		" 128 mm. " 155 mm. " 287 mm. " 307 mm. " 495 mm. " 602 mm. " 760 mm. " 14.7 p.s.i.a. " 66.7 p.s.i.a. " 118.0 p.s.i.a. " 186.8 p.s.i.a. " 66.7 p.s.i.a. " 116.5 p.s.i.a. " 165.9 p.s.i.a. " 217.0 p.s.i.a. " 268.7 p.s.i.a.	80.75	77.4 28.4 33.1 48.3 50.4 63.7 69.8 77.56 77.4 137.1 165.8 193.0 59.7 64.9 67.6 71 74	52.5 47.6 48.0 49.3 49.4 50.8 51.3 51.9 50.2 61.5 67.0 71.5 v-l v-l v-l v-l v-l	74, 316 316 316 316 316 316 316 316 316 316 316 316 316 316 316 276 276 276 276 276	111 316 316 316 316 316 316 316 321 321 321 321 321 321 321 276 276 276 276 276
1467	C ₆ H ₁₂	Methylcyclopentane	71.85	71.7	16	v-l	230
1468	C ₆ H ₁₂ O	4-Methyl-2-pentanone, 450-760 mm.	...	Nonazeotrope	v-l	66	
1469	C ₆ H ₁₄	Hexane	68.95	Nonazeotrope	v-l	229	
1470	C ₇ F ₁₄	" 4-18 atm.	...	Nonazeotrope	v-l	276	
1471	C ₇ F ₁₆	Perfluoroheptane	73-78	59	...		51
1472	C ₇ H ₁₄	Methylcyclohexane	83	61	...		51
1473	C ₇ H ₁₆	2,3-Dimethylpentane	101.05	Nonazeotrope	v-l	230	
1474	C ₇ H ₁₆	2,4-Dimethylpentane	89.79	79.4	78.8	v-l	190
1475	C ₇ H ₁₆	Heptane, 180-450 mm.	81	>75	48.4		51
		"	...	Nonazeotrope	v-l	240	
			98.4	Nonazeotrope	v-l	229	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₆ H ₆	Benzene (continued)	80.1				
1476	C ₈ F ₁₈ O	Perfluorobutyl ether	100	68	...		51
1477	C ₈ H ₁₈	Octane	125.75	Nonazeotrope			52
1478	C ₈ H ₁₈	2,2,4-Trimethyl-pentane, 35°-75° C.	...	Nonazeotrope	v-1	345	
1479	C ₈ H ₁₈ O ₃	2-(2-Butoxyethoxy) ethanol	230.6	Nonazeotrope			334
A =	C ₆ H ₆ O	Phenol	181.42				
1480	C ₆ H ₁₀ O	Cyclohexanone, 50 mm.	73	...	71.5		76
	"	" 50 mm.	155.6	Azeotropic			57
	"	" 90 mm.	...	Max. b.p.	75.8		334
1481	C ₆ H ₁₀ O ₄	Ethylene diacetate	189.86	195.53	39.2		253
1482	C ₆ H ₁₂ O	Cyclohexanol, 60 mm.	...	111	70		76
	"	" 70 mm.	...	111	73		57
	"	" 90 mm.	120	70		v-1	57
	"	" 200 mm.	140	71			76
	"		160.65	180	87		76
1483	C ₈ H ₈ O ₂	Phenyl acetate	195.14	195.89	8.9		253
1484	C ₈ H ₁₈ O	2-Ethyl-1-hexanol, 25 mm.	...	95.6	95		34, 335
1485	C ₉ H ₁₀	α-Methylstyrene	...	162	7		303
1486	C ₉ H ₁₂	Cumene	152.8	149	2		76
1487	C ₉ H ₁₂	Propylbenzene	158.9	158.5	14		324
1488	C ₉ H ₁₄ SiO	(Trimethylsiloxy) benzene	181.9	175.5	...		193
A =	C ₆ H ₆ O ₂	Pyrocatechol	245.9				
1489	C ₁₂ H ₁₈	1,3,5-Triethylbenzene	215.5	214.7	8.9		324
A =	C ₆ H ₇ N	Aniline	184.35				
1490	C ₆ H ₁₂ O	Cyclohexanol	...	Nonazeotrope	v-1	242	
1491	C ₆ H ₁₃ N	Cyclohexylamine	134	Nonazeotrope		147,	242
1492	C ₆ H ₁₄	Hexane, 556-731 mm.	...	Nonazeotrope	v-1	356	
1493	C ₇ H ₈	Toluene	110.7	v-1	138
1494	C ₇ H ₉ N	N-Methylaniline, 95°-145°	...	Nonazeotrope	v-1	59	
1495	C ₇ H ₁₆	Heptane	98.4	v-1	138
1496	C ₈ H ₁₁ N	N,N-Dimethylaniline, 36.7 mm.	...	95	74.5	v-1	59
	"	" 101.4 mm.	...	120	76.1	v-1	59
	"	" 243.1 mm.	...	145	77.5	v-1	59
1497	C ₈ H ₁₈	Iso-octane, 86-741 mm.	...	Nonazeotrope	v-1	356	
1498	C ₁₀ H ₁₄	p-Cymene, 50 mm.	21.3	v-1	92
	"	100 mm.	106.3	23	v-1	92	
	"	300 mm.	v-1	92	
	"	500 mm.	v-1	92	
	"	760 mm.	172.80	31.3	v-1	92	
A =	C ₆ H ₇ N	2-Picoline	128.8				
1499	C ₆ H ₁₂ O ₃	Paraldehyde	124.5	Nonazeotrope			334
1500	C ₈ H ₁₈	Octane	125.75	121.12	42		369
1501	C ₉ H ₂₀	Nonane	150.7	129.2	84.1		369
A =	C ₆ H ₇ N	3-Picoline	144				
1502	C ₇ H ₉ N	2,6-Lutidine	144.06	143.5	27.3	v-1	27
A =	C ₆ H ₈ ClN	Aniline Hydro-chloride	...				
1503	C ₁₂ H ₁₁ N	Diphenylamine, 100 mm.	45.8		153
	"	250 mm.	48		153
	"	350 mm.	265	215	50		153
	"	740 mm.	...	233	65		153
	"	2500 mm.	...	270	...		153

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A = 1585	C ₇ H ₈ O C ₈ H ₁₁ N	o-Cresol s-Collidine	191 171.30	197.20	63.0	188	
A = 1586	C ₇ H ₈ O C ₇ H ₉ N	x-Cresol Pyridine bases	202 163	204.9	78	367	
1587	C ₇ H ₉ N	Pyridine bases	157	204.4	80	367	
1588	C ₇ H ₉ N	Pyridine bases	142-5	202.5	90	367	
A = 1589	C ₇ H ₈ O C ₁₀ H ₈	m,p-Cresols Naphthalene	202 218.1	202	71.8	212	
1590	C ₁₁ H ₁₀	2-Methylnaphthalene	241.15	Nonazeotrope		98	
A = 1591	C ₇ H ₈ O C ₉ H ₁₀ O ₂	p-Cresol Ethyl benzoate	201.7 212.4	...	24.5	112	
A = 1592	C ₇ H ₉ N C ₈ H ₁₁ N	N-Methylaniline N,N-Dimethyl-aniline, 95°-145°	196.25 ...	Nonazeotrope	v-1	59	
A = 1593	C ₇ H ₉ N C ₁₀ H ₂₂	2,6-Lutidine Decane	143.41 174.0	Nonazeotrope	v-1	358	
A = 1594	C ₇ H ₉ N C ₁₁ H ₁₇ N	o-Toluidine Diethyl-o-toluidine, 20 mm.	200.7 ...	95.8	48	173	
A = 1595	C ₇ H ₁₄ C ₇ H ₁₆	Methylcyclohexane Heptane	100.93 98	Nonazeotrope	v-1	114, 309	
1596	C ₈ F ₁₆ O	Perfluorocyclic oxide	102.5	85	40 vol. %	207	
A = 1597	C ₇ H ₁₄ O ₂ C ₉ H ₁₉ NO	Heptanoic Acid N,N-Dimethylheptanamide	222.0 ...	Max. b.p.		295	
A = 1598	C ₇ H ₁₆ C ₈ F ₁₈ O 1599 C ₈ H ₁₀	Heptane Perfluorobutyl ether Ethylbenzene " 100-760 mm.	98 100 136.15 ...	Min. b.p. Nonazeotrope Nonazeotrope Nonazeotrope	v-1	50 52 229 52	
1600	C ₈ H ₁₈	2,2,4-Trimethylpentane	99.3	Nonazeotrope			
A = 1601	C ₇ H ₁₆ O ₃ C ₁₁ H ₁₀	Dipropylene Glycol Methyl Ether 2-Methylnaphthalene	...	Nonazeotrope		98	
A = 1602	C ₈ F ₁₆ O C ₈ H ₁₆	Perfluorocyclic Oxide Ethylcyclohexane	102.5 131.78	80 vol. %	207		
1603	C ₈ H ₁₈	2,2,4-Trimethylpentane	99.24	60 vol. %	207		
1604	C ₉ H ₂₀	2,3,4-Trimethylhexane	131.34	80 vol. %	207		
A = 1605	C ₈ H ₅ Cl ₃ C ₉ H ₂₀ O ₃	ar-Trichlorostyrene 2-(2-Isoamyoxyethoxy) ethanol, 6.7 mm.	49		
A = 1606	C ₈ H ₈ C ₈ H ₁₀	Styrene Ethylbenzene, 10-100 mm.	145 ...	Nonazeotrope	v-1	40, 110	
1607	C ₈ H ₁₀	" 30°-120° C. Xylene, 20 mm.	...	Nonazeotrope	v-1	156	
50			50	Nonazeotrope		334	
A = 1608	C ₈ H ₈ O ₃ C ₁₁ H ₁₀	Methyl Salicylate 2-Methylnaphthalene	222.3 241.15	Nonazeotrope		98	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B-Component		Azeotropic Data			
			B.P., °C.		B.P., °C.	Wt.%A	Ref.	
A = 1632	C ₈ H ₁₈ O ₂ C ₁₆ H ₃₄ O	2-Ethyl-1,3-hexanediol Bis(2-ethylhexyl)ether, 10 mm. "	243.1 135 269.8		123 241	40 -	335 335	
A = 1633	C ₈ H ₁₈ O ₃ C ₁₀ H ₈	2-(2-Butoxyethoxy) ethanol Naphthalene, 100 mm.	231.2 144.35			v-1	144	
1634	C ₁₁ H ₁₀	1-Methylnaphthalene, 20 mm. " 100 mm. " 200 mm.		46.8 64.3 74	98 98 98		
1635	C ₁₁ H ₁₀	2-Methylnaphthalene, 20 mm. " 100 mm. " 241.15		38 53.5 82	98 98 98		
1636	C ₁₂ H ₂₆	Dodecane, 100 mm.	146.2	142.6	34	v-1	144	
1637	C ₁₅ H ₃₀	1-Pentadecene, 217 mm.	183.7	185.16	87 vol. %		291	
A = 1638	C ₉ F ₂₁ N C ₉ H ₁₂	Tris(perfluoropropyl) amine Cumene	130 152	116	...		51	
A = 1639	C ₉ H ₆ N ₂ O ₂ C ₉ H ₆ N ₂ O ₂	2,4-Tolylene Diisocyanate 2,6-Tolylene di-isocyanate, 5-60 mm.	...		Nonazeotrope	v-1	53	
A = 1640	C ₉ H ₇ N C ₁₁ H ₁₀	Isoquinoline 2-Methylnaphthalene	241.15	...	<50	98		
A = 1641	C ₉ H ₇ N C ₁₁ H ₁₀	Quinoline 2-Methylnaphthalene	237.3 241.15	...	>50	98		
A = 1642	C ₉ H ₁₀ O ₃ C ₁₂ H ₁₀ O	Ethyl Salicylate Phenyl ether, 5 mm. " 50 mm. " 180 mm.	233.7	Nonazeotrope Nonazeotrope Nonazeotrope	v-1 v-1 v-1	118 118 118		
A = 1643	C ₉ H ₁₂ C ₁₂ F ₂₇ N	Cumene Tris(perfluorobutyl) amine	...	177	138	...	51	
A = 1644	C ₉ H ₁₂ C ₉ H ₁₂	Mesitylene 1,2,4-Trimethylbenzene	164.7 169.2		Nonazeotrope	96		
A = 1645	C ₉ H ₁₂ OS C ₁₁ H ₁₄ OS	2-Benzylthioethanol 2-Benzylthioethyl vinyl ether	...		Min. b.p.	329		
A = 1646	C ₉ H ₁₄ O C ₁₁ H ₁₀	Isophorone 2-Methylnaphthalene	...	241.15	Nonazeotrope	98		
A = 1647	C ₉ H ₁₈ C ₁₂ F ₂₇ N	Propyclohexane Perfluorotributyl-amine	156.72 178.4	145.4	55 vol. %	207		
A = 1648	C ₉ H ₂₀ C ₁₂ F ₂₇ N	Nonane Perfluorotributyl-amine	151 177		Min. b.p.	50		

No.	Formula	Name	B-Component		Azeotropic Data		
			B.P., °C.	B.P., °C.	Wt.%A	Ref.	
A =	C ₉ H ₂₀ O	2,6-Dimethyl-4-heptanol	104/52				
1649	C ₁₂ H ₂₄	2,6,8-Trimethyl-nonenе, 8 mm. " 52 mm.	...	56 95	18 32	334 334	
A =	C ₉ H ₂₀ O ₄	Tripropylene Glycol	...				
1650	C ₁₂ H ₉ N	Carbazole	294	Nonazeotrope		100	
1651	C ₁₃ H ₁₀	Fluorene, high press. " Low press.	...	Min. b.p. Min. b.p.		100 100	
1652	C ₁₄ H ₁₀	Phenanthrene "	...	Nonazeotrope Min. b.p. % glycol decreases with decreasing pressure		100 100	
A =	C ₁₀ H ₈	Naphthalene	218.1				
1653	C ₁₂ H ₂₆	Dodecane, 100 mm.	...	140.2	59.2	v-1	144, 204
A =	C ₁₀ H ₁₈	Decahydronaphthalene	...				
1654	C ₁₀ H ₂₂	Decane, 10 mm. " 20 mm. " 50 mm.	...	Nonazeotrope Nonazeotrope Nonazeotrope	v-1 v-1 v-1	309 309 309	
A =	C ₁₀ H ₁₈ O	Menthone	209.5				
1655	C ₁₀ H ₂₀ O	Menthol, 5 mm. " 50 mm. " 180 mm.	...	Nonazeotrope Nonazeotrope Nonazeotrope	v-1 v-1 v-1	118 118 118	
A =	C ₁₀ H ₂₂	3,3,5-Trimethyl-heptane	155.68				
1656	C ₁₂ F ₂₇ N	Perfluorotributyl-amine	178.4	147.3	55 vol. %		207
A =	C ₁₀ H ₂₂ O	Decyl Alcohol	232.9				
1657	C ₁₂ H ₂₆ O	Dodecyl alcohol, 20, 50, 100, 300 mm.	...	Ideal system		v-1	290
A =	C ₁₀ H ₂₂ OS	2-(2-Ethylhexylthio)ethanol	...				
1658	C ₁₂ H ₂₄ OS	2-(2-Ethylhexylthio)ethyl vinyl ether	...	Min. b.p.			329
A =	C ₁₀ H ₂₂ O ₄	Tripropylene Glycol Methyl Ether	...				
1659	C ₁₁ H ₁₀	2-Methylnaphthalene	241.15	...	<50		98
A =	C ₁₁ H ₁₀	1-Methylnaphthalene	244.8				
1660	C ₁₁ H ₂₄ O	5-Ethyl-2-nonanol, 19 mm. " 50 mm. " 150 mm. " 200 mm. " 400 mm.	...	121 143 173 179.5 Nonazeotrope	41.4 25.2 5.25 2 Nonazeotrope	98, 99 98, 99 98, 99 98, 99 98, 99	
A =	C ₁₁ H ₁₀	2-Methylnaphthalene	241.1				
1661	C ₁₁ H ₂₄ O	5-Ethyl-2-nonanol, 20 mm. " 50 mm. " 90 mm. " 200 mm. " 300 mm. " 400 mm.	...	120 140.5 157 181.5 193.5 Nonazeotrope	49.8 36.0 24.5 9.0 3.5 Nonazeotrope	98, 99 98, 99 98, 99 98, 99 98, 99 98, 99	

TABLE I BINARY SYSTEMS

No.	Formula	Name	B.P., °C.	Azeotropic Data		
				B.P., °C.	Wt.%A	Ref.
A = 1662	$C_{12}H_9N$ $C_{14}H_{30}O$	Carbazole	355			
		Tetradecanol	...	Nonazeotrope		100
		" Low press.	...	Min. b.p.		100
1663	$C_{17}H_{36}O$	Heptadecanol	...	Nonazeotrope		100
		" Low press.	...	Min. b.p.		100
A = 1664	$C_{12}H_{10}$ $C_{24}H_{38}O_4$	Biphenyl	255.9			
		Diethyl phthalate, 10 mm.	248	Nonazeotrope		334
A = 1665	$C_{12}H_{24}$ $C_{12}H_{26}O$	2,6,8-Trimethylnonene	...			
		2,6,8-Trimethyl- 4-nonanol, 50 mm.	137	Nonazeotrope		334
		" 10 mm.	103	Nonazeotrope		334
A = 1666	$C_{12}H_{26}$ $C_{16}H_{34}$	Dodecane	216			
		Hexadecane, 10-760 mm.	...	Nonazeotrope	v-1	163
A = 1667	$C_{13}H_{10}$ $C_{14}H_{30}O$	Fluorene	294			
		Tetradecanol,				
		" Low press.	...	Nonazeotrope		100
1668	$C_{17}H_{36}O$	" High press.	...	Min. b.p.		100
		Heptadecanol,				
		" Low press.	...	Nonazeotrope		100
		" High press.	...	Min. b.p.		100
A = 1669	$C_{14}H_{10}$ $C_{14}H_{30}O$	Phenanthrene	340			
		Tetradecanol	...	% Phenanthrene in- creases with pres- sure; min. b.p.		100
1670	$C_{17}H_{36}O$	Heptadecanol	...	% Phenanthrene in- creases with pres- sure; min. b.p.		100
A = 1671	$C_{16}H_{32}O_2$ $C_{18}H_{36}O_2$	Palmitic Acid	...			
		Stearic acid, 5 mm.	v-1	139
A = 1672	$C_{18}H_{34}O_2$ $C_{18}H_{34}O_3$	Oleic Acid	...			
		Ricinoleic acid, 5 mm.	v-1	139
1673	$C_{18}H_{36}O_2$	Stearic acid, 5 mm.	v-1	139
		Abietic acid, 1-10 mm.	...	Nonazeotrope	v-1	166
1674	$C_{20}H_{36}O_2$					

Table II. Ternary Systems

No.	A-Component		B-Component		C-Component		Azeotropic Data				
	Formula	Name	B _o P. ^a C.	Formula	Name	B _o P. ^b C.	Formula	Name	B _o P. ^b C.	Composition, Wt. % B/A	Ref.
1675 A	Argon	-185.7	N ₂	Nitrogen	-195.8	O ₂	Oxygen	-183	...	Nonazeotrope	v-1
1676 ^a CO	Carbon monoxide	-192	H ₂	Hydrogen	-252.7	N ₂	Nitrogen	-195.8	...	Nonazeotrope	v-1
1677 ClF ₃	Chlorine trifluoride	...	FH	Hydrogen fluoride	19.4	F ₆ U	Uranium hexafluoride	56	...	Nonazeotrope	v-1
1678 ClH	Hydrogen chloride	-85	C ₅ H ₅ N	Pyridine	115.5	C ₁₀ H ₈	Naphthalene	218.1	189.6
1679 HF	Hydrogen fluoride	19.5	H ₂ O	Water	100	C ₄ HF ₇ O ₂	Perfluorobutyric acid	...	108	12	28
1680 HNO ₃	Nitric acid	...	H ₂ O	Water	100	CHCl ₃	Chloroform	61	...	92	3
1681 H ₂ O	Water	100	SO ₂	Sulfur dioxide	-10	C ₂ H ₄ O	Acetadehyde	20.2	...	5	v-1
1682 H ₂ O	Water	100	CHCl ₃	Chloroform	61	CH ₂ O ₂	Formic acid	100.75	...	Nonazeotrope	v-1
1683 H ₂ O	Water	100	CHCl ₃	Chloroform	61	CH ₄ O	Methanol	64.7	52.6	4	81
1684 H ₂ O	Water	100	CHCl ₃	Chloroform	61	C ₂ H ₅ N	Acetonitrile	81.6	...	Nonazeotrope	v-1
1685 H ₂ O	Water	100	CHCl ₃	Chloroform	61	C ₂ H ₄ O ₂	Acetic acid	118.1	...	Nonazeotrope	v-1
1686 ^b H ₂ O	Water	100	CHCl ₃	Chloroform	61	C ₂ H ₆ O	Ethyl alcohol	78.3	78.0	3.9	91.2
1687 H ₂ O	Water	100	CHCl ₃	Chloroform	61	C ₄ H ₆ O	2-Butanone	79.6	...	Nonazeotrope	4.9
1688 H ₂ O	Water	100	CH ₂ O ₂	Formic acid	100.75	C ₂ H ₄ N ₂	Acetic acid	118.1	...	Nonazeotrope	v-1
1689 H ₂ O	Water	100	CH ₂ O ₂	Formic acid	100.75	C ₃ H ₈ O	Pyridine	115.5	...	Nonazeotrope	v-1
1690 H ₂ O	Water	100	CH ₃ NO ₂	Nitromethane	101	...	Isopropyl alcohol	82.3	...	11.7	36.8
1691 H ₂ O	Water	100	CH ₄ O	Methanol	64.3	C ₂ Cl ₃ F ₃	1,1,2-Tri-chlorotri-fluoroethane	47.5	39.4	0.6	3.0
1692 H ₂ O	Water	100	CH ₄ O	Methanol	64.7	C ₂ H ₆ O	Ethy alcohol	78.3	...	Nonazeotrope	v-1
1693 H ₂ O	Water	100	CH ₄ O	Methanol	64.7	C ₃ H ₆ O	Propionaldehyde	47.9	...	Nonazeotrope	v-1
1694 H ₂ O	Water	100	CH ₄ O	Methanol	64.7	C ₃ H ₆ O ₂	Methyl acetate	57.1	...	Nonazeotrope	v-1
1695 H ₂ O	Water	100	CH ₄ O	Methanol	64.7	C ₃ H ₈ O	Isopropyl alcohol	82.3	...	Nonazeotrope	v-1

^a20 atm. to critical point.
^b20 P.s.i.g.

No.	A-Component		B-Component		C-Component		Azeotropic Data							
	Formula	Name	B _o P., °C.	Formula	Name	B _o P., °C.	Formula	Name	B _o P., °C.					
1696	H ₂ O	Water	100	CH ₄ O	Methanol	64.7	C ₄ H ₆ O ₂	Methyl acrylate	80.9	Nonazeotrope	334			
1697	H ₂ O	Water	100	CH ₄ O	Methanol	64.7	C ₄ H ₈ O ₂	Methyl propionate	79.85	Nonazeotrope	84			
1698	H ₂ O	Water	100	CH ₄ O	Methanol	64.7	C ₄ H ₁₀	2-Methyl-propane	-11.7	Nonazeotrope	334			
1699	H ₂ O	Water	100	C ₂ Cl ₃ F ₃	1,1,2-Tri-chloro-trifluoroethane	47.5	C ₂ H ₆ O	Ethyl alcohol	78.3	42.6	0.6	3.9	95.5	335
1700	H ₂ O	Water	100	C ₂ HCl ₃	Trichloro-ethylene	86.2	C ₃ H ₆ O	Allyl alcohol	97.1	71.4	7.5	80	12.5	334
1701	H ₂ O	Water	100	C ₂ HCl ₃	Trichloro-ethylene	86.2	C ₃ H ₈ O	Propyl alcohol	97.3	...	7.1	84.8	8.1	176
1702	H ₂ O	Water	.00	C ₂ HCl ₃	Trichloro-ethylene	86.2	C ₃ H ₈ O	Isopropyl alcohol	82.3	69.4	7	73	20	335
1703	H ₂ O	Water	100	C ₂ H ₂ N	Acetonitrile	81.6	C ₂ H ₆ O	Ethyl alcohol	78.3	72.9	1	44	55	335
1704	H ₂ O	Water	100	C ₂ H ₃ N	Acetonitrile	81.6	C ₄ H ₁₁ N	Diethylamine	55.5	334
1705	H ₂ O	Water	100	C ₂ H ₅ N	Acetonitrile	81.6	C ₆ H ₁₄ O	Isopropyl ether	68.3	59	5	13	82	334
1706	H ₂ O	Water	100	C ₂ H ₃ N	Acetonitrile	81.6	C ₆ H ₁₅ N	Triethylamine	89.7	68.6	6	31	63	334
1707	H ₂ O	Water	100	C ₂ H ₄ Cl ₂	1,2-Dichloro-ethane	83.5	C ₂ H ₆ O	Ethyl alcohol	78.3	67.8	7.2	77.1	15.7	335
1708	H ₂ O	Water	100	C ₂ H ₄ Cl ₂	1,2-Dichloro-ethane	83.5	C ₃ H ₈ O	Isopropyl alcohol	82.3	69.7	7.7	73.3	19.0	335
1709	H ₂ O	Water	100	C ₂ H ₄ O	Acetaldehyde	20.2	C ₂ H ₆ O	Ethyl alcohol	78.3	v-1	133
1710	H ₂ O	Water	100	C ₂ H ₆ O	Acetaldehyde	20.2	C ₆ H ₁₂ O ₃	Paraldehyde	124	334
1711	H ₂ O	Water	100	C ₂ H ₅ ClO	2-Chloro-ethanol	128.7	C ₆ H ₆	Benzene	80.1	334
1712	H ₂ O	Water	100	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₃ H ₃ N	Acrylonitrile	77.2	69.5	8.7	20.3	71.0	335
1713	H ₂ O	Water	"	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₃ H ₆ O	"	100 mm.	<30	6.6	9.0	84.4	335
1714	H ₂ O	Water	100	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₃ H ₆ O ₂	Acetone	56.1	334
1715	H ₂ O	Water	100	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₄ H ₆ O	Ethyl formate	54.2	334
								Crotonaldehyde	102.4	78.0	4.8	87.9	7.3	335

No.	A-Component		B-Component		C-Component		Azeotropic Data			ADVANCES IN CHEMISTRY SERIES		
	Formula	Name	B.P. ^a °C.	Formula	Name	B.P. ^a °C.	Formula	Name	B.P., °C.	Composition; Wt. %		
1737	H ₂ O	Water	100	C ₂ H ₆ O C ₂ H ₆ O	Ethyl alcohol	78.3	C ₈ H ₁₈ O C ₈ H ₁₈ O ₂	Butyl ether	142.1	Nonazeotrope	334	
1738	H ₂ O	Water	100	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₈ H ₁₈ O ₂	2-Ethyl-1,3-hexanediol	243.1	Nonazeotrope	334	
1739	H ₂ O	Water	100	C ₂ H ₇ N	Dimethyl-amine	7.4	C ₄ H ₁₁ NO	2-(Dimethyl-amino)ethanol	134.6	Nonazeotrope	334	
1740	H ₂ O	Water	100	C ₂ H ₈ N ₂	Ethylene-diamine	116.9	C ₆ H ₆	Benzene	80.1	Nonazeotrope	334	
1741	H ₂ O	Water	100	C ₃ H ₃ N	Acrylonitrile	77.2	C ₃ H ₅ N	Propio-nitrile	97.4	Nonazeotrope	334	
1742	H ₂ O	Water	100	C ₃ H ₄ O	2-Propyn-1-ol	115	C ₅ H ₈ O ₂	3,3-Dimethoxypropane	111	88.95	...	334
1743	H ₂ O	Water	100	C ₃ H ₄ O	2-Propyn-1-ol	115	C ₆ H ₆	Benzene	80.1	68.1	8.3	52
1744	H ₂ O	Water	100	C ₃ H ₄ O ₂	Acrylic acid	141.2	C ₅ H ₈ O ₂	Ethyl acrylate	99.3	69	9	95
1745	H ₂ O	Water	100	C ₃ H ₆ Cl ₂	1,2-Dichloro-propane	96.3	C ₃ H ₇ ClO	Propylene chlorohydrin	127.4	Nonazeotrope	334	
1746	H ₂ O	Water	100	C ₃ H ₆ O	Acetone	56.1	C ₃ H ₈ O	Isopropyl alcohol	82.3	Nonazeotrope	v-1	
1747	H ₂ O	Water	100	C ₃ H ₆ O	Acetone	56.1	C ₄ H ₆ O ₂	Vinyl acetate	72.7	Nonazeotrope	334	
1748	H ₂ O	Water	100	C ₃ H ₆ O C ₃ H ₆ O	Acetone	56.1	C ₄ H ₈ O C ₄ H ₈ O	2-Butanone	79.6	Nonazeotrope	254	
1749	H ₂ O	Water	100	C ₃ H ₆ O	Acetone	56.1	C ₅ H ₁₀ O ₂	Butyraldehyde	74.8	Nonazeotrope	334	
1750	H ₂ O	Water	100	C ₃ H ₆ O	Acetone	56.1	C ₅ H ₁₀ O ₂	Isopropyl acetate	88.6	Nonazeotrope	334	
1751 ^c	H ₂ O	Water	100	C ₃ H ₆ O	Acetone	56.1	C ₆ H ₁₄ O	Isopropyl ether	68.3	75	3	46
1752	H ₂ O	Water	100	C ₃ H ₆ O	Acetone	56.1	C _n H _{2n+2}	Paraffin hydrochloride	...	61-71	1.4	334
1753	H ₂ O	Water	100	C ₄ H ₆ O	Allyl alcohol	96.6	C ₆ H ₁₄	Hexane	68.8	80.6	8.5	169
1754	H ₂ O	Water	100	C ₄ H ₆ O	Allyl alcohol	96.6	C ₇ H ₈	Toluene	110.6	28	25.2	176
1755	H ₂ O	Water	100	C ₄ H ₆ O	Allyl alcohol	96.6	C ₉ H ₁₆ O ₂	2,2-Bisallyloxy propane	...	88	55	334

TABLE II TERNARY SYSTEMS

No.	Formula	Name	A-Component		B-Component		C-Component		Azeotropic Data		
			B.P. °C.	Formula	B.P. °C.	Name	Formula	Name	B.P. °C.	B.P., Composition A B C Wt. %	Ref.
1756	H ₂ O	Water	100	C ₃ H ₆ O ₂	Propionic acid	140.7	C ₄ H ₈ O ₂	Methyl propionate	79.85	Nonazeotrope	84
1757	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₄ H ₈ O	2-Butanone	79.6	73.4 11 1	88 335
1758	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₄ H ₁₁ N	Butylamine	77.8	83 12.5 40.5	47 335
1759	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₅ H ₁₀ O ₂	Isopropyl acetate	88.7	75.5 11 13	76 335
1760	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₆ H ₆	Benzene	80.1	65.7 8.2 19.8	72.0 335
1761	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₆ H ₁₂ O	4-Methyl-2-pentanone	90	10	18 72
1762	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₆ H ₁₄ O	Butyl ethyl ether	92.2	73.4 10.4 21.9	67.7 335
1763	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	"	C ₆ H ₁₄ O	Isopropyl ether	68.3	61.8 5 4	91 335
1764	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₆ H ₁₅ N	Diisopropyl-amine	95	6 9	85 335
1765	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₇ H ₈	Toluene	110.6	76.3 13.1	38.2 48.7
1766	H ₂ O	Water	100	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₈ H ₁₄	Diisobutyl-ene	102.3	72.3	9.3 31.6 59.1
1767 ^d	H ₂ O	Water	100	C ₃ H ₈ O	Propyl alcohol	97.3	C ₃ H ₈ S	1- <i>Propane-thiol</i>	67.5	60.8
1768	H ₂ O	Water	100	C ₃ H ₈ O	Propyl alcohol	97.3	C ₅ H ₁₀ O	3-Pentanone	101.8	81.2	20 20 60
1769	H ₂ O	Water	100	C ₃ H ₈ O	Propyl alcohol	97.3	C ₃ H ₁₀ O ₂	Propyl acetate	101.6	50.23	13.3 4.7 Nonazeotrope
	"	"	"	"	"	"	"	200 mm.	56.07	15.0	82.0 v-1
	"	"	"	"	"	"	"	400 mm.	6.5	78.5	308 v-1
	"	"	"	"	"	"	"	600 mm.	76.26	16.0	8.5 75.5
1770	H ₂ O	Water	100	C ₃ H ₈ O	Propyl alcohol	97.3	C ₆ H ₆	Benzene	82.45	17.0	10.0 73.0
1771	H ₂ O	Water	100	C ₃ H ₈ O	Propyl alcohol	97.3	C ₆ H ₁₂	Cyclohexane	80.7	66.6	8.6 9.0 82.4
											334

No.	A-Component		B-Component		C-Component		Azeotropic Data	
	Formula	Name	Formula	Name	Formula	Name	B.P. °C.	Composition, Wt. %
1772	H ₂ O	Water	C ₃ H ₈ O	Propyl alcohol	C ₆ H ₁₂ O	2-Hexanone	127.2	87 27 63 10 123
1773	H ₂ O	Water	C ₃ H ₈ O	Propyl alcohol	C ₆ H ₁₂ O	2-Methylpentanal	118.3	86 28 58 14 334
1774	H ₂ O	Water	C ₃ H ₈ O	Propyl alcohol	C ₇ H ₁₆ O ₂	Dipropoxyethane	146.6	87.6 27.4 51.6 21.0 334
1775	H ₂ O	Water	C ₃ H ₈ O ₂	2-Methoxyethanol	C ₆ H ₆	Benzene	80.1	Nonazeotrope
1776	H ₂ O	Water	C ₃ H ₈ O ₂	2-Methoxyethanol	C ₆ H ₁₂	Cyclohexane	80.7	Nonazeotrope
1777	H ₂ O	Water	C ₃ H ₈ O ₂	2-Methoxyethanol	C ₇ H ₈	Toluene	110.6	Nonazeotrope
1778	H ₂ O	Water	C ₃ H ₈ O ₂	1,2-Propane-diol	C ₇ H ₈	Toluene	110.6	Nonazeotrope
1779	H ₂ O	Water	C ₄ H ₆ O	Crotonaldehyde	C ₆ H ₁₀ O	2-Ethylcrotonaldehyde	135.3	Nonazeotrope
1780	H ₂ O	Water	C ₄ H ₆ O	2-Butanone	C ₆ H ₆	Benzene	80.1	8.8 26.1 65.1
1781	H ₂ O	Water	C ₄ H ₆ O	2-Butanone	C ₆ H ₁₂	Cyclohexane	80.7	5 35 60
1782	H ₂ O	Water	C ₄ H ₆ O	2-Butanone	C ₆ H ₁₄	Hexane	68.7	1 22 77
1783	H ₂ O	Water	C ₄ H ₆ O	Butyraldehyde	C ₄ H ₁₀ O	Isobutyl alcohol	107.9	Nonazeotrope
1784	H ₂ O	Water	C ₄ H ₆ O	Butyraldehyde	C ₄ H ₁₀ O ₂	1,1-Dimethyl-oxyethane	64.5	Nonazeotrope
1785	H ₂ O	Water	C ₄ H ₆ O	Butyraldehyde	C ₆ H ₁₂ O ₂	Butyl acetate	126.1	Nonazeotrope
1786	H ₂ O	Water	C ₄ H ₆ O	Butyraldehyde	C ₆ H ₁₄	Hexane	68.7	4 21 75
1787	H ₂ O	Water	C ₄ H ₁₀ O	Butyl alcohol	C ₄ H ₁₀ O	sec-Butyl alcohol	99.5	Nonazeotrope
1788	H ₂ O	Water	C ₄ H ₁₀ O	Butyl alcohol	C ₄ H ₁₀ S	1-Butane-thiol	97.5	78.6
1789	H ₂ O	Water	C ₄ H ₁₀ O	Butyl alcohol	C ₄ H ₁₁ N	Butylamine	77.8	Nonazeotrope
1790	H ₂ O	Water	C ₄ H ₁₀ O	Butyl alcohol	C ₆ H ₁₂ O	Butyl vinyl ether	94.2	77.4 10 2 88
1791	H ₂ O	Water	C ₄ H ₁₀ O	Butyl alcohol	C ₆ H ₁₂ O ₂	Butyl acetate	126.1	90.7 29 8 63
1792	H ₂ O	Water	C ₄ H ₁₀ O	Butyl alcohol	C ₆ H ₁₄	Hexane	68.95	61.5 19.2 2.9 77.9

No.	A-Component		B-Component		C-Component		Azeotropic Data						
	Formula	Name	B.P.,°C.	Formula	Name	B.P.,°C.	Formula	Name	B.P.,°C.	Composition A	Composition B	Wt. % C	Ref.
1811	H ₂ O	Water	100	C ₄ H ₁₁ N	Butylamine	77.8	C ₈ H ₁₉ N	Dibutyl-amine	159.6			Nonazeotrope	334
1812	H ₂ O	Water	100	C ₄ H ₁₁ N	Diethyl-amine	55.5	C ₆ H ₁₄ O	Isopropyl ether	68.3			Nonazeotrope	334
1813	H ₂ O	Water	100	C ₆ H ₅ N	Pyridine	115.5	C ₇ H ₁₆	Heptane	98.4	78.6	14	13.5	70.5
1814	H ₂ O	Water	100	C ₆ H ₅ N	Pyridine	115.5	C ₈ H ₁₈	Octane	125.7	85.7	22.5	25.5	52
1815	H ₂ O	Water	100	C ₆ H ₅ N	Pyridine	115.5	C ₉ H ₂₀	Nonane	150.7	90.5	30.5	37	32.5
1816	H ₂ O	Water	100	C ₆ H ₅ N	Pyridine	115.5	C ₁₀ H ₂₂	Decane	173.3	92.3	35.5	45.5	19
1817	H ₂ O	Water	100	C ₅ H ₅ N	Pyridine	115.5	C ₁₁ H ₂₄	Undecane	194.5	93.1	38.5	51	10.5
1818	H ₂ O	Water	100	C ₅ H ₅ N	Pyridine	115.5	C ₁₂ H ₂₆	Dodecane	216	93.5	40.5	54.5	5
1819	H ₂ O	Water	100	C ₆ H ₈ O ₂	Ethyl acrylate	99.3	C ₆ H ₁₄ O	Isopropyl ether	68.3			Nonazeotrope	334
1820	H ₂ O	Water	100	C ₅ H ₁₀ O	2-Pentanone	102.3	C ₆ H ₆	Benzene	80.1			Nonazeotrope	334
1821	H ₂ O	Water	100	C ₅ H ₁₂ O	Amyl alcohol	138.0	C ₁₁ H ₂₄ O	Diamyloxy-methane	...			Nonazeotrope	334
1822*	H ₂ O	Water	100	C ₅ H ₁₂ O	Isoamyl alcohol	132	C ₅ H ₁₂ S	3-Methyl-1-butanol-thiol	120	86.6	181
1823	H ₂ O	Water	100	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₄ O	Hexyl alcohol	157.8			Nonazeotrope	176
1824	H ₂ O	Water	100	C ₆ H ₇ N	2-Picoline	128.8	C ₆ H ₁₂ O ₃	Paraldehyde	124.5			Nonazeotrope	334
1825	H ₂ O	Water	100	C ₆ H ₁₀ O	Cyclohexanone	155.6	C ₆ H ₁₂ O	Cyclohexanol	160.6			Nonazeotrope	122
1826	H ₂ O	Water	100	C ₆ H ₁₂ O ₂	Butyl acetate	126.1	C ₆ H ₁₂ O ₂	sec-Butyl acetate	112.2			Nonazeotrope	334
1827	H ₂ O	Water	100	C ₆ H ₁₂ O ₂	Butyl acetate	126.1	C ₈ H ₁₈ O	Butyl ether	142.1			Nonazeotrope	334
1828	H ₂ O	Water	100	C ₆ H ₁₂ O ₂	sec-Butyl acetate	112.2	C ₈ H ₁₈ O	Butyl ether	142.1			Nonazeotrope	334
1829	H ₂ O	Water	100	C ₆ H ₁₂ O ₃	2-Ethoxy-ethyl acetate	156.2	C ₇ H ₈	Toluene	110.6			Nonazeotrope	334
1830	H ₂ O	Water	100	C ₆ H ₁₄ O	Isopropyl ether	68.3	C ₆ H ₁₅ N	Triethyl-amine	89.7			Nonazeotrope	334
1831	H ₂ O	Water	100	C ₇ H ₈	Toluene	110.6	C ₁₀ H ₂₂ O	Decyl alcohol (isomers)	217.3			Nonazeotrope	334

TABLE II TERNARY SYSTEMS

No.	Formula	Name	A-Component			B-Component			C-Component			Azeotropic Data		
			B.P. °C.			B.P. °C.	Name	Formula	Name	B.P. °C.		B.P. °C.	Composition, Wt. %	Ref.
1832	H ₂ O	Water	100	C ₇ H ₈	Toluene	110.6	C ₁₂ H ₂₆ O	2,6,8-Tri-methyl-4-nonanol	225.5		Nonazeotrope	v-1	334	
1833	CCl ₄	Carbon tetrachloride	76.75	C ₂ HCl ₃	Trichloro-ethylene	86.2	C ₄ H ₈ O	Acetic acid	118.1	57.5	Nonazeotrope	v-1	184	
1834	CHCl ₃	Chloroform	61	CH ₂ O ₂	Formic acid	100.75	C ₂ H ₄ O ₂	Acetone	56.1	46.7	Nonazeotrope	v-1	56	
1835	CHCl ₃	Chloroform	61	CH ₄ O	Methanol	64.7	C ₃ H ₆ O ₂	Methyl acetate	57.1	56.42	Nonazeotrope	v-1	335	
1836	CHCl ₃	Chloroform	61	CH ₄ O	Methanol	64.7	C ₃ H ₆ O ₂	Acetone	56.1	23.4	Nonazeotrope	v-1	31,143	
1837	CHCl ₃	Chloroform	61	CH ₄ O	Methanol	64.7	C ₄ H ₈ O	2-Butanone	79.6	21.6	Nonazeotrope	v-1	184	
1838	CHCl ₃	Chloroform	61	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₃ H ₆ O	Acetone	56.1	27.9	Nonazeotrope	v-1	334	
1839	CHCl ₃	Chloroform	61	C ₃ H ₆ O	Acetone	56.4	C ₄ H ₈ O	2-Butanone	79.6	63.2	Nonazeotrope	v-1	224	
1840	CHCl ₃	Chloroform	61	C ₃ H ₆ O	Acetone	56.4	C ₆ H ₁₂ O	4-Methyl-2-pentanone	79.6	115.9	Nonazeotrope	v-1	62	
1841	CHCl ₃	Chloroform	61	C ₃ H ₆ O	Acetone	56.4	C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope	v-1	157		
1842	CHCl ₃	Chloroform	61	C ₃ H ₆ O	Acetone	56.4	C ₇ H ₈ Br	Toluene	110.7	5.3	Nonazeotrope	v-1	334	
1843	CHCl ₃	Chloroform	61	C ₃ H ₆ O ₂	Ethyl formate	54.1	C ₃ H ₇ Br	2-Bromo-propane	59.4	61.97	Nonazeotrope	v-1	296	
1844	CHCl ₃	Chloroform	61	C ₃ H ₆ O ₂	Methyl acetate	57.1	C ₃ H ₇ Br	2-Bromo-propane	59.4	79.6	Nonazeotrope	v-1	195	
1845	CHCl ₃	Chloroform	61	C ₃ H ₇ Br	2-Bromo-propane	59.4	C ₄ H ₈ O ₂	Isopropyl formate	68.8	Nonazeotrope	v-1	195		
1846	CHCl ₃	Chloroform	61	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₄ H ₈ O	2-Butanone	79.6	230.6	Nonazeotrope	v-1	334	
1847	CH ₂ Cl ₂	Dichloromethane	40.0	CH ₄ O	Methanol	64.7	C ₈ H ₁₈ O ₃	2-(2-Butoxy-ethoxy) ethanol	80.75		Nonazeotrope	v-1	334	
1848	CH ₃ NO ₂	Nitromethane	101.2	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane			Nonazeotrope	v-1	343	
1849 ^f	CH ₄	Methane	-161.5	C ₂ H ₆	Ethane	-88.6	C ₃ H ₈	Propane	-44		Nonazeotrope	v-1	268	
1850	CH ₄ O	Methanol	64.7	C ₂ H ₆ O	Ethy. alcohol	78.3	C ₃ H ₈ O	Acetone	56.1		Nonazeotrope	v-1	7	
1851	CH ₄ O	Methanol	64.5	C ₃ H ₆ O	Acetone	56.1	C ₃ H ₆ O ₂	Methyl acetate	56.3	53.7	Nonazeotrope	v-1	335	
1852	CH ₄ O	Methanol	64.5	C ₃ H ₆ O	Acetone	56.1	C ₆ H ₄	Hexane	68.95	47	Nonazeotrope	v-1	105	
1853	CH ₄ O	Methanol	64.5	C ₃ H ₆ O ₂	Methyl acetate	56.3	C ₆ H ₁₄	Hexane	68.7	14	Nonazeotrope	v-1	335	

^f 200° to 50° F.

No.	Formula	Name	A-Component		B-Component		C-Component		Azeotropic Data		
			B.P. ^o C.	Formula	Name	B.P. ^o C.	Formula	Name	B.P. ^o C.	B.P. ^o C.	Composition, Wt. %
1854	CH ₄ O	Methanol	64.7	C ₃ H ₆ BO ₃	Trimethyl borate	68.7	C ₄ H ₈ O	Tetrahydro-furan	65	Nonazeotrope	v-1
1855	CH ₄ O	Methanol	64.7	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclonexane	80.75	Nonazeotrope	v-1
1856 ^s	C ₂ H ₂	Acetylene	-84	C ₂ H ₄	Ethylene	-104	C ₂ H ₆	Ethane	-88	Nonazeotrope	v-1
1857	C ₂ H ₃ N	Acetonitrile	81.6	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₆ H ₁₅ N	Triethyl-amine	-89.7	Nonazeotrope	v-1
1858	C ₂ H ₄ C ₁ ₂	1,2-Dichloro-ethane	83.45	C ₃ H ₆ O	Acetone	56.4	C ₆ H ₆	Benzene	80.1	Nonazeotrope	v-1
1859	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₃ H ₅ N	Pyridine	115.5	C ₇ H ₁₆	Heptane	98.4	Nonazeotrope	v-1
1860	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₃ H ₅ N	Pyridine	115.5	C ₈ H ₁₀	Ethyl-benzene	136.15	Nonazeotrope	v-1
1861	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₅ H ₅ N	Pyridine	115.5	C ₈ H ₁₀	o-Xylene	143.6	Nonazeotrope	v-1
1862	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₅ H ₅ N	Pyridine	115.5	C ₈ H ₁₈	Octane	125.75	Nonazeotrope	v-1
1863	C ₂ H ₄ O ₂	Acetic acid	"	C ₅ H ₅ N	Pyridine	"	C ₉ H ₂₀	Nonane	150.7	Nonazeotrope	v-1
1864	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₅ H ₅ N	Pyridine	115.5	C ₁₀ H ₂₂	Decane	173.3	Nonazeotrope	v-1
1865	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₅ H ₅ N	Pyridine	115.5	C ₁₁ H ₂₄	Undecane	194.5	Nonazeotrope	v-1
1866	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₆ H ₇ N	2-Picoline	134	C ₈ H ₁₈	Octane	125.75	Nonazeotrope	v-1
1867	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₆ H ₇ N	2-Picoline	134	C ₉ H ₂₀	Nonane	150.7	Nonazeotrope	v-1
1868	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₆ H ₇ N	2-Picoline	134	C ₁₀ H ₂₂	Decane	173.3	Nonazeotrope	v-1
1869	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₆ H ₇ N	2-Picoline	134	C ₁₁ H ₂₄	Undecane	194.5	Nonazeotrope	v-1
1870	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₆ H ₉ N	2,6-Lutidine	144	C ₈ H ₁₈	Octane	125.75	Nonazeotrope	v-1
1871	C ₂ H ₄ O ₂	Acetic acid	"	C ₆ H ₉ N	2,6-Lutidine	"	C ₁₀ H ₂₂	Decane	173.3	Nonazeotrope	v-1
1872	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₇ H ₉ N	2,6-Lutidine	144	C ₁₁ H ₂₄	Undecane	194.5	Nonazeotrope	v-1
1873	C ₂ H ₄ O ₂	Acetic acid	118.1	C ₈ H ₁₀	Ethyl-benzene	136.15	C ₉ H ₂₀	Nonane	150.7	Nonazeotrope	v-1
1874	C ₂ H ₅ NO ₂	Nitroethane	114.2	C ₄ H ₈ O ₂	p-Dioxane	101.3	C ₄ H ₁₀ O	Isobutyl-alcohol	108	Nonazeotrope	v-1
1875	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Methylcyclopentane	72	Nonazeotrope	v-1
1876	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	Nonazeotrope	v-1
1877	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₄	Hexane	68.95	Nonazeotrope	v-1
1878	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₆ H ₆	Benzene	80.1	C ₇ H ₁₄	Methylcyclohexane	100.88	Nonazeotrope	v-1

TABLE II TERNARY SYSTEMS

No.	A-Component		B-Component		C-Component		Azeotropic Data						
	Formula	Name	B.P. °C.	Formula	Name	B.P. °C.	Formula	Name	B.P., °C.	B.P., °C.	Composition, Wt. %	Ref.	
1879	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₆ H ₆	Benzene	80.1	C ₇ H ₆	Heptane	98.4, 180-760 mm.	Nonazeotrope	v-1	240,339	
1880	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₆ H ₇ N	Aniline	184.35	C ₇ H ₈	Heptane	74.2	3.4	v-1	244	
1881	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₆ H ₇ N	Aniline	184.35	C ₇ H ₆	Toluene	32.38	110.7	Nonazeotrope	138	
1882	C ₂ H ₆ O	Ethyl alcohol	78.3	C ₇ H ₈ O	Toluene	110.7	C ₇ H ₆	Heptane	98.4	Nonazeotrope	v-1	138	
1883	C ₂ H ₆ O ₂	Ethyleneglycol	196.7	o-Cresol	191	s-Collidine	171.30	189.65	33.6	62.4	4.0	v-1	188
1884	C ₃ H ₄	Propadiene	-32	C ₃ H ₄	Propyne	-23.2	C ₃ H ₆	Propene	-47.7	Nonazeotrope	334		
1885	C ₃ H ₄	Propadiene	-32	C ₃ H ₄	Propyne	-23.2	C ₃ H ₈	Propane	-42.1	Nonazeotrope	334		
1886	C ₃ H ₄	Propadiene	-32	C ₃ H ₄	Propyne	-23.2	C ₄ H ₆	Butadiene	-4.5	Nonazeotrope	334		
1887	C ₃ H ₆ O ₂	Acetone	56.1	C ₃ H ₆ O ₂	Methyl acetate	56.3	C ₆ H ₁₄	Hexane	68.7	45	7	48	
1888	C ₃ H ₆ O	Acetone	56.1	C ₃ H ₈ O	Isopropyl acetate	82.3	C ₅ H ₁₀ O ₂	Isopropyl acetate	88.7	Nonazeotrope	334		
1889	C ₃ H ₆ O	Acetone	56.1	C ₆ H ₅ Cl	Chlorobenzene	131.8	C ₆ H ₆	Benzene	80.1	Nonazeotrope	v-1	109	
1890	C ₃ H ₆ O	Acetone	56.1	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	Nonazeotrope	v-1	185	
1891	C ₃ H ₆ O	Allyl alcohol	97.1	C ₆ H ₁₄ O	Isopropyl ether	68.3	C ₉ H ₁₆ O ₂	2,2-Bis(allyloxy)propane	...	Nonazeotrope	v-1	334	
1892	C ₃ H ₆ O ₂	Propionic acid	140.7	C ₅ H ₅ N	Pyridine	115.5	C ₁₁ H ₂₄	Undecane	194.5	147.1	55.5	18.1	
1893	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₄ H ₈ O ₂	Ethyl acetate	76.7	C ₆ H ₁₂	Cyclohexane	80.7	68.3	
1894	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₅ H ₁₀ O ₂	Isopropyl acetate	88.7	C ₆ H ₁₄ O	Isopropyl ether	68.3	Nonazeotrope	334		
1895	C ₃ H ₈ O	Isopropyl alcohol	82.3	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	Azeotrope	209		
1896	C ₃ H ₈ O	Propyl alcohol	97.25	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	73.75	18	54	209,362
1897	C ₃ H ₈ O ₂	2-Methoxyethanol	124.5	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	73	9	39.1	320
1898 ^b	C ₃ H ₈ O ₂	2-Methoxyethanol	124.5	C ₈ H ₈	Styrene	144	C ₈ H ₁₀	Ethylbenzene	136.15	Nonazeotrope	v-1	331	
1899	C ₄ H ₈ O	2-Butanone	79.6	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	Nonazeotrope	v-1	152	
				"				14.7-186.8 p.s.i.a.					61,74
													61,321

No.	Formula	A-Component		B-Component		C-Component		Azeotropic Data		
		Name	B.P., °C.	Formula	Name	B.P., °C.	Formula	Name	B.P., °C.	Composition, Wt. %
1900	C ₄ H ₈ O ₂	Butyric acid	162.45	C ₅ H ₅ N	Pyridine	115.5	C ₁ H ₂₄	Undecane	194.5	Nonazeotrope
1901	C ₄ H ₈ O ₂	Ethyl acetate	77.05	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	Nonazeotrope
1902	C ₄ H ₉ Cl ₃ Sn	Butyltin trichloride	113/17	C ₈ H ₁₈ Cl ₂ Sn	Dibutyltin dichloride	157/17	C ₁₂ H ₂₇ Cl ₂ Sn	Tributyltin chloride	166/17	Nonazeotrope
1903	C ₄ H ₁₀ O	Isobutyl alcohol	107.0	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	76.73
1904	C ₄ H ₁₀ O	Butyl alcohol	117.7	C ₄ H ₁₁ N	Butylamine	77.8	C ₈ H ₁₉ N	Diethyl-amine	159.6	Nonazeotrope
1905	C ₄ H ₁₀ O	Butyl alcohol	117.75	C ₅ H ₅ N	Pyridine	115.5	C ₇ H ₈	Toluene	110.7	108.7
1906	C ₄ H ₁₀ O	Butyl alcohol	117.75	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	77.42
1907	C ₄ H ₁₀ O	Butyl alcohol	117.7	C ₆ H ₁₂ O ₂	Butyl acetate	126.1	C ₈ H ₁₈ O	Butyl ether	142.1	Nonazeotrope
1908	C ₄ H ₁₀ O ₂	2-Ethoxy-ethanol	135.1	C ₈ H ₈	Styrene	145	C ₈ H ₁₀	Ethyl-benzene	136.15, 5 mm. 62 mm.	Nonazeotrope
1909	C ₄ H ₁₀ O ₂	2-Ethoxy-ethanol	135.1	C ₈ H ₁₀	Ethyl-benzene	136.15	C ₈ H ₁₈	Octane	125.75	Nonazeotrope
1910	C ₃ H ₄ O ₂	2-Furaldehyde	161.7	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	Nonazeotrope
1911	C ₃ H ₄ O ₂	2-Furaldehyde	161.7	C ₇ H ₈	Toluene	110.7	C ₇ H ₁₄	Methylcyclo-hexane	101.1	Nonazeotrope
1912	C ₃ H ₄ O ₂	2-Furaldehyde	161.7	C ₇ H ₈	Toluene	110.7	C ₇ H ₁₆	Heptane	98.4	Nonazeotrope
1913	C ₃ H ₄ O ₂	2-Furaldehyde	161.7	C ₇ H ₁₄	Methylcyclo-hexane	101.1	C ₇ H ₁₆	Heptane	98.4	Nonazeotrope
1914	C ₃ H ₅ N	Pyridine	115.5	C ₃ H ₁₂ O	Isoamyl alcohol	131	C ₇ H ₈	Toluene	110.7	110.19
1915	C ₃ H ₅ N	Pyridine	115.5	C ₈ H ₁₀	Ethyl-benzene	136.15	C ₉ H ₂₀	Nonane	150.7	Nonazeotrope
1916	C ₆ H ₆	Benzene	80.1	C ₆ H ₁₂	Cyclohexane	80.75	C ₆ H ₁₂ O	4-Methyl-2-pentanone	115.9	Nonazeotrope
1917	C ₆ H ₆	Benzene	80.1	C ₇ H ₁₆	2,3-Dimethyl-pentane	89.8	C ₁₂ F ₂₇ N	Perfluoro-tributyl-amine	...	Nonazeotrope

TABLE I BINARY SYSTEMS

No.	Formula	Name	A-Component			B-Component			C-Component			Azeotropic Data			
			B.P. ^a	B.P. ^b	B.P. ^c	Formula	Name	B.P. ^d	Formula	Name	B.P. ^e	B.P. ^f	B.P. ^g	C, °C.	Ref.
1918 ⁱ	C ₆ H ₆ O	Phenol	182	C ₆ H ₁₀ O	Cyclohexanone	155.6	C ₆ H ₁₂ O	Cyclohexanol	160.65	Phenyl acetate	194.45	26.4	34.4	39.2	57
1919	C ₆ H ₆ O	Phenol	182	C ₆ H ₁₀ O ₄	Ethylene diacetate	186	C ₈ H ₈ O ₂	Phenyl acetate	195.7	253	
1920	C ₆ H ₇ N	Aniline	184.35	C ₆ H ₁₂ O	Cyclohexanol	160.65	C ₆ H ₁₃ N	Cyclohexylamine	101.1	242	
1921 ^j	C ₆ H ₇ N	Aniline	184.35	C ₇ H ₈	Toluene	110.7	C ₇ H ₁₄	Methylcyclohexane	98.4	297	
1922	C ₆ H ₇ N	Aniline	184.35	C ₇ H ₈	Toluene	110.7	C ₇ H ₁₆	Heptane	131.8	138	
1923 ^k	C ₆ H ₁₄ O ₂	Hexylene glycol	...	C ₈ H ₁₀	Ethylbenzene	136.15	C ₈ H ₁₆	Ethylcyclohexane	131.8	271	
1924	C ₇ H ₈ O	x-Cresol	202	C ₇ H ₉ N	Pyridine bases	143	C ₁₀ H ₈	Naphthalene	218.1	367	
1925	C ₇ H ₈ O	x-Cresol	202	C ₇ H ₉ N	Pyridine bases	157	C ₁₀ H ₈	Naphthalene	218.1	367	
1926	C ₇ H ₈ O	x-Cresol	202	C ₇ H ₉ N	Pyridine bases	163	C ₁₀ H ₈	Naphthalene	218.1	202.39	62	17	21	367	

ⁱ90 mm.^j80° to 100° C.^k400 mm.

Table III. Quaternary Systems

No.	Formula	Name	B.P., °C.	Azeotropic Composition				Ref.
				A	B	C	D	
1927	A H ₂ O B C ₂ H ₅ N C C ₂ H ₆ O D C ₆ H ₁₅ N	Water Acetonitrile Ethyl alcohol Triethylamine	100 81.6 78.3 89.7	Nonazeotrope				334
1928	A H ₂ O B C ₂ H ₆ O C C ₂ H ₆ O D C ₄ H ₈ O ₂	Water Ethyl alcohol Crotonaldehyde Ethyl acetate	100 78.3 102.2 77.1	70	8.7	11.1	0.1	84
1929	A H ₂ O B C ₂ H ₆ O C C ₆ H ₆ D C ₆ H ₁₂	Water Ethyl alcohol Benzene Cyclohexane	100 78.3 80.1 80.75	62.19 62.14	7.1 6.1	17.4 19.2	21.5 20.4	357 322,361
1930	A H ₂ O B C ₂ H ₆ O C C ₆ H ₆ D C ₆ H ₁₄	Water Ethyl alcohol Benzene Hexane	100 78.3 80.1 68.95	Nonazeotrope				326
1931	A H ₂ O B C ₂ H ₆ O C C ₆ H ₆ D C ₇ H ₁₄	Water Ethyl alcohol Benzene Methylcyclohexane	100 78.3 80.1 100.88	Nonazeotrope				326
1932	A H ₂ O B C ₂ H ₆ O C C ₆ H ₆ D C ₇ H ₁₆	Water Ethyl alcohol Benzene Heptane	100 78.3 80.1 98.4	64.79	6.8	18.7	62.4	12.1 325
1933	A H ₂ O B C ₂ H ₆ O C C ₆ H ₆ D C ₈ H ₁₈	Water Ethyl alcohol Benzene Iso-octane	100 78.3 80.1 ...	64.69	6.7	17.7	61.4	14.1 325

TABLE II TERNARY SYSTEMS

No.	Formula	Name	B.P., °C.	Azeotropic Composition				Ref.
				A	B	C	D	
1934	A H ₂ O B C ₃ H ₈ O C C ₇ H ₈ D C _n H _{2n+2}	Water Isopropyl alcohol Toluene Paraffins	100 82.3 110.7 ...	Min. b.p.				178
1935	A H ₂ O B C ₄ H ₁₀ O C C ₆ H ₁₂ O ₂ D C ₈ H ₁₈ O	Water Butyl alcohol Butyl acetate Butyl ether	100 117.7 126.1 142.1	90.6	30	13	51	6
1936	A C ₂ H ₄ O ₂ B C ₅ H ₅ N C C ₈ H ₁₀ D C ₉ H ₂₀	Acetic acid Pyridine Ethylbenzene Nonane	118.1 115.5 136.15 150.7	127.9	17	27	18	38
1937	A C ₂ H ₄ O ₂ B C ₅ H ₅ N C C ₈ H ₁₀ D C ₉ H ₂₀	Acetic acid Pyridine o-Xylene Nonane	118.1 115.5 143.6 150.7	Nonazeotrope				372
1938	A C ₂ H ₆ O B C ₆ H ₆ C C ₆ H ₁₂ D C ₆ H ₁₄	Ethyl alcohol Benzene Methylcyclopentane Hexane	78.3 80.1 72.0 68.95	Nonazeotrope				304
1939	A C ₂ H ₆ O B C ₆ H ₅ N C C ₇ H ₈ D C ₇ H ₁₆	Ethyl alcohol Aniline Toluene Heptane	78.3 184.4 110.7 98.4	Nonazeotrope	v-1	138		

Formula Index

This index lists all compounds appearing in the azeotropic tables. Included are formula, name, standard boiling point, and numbers of the systems in which the compound appears as a component. The inorganic substances are indexed first.

<u>Formula</u>	<u>Name and System Nos.</u>	<u>Formula</u>	<u>Name and System Nos.</u>
A	Argon B.p., -186 1, 2, 1675	F ₆ S	Sulfur hexafluoride 60
AsCl ₃	Arsenic chloride B.p., 130 3	F ₆ W	Tungsten hexafluoride 61, 62 B.p., 19.5
B ₂ H ₆	Diborane B.p., -87.5 5	HNO ₃	Nitric acid B.p., 86 63, 64, 1680
BeF ₂	Beryllium fluoride 4	H ₂	Hydrogen B.p., -252.7 53, 54, 1676
BrF ₃	Bromine trifluoride 6-9 B.p., 135	H ₂ O	Water B.p., 100 31, 63, 65-522, 1679- 1832, 1927-1935
BrF ₅	Bromine pentafluoride 6, 10, 11	H ₂ O ₂	Hydrogen peroxide 65 B.p., 151.4
Br ₂	Bromine B.p., 58.9 7, 12-20	H ₂ S	Hydrogen sulfide B.p., -59.6 22, 523, 524
Br ₃ P	Phosphorus tribromide 21 B.p., 175.3	H ₂ SO ₄	Hydrogen sulfate 66
CO	Carbon monoxide 1676 B.p., -192	H ₃ N	Ammonia B.p., -33.4 525-529
CO ₂	Carbon dioxide 22-26 B.p., -78.5	H ₄ N ₂	Hydrazine B.p., 113.8 67
ClF ₃	Chlorine trifluoride 27-29, 1677	He	Helium B.p., -268.9 530
ClH	Hydrogen chloride B.p., -85 27, 30-32, 1678	N ₂	Nitrogen B.p., -195.8 1675, 1676
Cl ₂	Chlorine B.p., -34.6 30, 33	N ₂ O	Nitrous oxide 23 B.p., -90.7
Cl ₂ O ₂ S	Sulfuryl chloride 34-37 B.p., 69.1	N ₂ O ₅	Nitrogen pentoxide 68
Cl ₃ HSi	Trichlorosilane 38	O ₂	Oxygen B.p., -183 1, 1675
Cl ₃ P	Phosphorus trichloride 39-44 B.p., 76	O ₂ S	Sulfur dioxide B.p., -10 531, 1681
Cl ₄ Ge	Germanium chloride 3 B.p., 86.5	S	Sulfur B.p., 444.6 532
Cl ₄ Si	Silicon tetrachloride 45, 46 B.p., 57.6	Se	Selenium B.p., 688 532
Cl ₄ Sn	Tin chloride B.p., 114.1 47, 48	CCl ₂ F ₂	Dichlorodifluoromethane B.p., -29.8 57, 533-539
Cl ₄ Ti	Titanium tetrachloride 49-51 B.p., 146.2	CCl ₃ F	Trichlorofluoromethane B.p., 24.9
DH	Deuterium hydride 52, 53	CCl ₄	540, 541
D ₂	Deuterium B.p., -249.7 52, 54		Carbon tetrachloride B.p., 76.8
FH	Hydrogen fluoride B.p., 19.4 8, 10, 12, 28, 33, 55-59, 1677, 1679		14, 34, 47, 542-556, 1833
FNa	Sodium fluoride 4	CS ₂	Carbon disulfide B.p., 46.2 69, 557-561
F ₅ Sb	Antimony pentafluoride 55 B.p., 142.7	CHClF ₂	Chlorodifluoromethane B.p., -40.8
F ₆ U	Uranium hexafluoride B.p., 56 9, 11, 13, 29, 56, 1677	CHCl ₂ F	58, 533, 562-567
			Dichlorofluoromethane B.p., 7.63/723 mm. 568

Formula	Name and System Nos.	Formula	Name and System Nos.
CHCl_3	Chloroform B.p., 61.2 64, 70, 569-584, 1680, 1682-1687, 1834-1846	$\text{C}_2\text{H}_2\text{Cl}_2$	<u>cis</u> -1,2-Dichloroethylene B.p., 60.3 607, 694-701
CH_2BrCl	Bromochloromethane 585 B.p., 69	$\text{C}_2\text{H}_2\text{Cl}_2$	<u>trans</u> -1,2-Dichloro- ethylene B.p., 48.3 608, 702-709
CH_2Cl_2	Dichloromethane B.p., 40.7 585, 586, 1847	$\text{C}_2\text{H}_2\text{Cl}_2\text{F}_2$	1,1-Dichloro-2,2-di- fluoroethane 18 B.p., 59/735 mm.
CH_2O_2	Formic acid B.p., 100.75 71, 569, 587-589, 1682, 1688, 1689, 1834	$\text{C}_2\text{H}_2\text{Cl}_2\text{F}_2$	1,2-Dichloro-1,2-di- fluoroethane B.p., 30 563
CH_3Cl	Chloromethane B.p., -24 534	$\text{C}_2\text{H}_2\text{Cl}_2\text{O}$	Chloroacetyl chloride 50 B.p., 105
$\text{CH}_3\text{Cl}_3\text{Si}$	Trichloromethylsilane 45, 590	$\text{C}_2\text{H}_2\text{Cl}_4$	1,1,2,2-Tetrachloroethane 36, 51 B.p., 146.2
CH_3I	Iodomethane B.p., 42.55 557	$\text{C}_2\text{H}_3\text{Cl}$	Vinyl chloride 710, 711 B.p., 13.4
CH_3NO_2	Nitromethane B.p., 101.2 72, 591-602, 1690, 1848	$\text{C}_2\text{H}_3\text{Cl}_2\text{NO}_2$	Methyl dichlorocar- bamate 77
CH_4	Methane B.p., -161.5 530, 603, 604, 1849	$\text{C}_2\text{H}_3\text{Cl}_3$	1,1,1-Trichloroethane 712, 713 B.p., 74.1
$\text{CH}_4\text{Cl}_2\text{Si}$	Dichloromethylsilane 46, 605	$\text{C}_2\text{H}_3\text{Cl}_3$	1,1,2-Trichloroethane B.p., 113.65 68, 682, 712
CH_4O	Methanol B.p., 64.7 32, 73, 542, 570, 591, 606-673, 1683, 1691- 1698, 1835-1837, 1847, 1849-1855	$\text{C}_2\text{H}_3\text{F}_3\text{O}$	2,2,2-Trifluoroethanol 714
CH_4S	Methanethiol B.p., 6.00 674, 675	$\text{C}_2\text{H}_3\text{N}$	Acetonitrile B.p., 80.1 79, 544, 572, 592, 715-726, 1684, 1703- 1706, 1857, 1927
CH_5N	Methylamine B.p., -6 676, 677	C_2H_4	Ethylene B.p., -103.7 25, 691, 727, 1856
C_2ClF_5	Chloropentafluoroethane 562, 678 B.p., -38.5	$\text{C}_2\text{H}_4\text{Br}_2$	1,2-Dibromoethane 728, 729 B.p., 131.5
$\text{C}_2\text{Cl}_2\text{F}_4$	1,2-Dichlorotetrafluoro- ethane B.p., 2.22/723 mm. 568, 606, 679	$\text{C}_2\text{H}_4\text{Cl}_2$	1,1-Dichloroethane 558, 713 B.p., 57.2 1,2-Dichloroethane B.p., 83.16
$\text{C}_2\text{Cl}_3\text{F}_3$	1,1,2-Trichlorotrifluoro- ethane B.p., 47.6 15, 74, 680, 681, 1691, 1699	$\text{C}_2\text{H}_4\text{F}_2$	1,1-Difluoroethane 535, 678 B.p., -24.7
C_2Cl_4	Tetrachloroethylene B.p., 121 75, 571, 682-685	$\text{C}_2\text{H}_4\text{O}$	Acetaldehyde B.p., 20.2 540, 610, 736-742, 1681, 1709, 1710
$\text{C}_2\text{Cl}_4\text{F}_2$	1,1,1,2-Tetrachlorodi- fluoroethane B.p., 91.6 16	$\text{C}_2\text{H}_4\text{O}$	Ethylene oxide 743 B.p., 10.5
$\text{C}_2\text{Cl}_4\text{F}_2$	1,1,2,2-Tetrachlorodi- fluoroethane B.p., 92.4 680	$\text{C}_2\text{H}_4\text{O}_2$	Acetic acid B.p., 118.1 81, 546, 573, 587, 611, 687, 744-768, 1685, 1688, 1834, 1859- 1873, 1936, 1937
$\text{C}_2\text{Cl}_4\text{O}$	Trichloroacetyl chloride 49 B.p., 118	$\text{C}_2\text{H}_4\text{O}_2$	Methyl formate B.p., 32 541
C_2Cl_6	Hexachloroethane 35 B.p., 184.8	$\text{C}_2\text{H}_5\text{BrO}$	2-Bromoethanol B.p., 100/150 mm. 82
C_2HCl_3	Trichloroethylene B.p., 86.2 543, 686-690, 1700-1702, 1833	$\text{C}_2\text{H}_5\text{Cl}$	Chloroethane B.p., 12.4 736, 769
$\text{C}_2\text{HCl}_3\text{F}_2$	1,2,2-Trichloro-1,1-di- fluoroethane B.p., 71.1/736 mm. 17	$\text{C}_2\text{H}_5\text{ClO}$	2-Chloroethanol B.p., 128.7 83, 770-772, 1711
$\text{C}_2\text{HF}_3\text{O}_2$	Trifluoroacetic acid 59, 76	$\text{C}_2\text{H}_5\text{NO}$	Acetamide B.p., 222 773
C_2H_2	Acetylene B.p., -84 24, 691-693, 1856		

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₂ H ₅ NO ₂	Nitroethane B.p., 114.0 84, 774-780, 1874	C ₃ H ₄	Propyne B.p., -23.2 693, 924, 928-930, 1884-1886
C ₂ H ₆	Ethane B.p., -88.6 26, 523, 603, 692, 727, 781, 1849, 1856	C ₃ H ₄ Cl ₄	Tetrachloropropane 931
C ₂ H ₆ O	Ethyl alcohol B.p., 78.3 85, 547, 574, 593, 612, 681, 694, 702, 714, 744, 774, 782-866, 1686, 1692, 1699, 1703, 1707, 1709, 1712-1738, 1838, 1850, 1857, 1875-1882, 1927-1933, 1938, 1939	C ₃ H ₄ O	Acrolein B.p., 52.8 93
C ₂ H ₆ O	Methyl ether B.p., -23.7 531, 536, 612	C ₃ H ₄ O	2-Propyn-1-ol B.p., 115 94, 932, 1742, 1743
C ₂ H ₆ OS	Dimethylsulfoxide 867	C ₃ H ₄ O ₂	Acrylic acid B.p., 141.2 95, 933, 1744
C ₂ H ₆ O ₂	Ethylene glycol B.p., 197 86, 868-893, 1883	C ₃ H ₄ O ₃	Ethylene carbonate 96, 868
C ₂ H ₆ S	Methyl sulfide B.p., 37.32 894-899	C ₃ H ₅ Cl	3-Chloropropene 97, 934 B.p., 45.15
C ₂ H ₆ S ₂	Methyl disulfide 900-907 B.p., 109.44	C ₃ H ₅ Cl	<u>x</u> -Methylvinyl chloride 98
C ₂ H ₇ N	Dimethylamine B.p., 7.4 908, 1739	C ₃ H ₅ ClO	2-Chloro-2-propen-1-ol 935
C ₂ H ₇ N	Ethylamine B.p., 16.6 525, 909, 910	C ₃ H ₅ ClO	Epichlorohydrin 936 B.p., 116.45
C ₂ H ₇ NO	2-Aminoethanol B.p., 170.5 87, 911, 912	C ₃ H ₅ Cl ₃	1,2,3-Trichloropropane 936 B.p., 156.85
C ₂ H ₈ N ₂	1,1-Dimethylhydrazine 88	C ₃ H ₅ F	2-Fluoropropene 527 B.p., -23
C ₂ H ₈ N ₂	Ethylenediamine B.p., 116 89, 913, 917, 1740	C ₃ H ₅ N	Propionitrile B.p., 97.4 923, 1741
C ₃ Cl ₃ F ₅	1,2,2-Trichloropenta- fluoropropane B.p., 72.5 19	C ₃ H ₅ NO	Hydracrylonitrile 99 B.p., 229.7
C ₃ F ₆	Hexafluoropropene B.p., -6.1/2059 mm. 537, 564	C ₃ H ₆	Propene B.p., -48 925, 928, 937, 1884
C ₃ F ₈	Perfluoropropane B.p., 12.5/6.064 atm. 565	C ₃ H ₆ Cl ₂	1,2-Dichloropropane B.p., 96.3 688, 730, 938, 939, 1745
C ₃ HF ₅ O ₂	Pentafluoropropionic acid 90, 918	C ₃ H ₆ Cl ₂ O	2,3-Dichloro-1-propanol 100 B.p., 183.8
C ₃ HF ₇	Heptafluoropropane B.p., 17/2328 mm. 538	C ₃ H ₆ O	Acetone B.p., 56.1 101, 548, 575, 594, 615, 683, 695, 703, 711, 717, 782, 911, 940-957, 1713, 1746- 1752, 1835, 1838- 1842, 1850, 1851, 1852, 1858, 1887-1890
C ₃ H ₂ ClF ₃ O ₂	3-Chloro-2,2,3-trifluoro- propionic acid 919	C ₃ H ₆ O	Allyl alcohol B.p., 96.90 102, 549, 958-963, 1700, 1753-1755, 1891
C ₃ H ₂ F ₄ O ₂	2,2,3,3-Tetrafluoropro- pionic acid 920	C ₃ H ₆ O	Propionaldehyde B.p., 47.9 103, 964, 965, 1693
C ₃ H ₃ ClF ₃ NO	3-Chloro-2,2,3-trifluoro- propionamide 921	C ₃ H ₆ O	Propylene oxide B.p., 38 104, 737, 938, 964, 966
C ₃ H ₃ F ₄ NO	2,2,3,3-Tetrafluoropro- pionamide 922	C ₃ H ₆ O ₂	1,3-Dioxolane B.p., 75.6 105, 967-970
C ₃ H ₃ N	Acrylonitrile B.p., 77.2 91, 614, 716, 923, 1712, 1741	C ₃ H ₆ O ₂	Ethyl formate B.p., 54.0 106, 577, 696, 704, 971, 1714, 1843
C ₃ H ₃ NS	Thiazole B.p., 116.8 92	C ₃ H ₆ O ₂	Methoxyacetaldehyde B.p., 92/770 mm. 107
C ₃ H ₄	Propadiene B.p., -32 526, 924-927, 1884- 1886	C ₃ H ₆ O ₂	Methyl acetate B.p., 57.2 108, 576, 616, 697, 705, 972-1001, 1694, 1836, 1844, 1851, 1853, 1887

<u>Formula</u>	<u>Name and System Nos.</u>	<u>Formula</u>	<u>Name and System Nos.</u>
C ₃ H ₆ O ₂	Propionic acid B.p., 140.7 745, 1002-1010, 1756, 1892	C ₃ H ₉ ClSi	Chlorotrimethylsilane 590, 605
C ₃ H ₆ O ₃	Methyl glycolate 1011, 1012 B.p., 151.2	C ₃ H ₉ N	Isopropylamine 1115 B.p., 32.4
C ₃ H ₆ O ₃	S-Trioxane B.p., 114.5 1013	C ₃ H ₉ N	Propylamine B.p., 48.5 119
C ₃ H ₇ Br	2-Bromopropane B.p., 59.35 578, 971, 972, 1843-1845	C ₃ H ₉ N	Trimethylamine 120 B.p., 3.2
C ₃ H ₇ Cl	1-Chloropropane 109, 559 B.p., 46.6	C ₃ H ₉ NO	1-Amino-2-propanol B.p., 159.9 121, 1116-1119
C ₃ H ₇ Cl	2-Chloropropane 110, 934 B.p., 34.9	C ₃ H ₁₀ N ₂	1,2-Propanediamine 1120-1122 B.p., 120.9
C ₃ H ₇ ClO	Propylene chlorhydrin B.p., 73/100 mm. 1014, 1745	C ₄ Cl ₃ F ₇	2,2,3-Trichlorohepta- fluorobutane B.p., 97.4 1123-1125
C ₃ H ₇ NO	N,N-Dimethylformamide B.p., 153.0 111, 588, 718, 919-922, 1015	C ₄ F ₈	Perfluorocyclobutane 539, 567
C ₃ H ₇ NO	Propionamide B.p., 222.1 1016-1018	C ₄ HF ₇ O ₂	Perfluorobutyric acid B.p., 122.0 122, 1126-1128, 1679
C ₃ H ₇ NO ₂	1-Nitropropane B.p., 131.6 112, 617, 783, 1019-1024	C ₄ H ₂ O ₃	Maleic anhydride 1129, 1130
C ₃ H ₇ NO ₂	2-Nitropropane B.p., 120.3 113, 618, 784, 1025-1030	C ₄ H ₄	Vinylacetylene 1131
C ₃ H ₈	Propane B.p., -42.1 524, 566, 604, 926, 929, 937, 1849, 1885	C ₄ H ₄ O ₂	Diketene 941, 1132
C ₃ H ₈ O	Isopropyl alcohol B.p., 82.5 115, 595, 684, 731, 775, 785, 940, 958, 1019, 1025, 1031-1059, 1690, 1695, 1702, 1708, 1746, 1757-1766, 1846, 1888, 1893-1895, 1934	C ₄ H ₄ S	Thiophene B.p., 83.97 1133-1142
C ₃ H ₈ O	Propyl alcohol B.p., 97.25 114, 550, 596, 746, 776, 1020, 1026, 1060-1072, 1701, 1767-1774, 1896	C ₄ H ₅ Cl	2-Chloro-1,3-butadiene 1131, 1143, 1144
C ₃ H ₈ OS	2-(Methylthio)ethanol 1073	C ₄ H ₅ N	3-Butenenitrile 123 B.p., 118.9
C ₃ H ₈ O ₂	2-Methoxyethanol B.p., 124.5 116, 619, 1074-1094, 1775-1777, 1897, 1898	C ₄ H ₆	Methacrylonitrile 124
C ₃ H ₈ O ₂	Methylal B.p., 42.6 698, 706	C ₄ H ₆ ClN	1,3-Butadiene B.p., -4.5 676, 927, 930, 1886
C ₃ H ₈ O ₂	1,2-Propanediol B.p., 188 117, 939, 1095- 1106, 1778	C ₄ H ₆ Cl ₂	2-Chloro-2-methylpro- pionitrile B.p., 116 125
C ₃ H ₈ O ₂	1,3-Propanediol B.p., 214 118, 1107	C ₄ H ₆ O	1,3-Dichloro-2-butene 1143
C ₃ H ₈ S	Ethyl methyl sulfide 1108-1113 B.p., 66.61	Crotonaldehyde	B.p., 101.5 126, 1715, 1779, 1928
C ₃ H ₈ S	1-Propanethiol B.p., 67 1060, 1767	C ₄ H ₆ O	Methacrylaldehyde 127 B.p., 68.0
C ₃ H ₉ BO ₃	Trimethyl borate B.p., 68.7 620, 1114, 1854	C ₄ H ₆ O	3-Butene-2-one 1144
		C ₄ H ₆ O ₂	2,3-Butanedione 1145 B.p., 90.7
		C ₄ H ₆ O ₂	3-Butenoic acid 128
		C ₄ H ₆ O ₂	Butyrolactone 131 B.p., 204.3
		C ₄ H ₆ O ₂	Crotonic acid B.p., 185 129, 130
		C ₄ H ₆ O ₂	Methyl acrylate 1696 B.p., 80.9
		C ₄ H ₆ O ₂	Vinyl acetate B.p., 72.7 132, 621, 738, 942, 1031, 1146-1149, 1747
		C ₄ H ₆ O ₃	Acetic anhydride B.p., 138 747, 1002, 1150-1152
		C ₄ H ₆ O ₃	Propylene carbonate 133 B.p., 242.1

<u>Formula</u>	<u>Name and System Nos.</u>	<u>Formula</u>	<u>Name and System Nos.</u>
C ₄ H ₇ Cl	1-Chloro-2-methylpropene 943 B.p., 68	C ₄ H ₈ O ₂	Methyl propionate B.p., 79.7 151, 626, 1034, 1697, 1756
C ₄ H ₇ ClO	2-Chloroethyl vinyl ether B.p., 109.1 134, 770, 1153	C ₄ H ₈ O ₂	Propyl formate B.p., 80.9 1195
C ₄ H ₇ N	Butyronitrile B.p., 117.6 135	C ₄ H ₈ O ₂	2-Vinyloxyethanol 152, 870 B.p., 143
C ₄ H ₇ NO	2-Hydroxyisobutyronitrile 136	C ₄ H ₈ O ₃	Ethylene glycol mono- acetate 871
C ₄ H ₈	1-Butene B.p., -6 677	C ₄ H ₈ S	Tetrahydrothiophene 1196-1202 B.p., 120.79
C ₄ H ₈	2-Methylpropene B.p., -6 674	C ₄ H ₉ Cl	1-Chlorobutane B.p., 77.9 1203
C ₄ H ₈ Cl ₂ O	Bis(2-chloroethyl) ether B.p., 178.6 137, 732, 771, 869, 1154-1156	C ₄ H ₉ Cl ₃ Sn	Butyltin trichloride B.p., 113/17 mm. 1204, 1902
C ₄ H ₈ O	2-Butanone B.p., 79.6 138, 551, 579, 622, 689, 699, 707, 786, 944, 1145, 1157-1169, 1687, 1716, 1748, 1757, 1780- 1782, 1833, 1837, 1839, 1846, 1899	C ₄ H ₉ NO	N,N-Dimethylacetamide 750 B.p., 165
C ₄ H ₈ O	Butyraldehyde B.p., 75.7 139, 623, 787, 1170- 1176, 1717, 1749, 1783-1786	C ₄ H ₉ NO	Morpholine B.p., 128.3 153, 1206, 1207
C ₄ H ₈ O	Ethyl vinyl ether B.p., 35.5 140, 739, 788, 1718	C ₄ H ₉ NO ₂	N-(2-Hydroxyethyl) acetamide 154
C ₄ H ₈ O	Isobutyraldehyde 141, 1170 B.p., 63.5	C ₄ H ₉ NO ₃	2-Methyl-2-nitro-1- propanol 1208
C ₄ H ₈ O	Methyl propenyl ether 142 B.p., 46.3	C ₄ H ₁₀	Butane B.p., -0.5 528, 679, 740, 743, 769
C ₄ H ₈ O	Tetrahydrofuran B.p., 66.1 624, 700, 708, 1114, 1854	C ₄ H ₁₀	2-Methylpropane 675, 1698 B.p., -11.70
C ₄ H ₈ OS	2-(Methylthio)propional- dehyde 143	C ₄ H ₁₀ O	Butyl alcohol B.p., 117.75 155, 553, 597, 627, 685, 751, 777, 791, 914, 1021, 1027, 1120, 1146, 1180, 1203, 1209-1231, 1787-1799, 1904-1907, 1935
C ₄ H ₈ OS	1,4-Oxathiane B.p., 149.2 144	C ₄ H ₁₀ O	sec-Butyl alcohol B.p., 99.5 156, 598, 778, 792, 1022, 1028, 1159, 1209, 1232-1237, 1787, 1800- 1807
C ₄ H ₈ O ₂	Butyric acid B.p., 162.45 1171, 1177-1179, 1900	C ₄ H ₁₀ O	tert-Butyl alcohol B.p., 82.41 599, 779, 1023, 1029, 1800
C ₄ H ₈ O ₂	p-Dioxane B.p., 101 145, 748, 772, 789, 913, 1032, 1180-1184, 1874	C ₄ H ₁₀ O	Ethyl ether B.p., 34.5 5, 157, 561, 581, 741, 966, 1036, 1211, 1239
C ₄ H ₈ O ₂	Ethoxyacetaldehyde 146 B.p., 105	C ₄ H ₁₀ O	Isobutyl alcohol B.p., 107 158, 600, 780, 915, 1024, 1030, 1121, 1172, 1181, 1185, 1210, 1238, 1783, 1808, 1874, 1903
C ₄ H ₈ O ₂	Ethyl acetate B.p., 77.05 552, 560, 625, 690, 749, 790, 1033, 1061, 1185- 1191, 1893, 1901, 1928	C ₄ H ₁₀ O ₂	1,4-Butanediol B.p., 230 1241
C ₄ H ₈ O ₂	2-Hydroxybutyraldehyde 147	C ₄ H ₁₀ O ₂	1,1-Dimethoxyethane 1173, 1784 B.p., 64.5
C ₄ H ₈ O ₂	Isobutyric acid B.p., 154.5 148, 1192-1194	C ₄ H ₁₀ O ₂	1,2-Dimethoxyethane 159, 1240 B.p., 85.2
C ₄ H ₈ O ₂	Isopropyl formate 580, 1157, 1845 B.p., 68.8		
C ₄ H ₈ O ₂	3-Methoxypropionaldehyde 149		
C ₄ H ₈ O ₂	2-Methyl-1,3-dioxolane 150 B.p., 82.5		

<u>Formula</u>	<u>Name and System Nos.</u>	<u>Formula</u>	<u>Name and System Nos.</u>
C ₄ H ₁₀ O ₂	2-Ethoxyethanol B.p., 134.0 160, 793, 1186, 1242-1277, 1809, 1810, 1908, 1909	C ₅ H ₇ ClO	2-Chloroallyl vinyl ether 935
C ₄ H ₁₀ O ₃	Diethylene glycol B.p., 245.5 161, 1154, 1278-1298	C ₅ H ₇ N	3-Methyl-3-butenenitrile 170 B.p., 137
C ₄ H ₁₀ S	1-Butanethiol B.p., 98/770 mm. 1212, 1788	C ₅ H ₈	Cyclopentene B.p., 44.4 974
C ₄ H ₁₀ S	2-Butanethiol B.p., 85.15 1133, 1299	C ₅ H ₈	Isoprene B.p., 34.3 629, 1361-1365
C ₄ H ₁₀ S	Ethyl sulfide B.p., 92.07 1300-1308	C ₅ H ₈	3-Methyl-1,2-butadiene 630 B.p., 40.8
C ₄ H ₁₀ S	Isopropyl methyl sulfide B.p., 84.76 1134, 1299, 1309-1316	C ₅ H ₈	cis-1,3-Pentadiene 631 B.p., 44
C ₄ H ₁₀ S	Methyl propyl sulfide 1317-1324 B.p., 95.47	C ₅ H ₈	trans-1,3-Pentadiene 632 B.p., 42.0
C ₄ H ₁₀ S ₂	Ethyl disulfide B.p., 154.11 1325, 1326	C ₅ H ₈ Cl ₄	Tetrachloropentane 931, 1366
C ₄ H ₁₁ N	Butylamine B.p., 77.8 162, 794, 1037, 1213, 1719, 1758, 1789, 1811, 1904	C ₅ H ₈ O	Allyl vinyl ether 171, 959 B.p., 67.4
C ₄ H ₁₁ N	Diethylamine B.p., 55.5 163, 628, 795, 909, 1327, 1328, 1704, 1812	C ₅ H ₈ O	Cyclopantanone B.p., 130 172, 1367-1369
C ₄ H ₁₁ NO	2-Dimethylaminoethanol B.p., 134.6 164, 908, 1739	C ₅ H ₈ O	1-Methoxy-1,3-butadiene 173, 633 B.p., 90.7
C ₄ H ₁₁ NO ₂	2,2'-Iminodiethanol 165, 910, 912, 1329	C ₅ H ₈ O	3-Penten-2-one 174 B.p., 123.5
C ₅ Cl ₂ F ₆	1,2-Dichlorohexafluorocyclopentene B.p., 90.6 1123, 1330	C ₅ H ₈ O	3-Methyl-3-buten-2-one 175 B.p., 97.9
C ₅ F ₁₀	Perfluorocyclopentane B.p., 25/833 mm. 61, 1331, 1332	C ₅ H ₈ O ₂	4-Pentenal B.p., 106 176
C ₅ F ₁₂	Perfluoropentane B.p., 40.86/1140 mm. 2, 60, 62, 1331	C ₅ H ₈ O ₂	Allyl acetate B.p., 104.1 177, 960
C ₅ H ₄ F ₈ O	2,2,3,3,4,4,5,5-Octafluoro-1-pentanol 1333, 1334	C ₅ H ₈ O ₂	3,3-Dimethoxypropane 1742 B.p., 111
C ₅ H ₄ O ₂	2-Furaldehyde B.p., 162 166, 554, 1187, 1335-1339, 1910-1913	C ₅ H ₈ O ₂	Ethyl acrylate B.p., 99.5 178, 796, 933, 1370, 1720, 1744, 1819
C ₅ H ₅ N	Pyridine B.p., 115.5 167, 589, 752, 1003, 1177, 1214, 1340-1349, 1678, 1689, 1813-1818, 1859-1865, 1892, 1900, 1905, 1914, 1915, 1936, 1937	C ₅ H ₈ O ₂	Isopropenyl acetate B.p., 97.4 179, 945, 1150, 1373
C ₅ H ₆ N ₂	2-Methylpyrazine 168 B.p., 133/737 mm.	C ₅ H ₈ O ₂	Methyl methacrylate B.p., 100.8 180, 1215, 1242, 1371, 1372
C ₅ H ₆ O	2-Methylfuran B.p., 63 169, 965, 973, 1160	C ₅ H ₈ O ₂	2,4-Pentanedione (acetyl acetone) B.p., 140.6 181, 1373
C ₅ H ₆ O ₂	Furfuryl alcohol 1335	C ₅ H ₈ O ₂	Δ-Valerolactone 182
C ₅ H ₆ S	2-Methylthiophene B.p., 111.92 900, 1350-1353	C ₅ H ₈ O ₂	Vinyl propionate 183 B.p., 95.0
C ₅ H ₆ S	3-Methylthiophene 1354-1360 B.p., 114.96	C ₅ H ₈ O ₃	Methyl acetoacetate 1192 B.p., 171.7
		C ₅ H ₁₀	Cyclopentane B.p., 49.35 894, 975, 1374, 1375
		C ₅ H ₁₀	2-Methyl-1-butene B.p., 31.10 635, 797, 896, 1362
		C ₅ H ₁₀	3-Methyl-1-butene B.p., 21.2 634, 1361, 1376
		C ₅ H ₁₀	2-Methyl-2-butene B.p., 38.60 636, 895, 1363, 1377
		C ₅ H ₁₀	1-Pentene B.p., 29.92 637, 946, 976
		C ₅ H ₁₀	cis-2-Pentene B.p., 37.1 638
		C ₅ H ₁₀ Cl ₂ O ₂	Bis(2-chloroethoxy) methane B.p., 218.1 184

<u>Formula</u>	<u>Name and System Nos.</u>	<u>Formula</u>	<u>Name and System Nos.</u>
C ₅ H ₁₀ N ₂	3-Dimethylaminopropionitrile B.p., 174.5 185	C ₅ H ₁₂ N ₂	1-Methylpiperazine 206 B.p., 138.0
C ₅ H ₁₀ O	cis-1-Butenyl methyl ether B.p., 72.0 186, 1721	C ₅ H ₁₂ O	Active amylic alcohol B.p., 128.5 1333, 1367, 1398-1411
C ₅ H ₁₀ O	trans-1-Butenyl methyl ether B.p., 76.7 187	C ₅ H ₁₂ O	Amyl alcohol B.p., 137.9 643, 801, 1392-1397, 1821
C ₅ H ₁₀ O	Ethyl isopropenyl ether 188 B.p., 61.9	C ₅ H ₁₂ O	Butyl methyl ether 802, 1724 B.p., 70.3
C ₅ H ₁₀ O	Isopropyl vinyl ether B.p., 55.7 189, 798, 1038	C ₅ H ₁₂ O	Isoamyl alcohol B.p., 131.85 1153, 1334, 1368, 1398, 1412-1426, 1725, 1822, 1914
C ₅ H ₁₀ O	3-Methyl-2-butanone 1378, 1379 B.p., 95.4	C ₅ H ₁₂ O	2-Methyl-1-butanol B.p., 128.9 1369, 1427, 1428
C ₅ H ₁₀ O	2-Pentanone B.p., 102.2 639, 799, 1039, 1380, 1820	C ₅ H ₁₂ O	2-Methyl-2-butanol 1429, 1430 B.p., 101.7
C ₅ H ₁₀ O	3-Pentanone B.p., 102 1062, 1381-1384, 1768	C ₅ H ₁₂ O	3-Pentanol B.p., 115.6 1341
C ₅ H ₁₀ O	Propyl vinyl ether B.p., 65.1 190, 800, 1722	C ₅ H ₁₂ O ₂	1,2-Dimethoxypropane 207 B.p., 92
C ₅ H ₁₀ O	Tetrahydropyran B.p., 88 191	C ₅ H ₁₂ O ₂	2,2-Dimethoxypropane 644, 803 B.p., 80
C ₅ H ₁₀ O	Valeraldehyde B.p., 103.3 192, 193	C ₅ H ₁₂ O ₂	1-Ethoxy-2-propanol 208 B.p., 132.2
C ₅ H ₁₀ OS	2-Methylthioethyl vinyl ether 1073	C ₅ H ₁₂ O ₂	3-Methoxy-1-butanol 209 B.p., 161.1
C ₅ H ₁₀ O ₂	Ethyl propionate 194 B.p., 99.1	C ₅ H ₁₂ O ₂	1,5-Pentanediol 210 B.p., 242.5
C ₅ H ₁₀ O ₂	Isopropyl acetate B.p., 88.7 640, 753, 947, 1151, 1385, 1723, 1750, 1759, 1888, 1894	C ₅ H ₁₂ O ₂	2-Propoxyethanol 211 B.p., 151.5
C ₅ H ₁₀ O ₂	3-Methoxybutyraldehyde 195 B.p., 131	C ₅ H ₁₂ O ₃	2-(2-Methoxyethoxy)ethanol B.p., 194.2 872, 1278, 1431-1454
C ₅ H ₁₀ O ₂	Propyl acetate B.p., 101.6 196, 1063, 1243, 1769	C ₅ H ₁₂ S	Ethyl isopropyl sulfide 901 B.p., 107.22
C ₅ H ₁₀ O ₂	Valeric acid B.p., 187 197, 198, 1386	C ₅ H ₁₂ S	3-Methyl-1-butanethiol 1412, 1822 B.p., 116
C ₅ H ₁₀ O ₂	3-Vinylxyloxy-1-propanol 200, 1095, 1107	C ₅ H ₁₃ N	N-Methylbutylamine 212 B.p., 91.1
C ₅ H ₁₀ O ₂	1-Vinylxyloxy-2-propanol 199	C ₅ H ₁₃ NO	1-Ethylamino-2-propanol 213 B.p., 159.4
C ₅ H ₁₀ O ₃	3-Ethoxypropionic acid 201 B.p., 219.2	C ₅ H ₁₄ N ₂	N,N-Dimethyl-1,3-propanediamine B.p., 1349 214
C ₅ H ₁₀ O ₃	3-Methoxybutyric acid 202	C ₆ F ₁₂ O	Perfluorocyclic ether 1455
C ₅ H ₁₀ O ₃	Methoxymethyl propionate 203	C ₆ F ₁₄	Perfluorohexane 918, 1332, 1455, 1456, 1457
C ₅ H ₁₁ N	Piperidine B.p., 106 1340	C ₆ H ₃ Cl ₃	1,2,4-Trichlorobenzene 1458 B.p., 213
C ₅ H ₁₁ NO	N,N-Dimethylpropionamide B.p., 175.5 1004	C ₆ H ₄ Cl ₂	o-Dichlorobenzene 1459, 1460 B.p., 179
C ₅ H ₁₁ NO	4-Methylmorpholine 204 B.p., 115.6	C ₆ H ₅ Br	Bromobenzene B.p., 156.1 1461
C ₅ H ₁₂	2-Methylbutane B.p., 27.90 641, 897, 1364, 1376	C ₆ H ₅ Cl	Chlorobenzene B.p., 131 1064, 1116, 1399, 1413, 1462, 1463, 1889
C ₅ H ₁₂	Pentane B.p., 36.15 205, 642, 719, 754, 898, 948, 977, 1365, 1377, 1387-1391	C ₆ H ₅ F	Fluorobenzene B.p., 84.9 1464
		C ₆ H ₅ FO	o-Fluorophenol 1400, 1414
		C ₆ H ₅ NO ₂	Nitrobenzene 1465 B.p., 210.85

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₆ H ₆	Benzene 38, 555, 601, 645, 720, 733, 804, 867, 916, 932, 949, 978, 1015, 1040, 1065, 1074, 1096, 1135, 1161, 1182, 1188, 1216, 1238, 1279, 1300, 1336, 1374, 1387, 1392, 1429, 1464, 1466-1479, 1711, 1740, 1743, 1760, 1770, 1775, 1780, 1801, 1820, 1823, 1848, 1855, 1858, 1875-1879, 1889, 1890, 1895-1897, 1899, 1901, 1903, 1906, 1910, 1916, 1917, 1929-1933, 1938	C ₆ H ₁₀ O	2-Ethylcrotonaldehyde 226, 1779 B.p., 135.3
C ₆ H ₆ O	Phenol B.p., 182 1162, 1480-1488, 1918, 1919	C ₆ H ₁₀ O	2-Hexenal B.p., 149 227
C ₆ H ₆ O ₂	Pyrocatechol B.p., 245.9 1489	C ₆ H ₁₀ O	Mesityl oxide B.p., 129.5 1044, 1174, 1402, 1416, 1507-1511
C ₆ H ₇ N	Aniline B.p., 184.35 215, 805, 873, 1490-1498, 1880, 1881, 1920-1922, 1939	C ₆ H ₁₀ O	2-Methylcyclopentanone 1393 B.p., 138.7
C ₆ H ₇ N	2-Picoline B.p., 134 721, 755, 1401, 1415, 1499-1501, 1824, 1966-1869	C ₆ H ₁₀ O	2-Penten-2-one 228 B.p., 128.9
C ₆ H ₇ N	3-Picoline B.p., 144.1 216, 1502	C ₆ H ₁₀ O ₂	Ethyl crotonate 230 B.p., 137.8
C ₆ H ₇ N	4-Picoline B.p., 144.3 217	C ₆ H ₁₀ O ₂	Vinyl butyrate 231 B.p., 116.7
C ₆ H ₈	1,3-Cyclohexadiene 979 B.p., 80.25	C ₆ H ₁₀ O ₂	Vinyl isobutyrate 232 B.p., 105.4
C ₆ H ₈ ClN	Aniline hydrochloride 1503	C ₆ H ₁₀ O ₄	Ethylene diacetate B.p., 186 233, 1481, 1919
C ₆ H ₈ N ₂	2-Amino-3-methylpyridine 1504, 1505 B.p., 221	C ₆ H ₁₁ N	Diallylamine B.p., 110.5 234
C ₆ H ₈ N ₂	2,5-Dimethylpyrazine B.p., 154/742 mm. 218	C ₆ H ₁₁ NO	6-Caprolactam 235
C ₆ H ₈ O	2,5-Dimethylfuran B.p., 93.3 219, 646, 1163, 1385	C ₆ H ₁₁ NO ₃	2-Methyl-2-nitropropyl vinyl ether 236, 1208
C ₆ H ₈ O	2,4-Hexadienal B.p., 171 220	C ₆ H ₁₂	Cyclohexane B.p., 80.6 39, 237, 602, 650, 734, 810, 950, 961, 981, 1013, 1045, 1066, 1075, 1108, 1136, 1147, 1164, 1189, 1217, 1301, 1309, 1337, 1378, 1380, 1388, 1465, 1466, 1512-1519, 1726, 1771, 1776, 1781, 1848, 1855, 1876, 1890, 1893, 1895-1897, 1899, 1901, 1903, 1906, 1910, 1916, 1929
C ₆ H ₈ O ₂	1,3-Butadienyl acetate 221 B.p., 138.5	C ₆ H ₁₂	2,3-Dimethyl-1-butene 982 B.p., 55.62
C ₆ H ₈ O ₂	Vinyl crotonate 222 B.p., 133.9	C ₆ H ₁₂	2,3-Dimethyl-2-butene 983 B.p., 73.38
C ₆ H ₉ N ₃	3,3'-Iminodipropionitrile 223	C ₆ H ₁₂	3,3-Dimethyl-1-butene 984 B.p., 41.4
C ₆ H ₁₀	Cyclohexene B.p., 83.1 980	C ₆ H ₁₂	2-Ethyl-1-butene 811, 985 B.p., 64.95
C ₆ H ₁₀	2-Ethyl-1,3-butadiene 224 B.p., 66.9	C ₆ H ₁₂	1-Hexene B.p., 63.49 812, 986, 1109
C ₆ H ₁₀	1,3-Hexadiene B.p., 72.9 647, 806, 1041	C ₆ H ₁₂	cis-2-Hexene B.p., 68.8 813, 987
C ₆ H ₁₀	2,4-Hexadiene B.p., 82 648, 807, 1042	C ₆ H ₁₂	cis-3-Hexene B.p., 66.4 651, 814
C ₆ H ₁₀	3-Methylcyclopentene 808 B.p., 64.9	C ₆ H ₁₂	Methylcyclopentane B.p., 71.8 815, 951, 991, 1110, 1137, 1310, 1389, 1467, 1520, 1521, 1875, 1938
C ₆ H ₁₀	3-Methyl-1,3-pentadiene B.p., 77 649, 809, 1043	C ₆ H ₁₂	cis-3-Methyl-2-pentene 816, 988 B.p., 70.52
C ₆ H ₁₀ O	Cyclohexanone B.p., 155.6 225, 1480, 1506, 1825, 1918	C ₆ H ₁₂	trans-3-Methyl-2-pentene 817 B.p., 67.6
		C ₆ H ₁₂	4-Methyl-1-pentene 989 B.p., 54.0
		C ₆ H ₁₂	4-Methyl-2-pentene 238, 818 B.p., 56.7

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₆ H ₁₂	<u>trans</u> -4-Methyl-2-pentene 990 B.p., 58.4	C ₆ H ₁₂ O ₃	2-Ethoxyethyl acetate B.p., 156.2 255, 1534, 1829
C ₆ H ₁₂	1,1,2-Trimethylcyclopropane 952 B.p., 52.6	C ₆ H ₁₂ O ₃	Methyl 3-ethoxypropionate 256
C ₆ H ₁₂ Cl ₂ O	Bis(chloroisopropyl)ether 239, 1014 B.p., 187.0	C ₆ H ₁₂ O ₃	Paraldehyde B.p., 124 821, 1499, 1535, 1536, 1710, 1824
C ₆ H ₁₂ Cl ₂ O ₂	1,2-Bis(2-chloroethoxy)ethane 240 B.p., 240.9	C ₆ H ₁₂ O ₃	2-(2-Vinyloxyethoxy)-ethanol 257, 1280
C ₆ H ₁₂ O	Butyl vinyl ether B.p., 94.2 241, 652, 819, 1218, 1790	C ₆ H ₁₃ Cl	1-Chlorohexane 258 B.p., 134.5
C ₆ H ₁₂ O	Cyclohexanol B.p., 160.55 242, 1461, 1482, 1490, 1506, 1512, 1522, 1523, 1825, 1918, 1920	C ₆ H ₁₃ N	Cyclohexylamine B.p., 124.5 259, 1491, 1514, 1920
C ₆ H ₁₂ O	2-Ethylbutyraldehyde 243 B.p., 116.7	C ₆ H ₁₃ N	Hexamethyleneimine 260 B.p., 138
C ₆ H ₁₂ O	2-Hexanone B.p., 127.2 1772	C ₆ H ₁₃ NO	N,N-Dimethylbutyramide B.p., 124.5/100 mm. 1178
C ₆ H ₁₂ O	Hexanal B.p., 128.3 245, 1219	C ₆ H ₁₃ NO	2,6-Dimethylmorpholine 261 B.p., 146.6
C ₆ H ₁₂ O	Isobutyl vinyl ether B.p., 83.4 244, 820, 1727	C ₆ H ₁₃ NO	4-Ethylmorpholine 262 B.p., 138.3
C ₆ H ₁₂ O	2-Methylvaleraldehyde B.p., 118.3 246, 1067, 1773	C ₆ H ₁₃ NO ₂	4-Morpholineethanol 263 B.p., 225.5
C ₆ H ₁₂ O	4-Methyl-2-pentanone B.p., 116.2 582, 653, 953, 1046, 1468, 1513, 1524, 1525, 1761, 1840, 1916	C ₆ H ₁₄	2,2-Dimethylbutane B.p., 49.74 586, 654, 899, 992, 1375
C ₆ H ₁₂ OS	2-Ethylthioethyl vinyl ether B.p., 169.7 247	C ₆ H ₁₄	2,3-Dimethylbutane B.p., 58.05 955, 993, 1111, 1165
C ₆ H ₁₂ O ₂	Butyl acetate B.p., 126.2 583, 954, 1190, 1220, 1232, 1244, 1526-1528, 1785, 1791, 1826, 1827, 1907, 1935	C ₆ H ₁₄	Hexane B.p., 68.60 40, 264, 657, 756, 822, 956, 962, 994, 1005, 1112, 1115, 1138, 1166, 1175, 1195, 1221, 1456, 1462, 1469, 1492, 1515, 1520, 1537-1539, 1728, 1753, 1782, 1786, 1792, 1852, 1853, 1877, 1887, 1930, 1938
C ₆ H ₁₂ O ₂	<u>sec</u> -Butyl acetate B.p., 112.3 1233, 1526, 1802, 1826, 1828, 1906	C ₆ H ₁₄	2-Methylpentane B.p., 60.27 655, 823, 995
C ₆ H ₁₂ O ₂	2-Ethylbutyric acid 248 B.p., 194.2	C ₆ H ₁₄	3-Methylpentane 565, 996 B.p., 63.28
C ₆ H ₁₂ O ₂	2-Ethyl-2-methyl-1,3-dioxolane B.p., 117.6 251	C ₆ H ₁₄ N ₂	2,5-Dimethylpiperazine B.p., 164 265, 1245, 1394
C ₆ H ₁₂ O ₂	Hexanoic acid B.p., 205.15 249, 1529, 1530	C ₆ H ₁₄ N ₂ O	4-(2-Aminoethyl)morpholine B.p., 204.7 266
C ₆ H ₁₂ O ₂	4-Hydroxy-4-methyl-2-pentanone (diacetone alcohol) B.p., 161 250, 1508	C ₆ H ₁₄ N ₂ O	1-Piperazineethanol 267 B.p., 246.3
C ₆ H ₁₂ O ₂	2-Methylpentanoic acid 252 B.p., 196.4	C ₆ H ₁₄ O	Isopropyl propyl ether 1732
C ₆ H ₁₂ O ₂	Tetrahydropyran-2-methanol B.p., 187.2 254	C ₆ H ₁₄ O	Butyl ethyl ether B.p., 92.2 268, 658, 824, 1729, 1762
C ₆ H ₁₂ O ₂	4-Vinyloxy-1-butanol 253, 1241	C ₆ H ₁₄ O	2-Ethyl-1-butanol B.p., 147.0 269, 1540, 1541
C ₆ H ₁₂ O ₂ S	2,4-Dimethylsulfolane 1532, 1533	C ₆ H ₁₄ O	Ethyl isobutyl ether 1730 B.p., 79

<u>Formula</u>	<u>Name and System Nos.</u>	<u>Formula</u>	<u>Name and System Nos.</u>
C ₆ H ₁₄ O	Hexyl alcohol B.p., 157.85 270, 874, 1542, 1323	C ₆ H ₁₅ NO	2-Diethylaminoethanol 289, 1328 B.p., 162.1
C ₆ H ₁₄ O	Isopropyl ether B.p., 68.0 271, 701, 709, 742, 757, 825, 963, 1152, 1183, 1327, 1370, 1543, 1705, 1731, 1751, 1763, 1812, 1819, 1830, 1841, 1891, 1894	C ₆ H ₁₅ NO	1-Isopropylamino-2-propanol B.p., 164.5 290
C ₆ H ₁₄ O	2-Methyl-1-pentanol 272 B.p., 148	C ₆ H ₁₅ NO ₂	1,1'-Iminodi-2-propanol B.p., 185/100 mm. 1117, 1569
C ₆ H ₁₄ O	4-Methyl-2-pentanol 273, 1544 B.p., 131.8	C ₆ H ₁₅ NO ₃	2,2',2"-Nitrilotriethanol 1329
C ₆ H ₁₄ OS	2-Butylthioethanol 1545	C ₆ H ₁₅ N ₃	4-(2-Aminoethyl)piperazine B.p., 222.0 291
C ₆ H ₁₄ O ₂	2-Butoxyethanol B.p., 171.2 1191, 1222, 1527, 1546-1557	C ₆ H ₁₆ N ₂	<u>N,N</u> -Diethylethylenediamine B.p., 144.9 292
C ₆ H ₁₄ O ₂	1,1-Diethoxyethane 274 B.p., 102.1	C ₆ H ₁₆ N ₂	<u>N,N,N',N'</u> -Tetramethyl- ethylenediamine 293 B.p., 119
C ₆ H ₁₄ O ₂	1,2-Diethoxyethane 826, 1543 B.p., 121.1	C ₆ H ₁₆ OSi	1-(Trimethylsiloxy)propane B.p., 100.3/735 mm. 1068
C ₆ H ₁₄ O ₂	1,1-Dimethoxybutane B.p., 114 275, 659, 1176	C ₇ F ₁₄	Perfluoro(methylcyclohexane) B.p., 73-78 1470
C ₆ H ₁₄ O ₂	2,2-Dimethoxybutane 660 B.p., 106-7	C ₇ F ₁₆	Perfluoroheptane B.p., 83 371, 1390, 1471, 1537, 1570-1573
C ₆ H ₁₄ O ₂	1,3-Dimethoxybutane 276 B.p., 120.3	C ₇ H _n	C ₇ Hydrocarbons B.p., 95-120 1417, 1427
C ₆ H ₁₄ O ₂	1,1-Dimethoxy-2-methyl- propane B.p., 104.7 277	C ₇ H ₅ F ₃	<i>a,a,a</i> -Trifluorotoluene 20 B.p., 103.9
C ₆ H ₁₄ O ₂	Hexylene glycol 1558, 1559, 1923	C ₇ H ₆ O ₂	Benzoic acid 1574
C ₆ H ₁₄ O ₂	2-Methyl-1,5-pentanediol 278 B.p., 242.4	C ₇ H ₇ F	<i>o</i> -Fluorotoluene B.p., 114 1403, 1418
C ₆ H ₁₄ O ₂	3-Methyl-1,5-pentanediol 279 B.p., 248.4	C ₇ H ₈	Toluene B.p., 110.7 294, 556, 661, 828, 876, 902, 917, 967, 1049, 1069, 1098, 1118, 1122, 1132, 1184, 1197, 1223, 1342, 1404, 1419, 1428, 1430, 1493, 1516, 1521, 1534, 1538, 1575-1582, 1733, 1754, 1765, 1777, 1778, 1809, 1829, 1831, 1832, 1842, 1880, 1882, 1905, 1911, 1912, 1914, 1920, 1921, 1934, 1939
C ₆ H ₁₄ O ₃	Bis(2-methoxyethyl)ether 280 B.p., 162	C ₇ H ₈ O	Benzyl alcohol B.p., 205.2 877, 1583
C ₆ H ₁₄ O ₃	Dipropylene glycol 1097, 1560, 1561	C ₇ H ₈ O	<i>x</i> -Cresol B.p., 202 1586-1588, 1924-1926
C ₆ H ₁₄ O ₃	2-(2-Ethoxyethoxy)ethanol B.p., 202.8 281, 875, 1246, 1281, 1562, 1563	C ₇ H ₈ O	<i>o</i> -Cresol B.p., 191 878, 1585, 1883
C ₆ H ₁₄ O ₄	Triethylene glycol B.p., 288.7 1282, 1564-1568	C ₇ H ₈ O	<i>m</i> - and <i>p</i> -Cresol B.p., 202 1584, 1589, 1590
C ₆ H ₁₄ S	Isopropyl sulfide 1196 B.p., 119.25	C ₇ H ₈ O	<i>p</i> -Cresol B.p., 201.7 1575, 1591
C ₆ H ₁₅ N	Diisopropylamine B.p., 84.1 282, 1047, 1764	C ₇ H ₈ O ₂	Guaiacol B.p., 205.0 295
C ₆ H ₁₅ N	1,3-Dimethylbutylamine 283 B.p., 108.5	C ₇ H ₉ ClO	2-Chloroallylidene diacetate B.p., 212.1 296
C ₆ H ₁₅ N	Dipropylamine B.p., 109 284	C ₇ H ₉ N	2,6-Lutidine B.p., 144 297, 758, 1405, 1420, 1502, 1593, 1870-1872
C ₆ H ₁₅ N	N-Ethylbutylamine 285 B.p., 111.2		
C ₆ H ₁₅ N	Hexylamine B.p., 132.7 286, 1048		
C ₆ H ₁₅ N	Triethylamine B.p., 89.4 287, 827, 1706, 1830, 1857, 1927		
C ₆ H ₁₅ NO	2-Butylaminoethanol 288 B.p., 199.3		

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₇ H ₉ N	N-Methylaniline 879, 1494, 1592	C ₇ H ₁₄ O	2,4-Dimethyl-3-pentanone 1406, 1421 B.p., 125
C ₇ H ₉ N	Pyridine bases 1586-1588, 1924-1926	C ₇ H ₁₄ O	3-Heptanone B.p., 147.6 307
C ₇ H ₉ N	Tetrahydrobenzonitrile 298 B.p., 195.1	C ₇ H ₁₄ O	4-Dimethyl-3-pentanone 308 B.p., 143.7
C ₇ H ₉ N	σ -Toluidine B.p., 200.7 1594	C ₇ H ₁₄ O	5-Methyl-2-hexanone 309 B.p., 144
C ₇ H ₁₀ O	1,2,3,6-Tetrahydrobenzal-dehyde B.p., 164.2 299	C ₇ H ₁₄ O ₂	Amyl acetate B.p., 146 310
C ₇ H ₁₀ O ₄	Allylidene diacetate 300	C ₇ H ₁₄ O ₂	Heptanoic acid 1597 B.p., 222.0
C ₇ H ₁₂	2,4-Dimethyl-1,3-penta-diene B.p., 93.3 301	C ₇ H ₁₄ O ₃	Ethyl 3-ethoxypropionate 311 B.p., 170.1
C ₇ H ₁₂	1,3-Heptadiene 829	C ₇ H ₁₄ O ₃	3-Methoxybutyl acetate 312 B.p., 171.3
C ₇ H ₁₂	2,4-Heptadiene 830	C ₇ H ₁₄ O ₄	2-(2-Methoxyethoxy)ethyl acetate B.p., 208.9 313
C ₇ H ₁₂ Cl ₄	Tetrachloroheptane 1366	C ₇ H ₁₅ N	1,2-Dimethylpiperidine 1407, 1422 B.p., 128
C ₇ H ₁₂ O	3-Hepten-2-one 302, 1509 B.p., 162.9	C ₇ H ₁₅ N	2,6-Dimethylpiperidine B.p., 128 1386, 1408, 1423
C ₇ H ₁₂ O ₂	Butyl acrylate B.p., 147 303, 1224, 1793	C ₇ H ₁₅ NO	N,N -Dimethylvaleramide B.p., 141/100 mm. 1386
C ₇ H ₁₂ O ₂	Cyclohexyl formate 1522	C ₇ H ₁₆	2,2-Dimethylpentane B.p., 79.20 41, 839, 1113, 1316
C ₇ H ₁₂ O ₂	2-Ethoxy-3,4-dihydro-1,2-pyran B.p., 142.9 304	C ₇ H ₁₆	2,3-Dimethylpentane B.p., 89.78 42, 840, 1140, 1306, 1314, 1322, 1473, 1917
C ₇ H ₁₂ O ₄	Pimelic acid 305	C ₇ H ₁₆	2,4-Dimethylpentane B.p., 80.50 43, 735, 841, 997, 1141, 1307, 1315, 1474, 1517
C ₇ H ₁₄	1,1-Dimethylcyclopentane B.p., 87.85 831, 1303, 1312, 1320	C ₇ H ₁₆	3,3-Dimethylpentane 842 B.p., 86.07
C ₇ H ₁₄	cis-1,2-Dimethylcyclopentane B.p., 99.53 832	C ₇ H ₁₆	3-Ethylpentane 843 B.p., 93.47
C ₇ H ₁₄	trans-1,2-Dimethylcyclopentane B.p., 91.87 833	C ₇ H ₁₆	Heptane B.p., 98.25 314, 663, 722, 759, 844, 904, 957, 968, 998, 1006, 1119, 1124, 1142, 1148, 1168, 1225, 1235, 1339, 1343, 1350, 1355, 1379, 1382, 1475, 1495, 1518, 1570, 1577, 1595, 1598-1600, 1735, 1794,
C ₇ H ₁₄	cis-1,3-Dimethylcyclopentane B.p., 91.73 834	C ₇ H ₁₆	1804, 1813, 1859, 1879, 1881, 1882, 1912, 1913, 1922, 1932, 1939
C ₇ H ₁₄	trans-1,3-Dimethylcyclopentane B.p., 90.77 662, 835, 1139, 1302, 1311, 1319	C ₇ H ₁₆	2-Methylhexane B.p., 90.05 664, 845, 999
C ₇ H ₁₄	2,3-Dimethyl-1-pentene 836 B.p., 84.2	C ₇ H ₁₆	3-Methylhexane B.p., 91.85 665, 846, 1000, 1305, 1313, 1321
C ₇ H ₁₄	Ethylcyclopentane B.p., 103.47 837, 1317, 1354	C ₇ H ₁₆	2,2,3-Trimethylbutane B.p., 80.88 44, 666, 1001, 1519
C ₇ H ₁₄	trans-2-Heptene 1076 B.p., 98.0	C ₇ H ₁₆ O	3-Heptanol B.p., 156.4 1155
C ₇ H ₁₄	Methylcyclohexane B.p., 101.05 903, 1167, 1234, 1304, 1318, 1338, 1381, 1391, 1472, 1539, 1576, 1595, 1734, 1803, 1878, 1911, 1913, 1921, 1931	C ₇ H ₁₆ O	5-Methyl-2-hexanol 315
C ₇ H ₁₄	1,1,2,2-Tetramethylcyclopropane B.p., 75.9 838		
C ₇ H ₁₄ O	Butyl isopropenyl ether 306 B.p., 114.8		

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₇ H ₁₆ O ₂	1-Butoxy-2-methoxyethane 316 B.p., 149.9	C ₈ H ₁₀	m-Xylene B.p., 139 329, 728, 1012, 1127, 1129, 1194, 1249, 1535, 1607, 1615, 1616
C ₇ H ₁₆ O ₂	1- <i>tert</i> -Butoxy-2-methoxyethane 1077	C ₈ H ₁₀	<i>o</i> -Xylene B.p., 143.1/735 mm. 760, 880, 1100, 1250, 1345, 1617, 1861, 1937
C ₇ H ₁₆ O ₂	1-Butoxy-2-propanol 317 B.p., 170.1	C ₈ H ₁₀	p-Xylene B.p., 138.35 667, 729, 1072, 1080, 1128, 1251, 1285, 1536, 1618
C ₇ H ₁₆ O ₂	2-Ethyl-1,5-pentanediol 318 B.p., 253.3	C ₈ H ₁₀ O	α -Methylbenzyl alcohol 330 B.p., 203.4
C ₇ H ₁₆ O ₂	Dipropoxymethane 1774 B.p., 146.6	C ₈ H ₁₁ N	<u>N,N</u> -Dimethylaniline B.p., 194.05 881, 1496, 1592
C ₇ H ₁₆ O ₃	Dipropylene glycol methyl ether 1601	C ₈ H ₁₁ N	N-Ethylaniline 331 B.p., 204.8
C ₇ H ₁₆ O ₃	1-(2-Ethoxyethoxy)-2-propanol 319 B.p., 198.1	C ₈ H ₁₁ N	α -Methylbenzylamine 332 B.p., 188.6
C ₇ H ₁₆ O ₃	2-Ethoxyethyl 2-methoxyethyl ether 320	C ₈ H ₁₁ N	2-Methyl-5-ethylpyridine 333, 1578 B.p., 178.3
C ₇ H ₁₆ O ₃	2-(2-Propoxyethoxy) ethanol 321 B.p., 215.8	C ₈ H ₁₁ N	\underline{x} -Methyl-1,2,3,6-tetrahydrobenzonitrile 334 B.p., 205.4
C ₇ H ₁₇ NO	1-Diethylamino-2-propanol 322 B.p., 159.5	C ₈ H ₁₁ N	s-Collidine B.p., 171.3 882, 1585, 1883
C ₇ H ₁₈ N ₂	3-Diethylaminopropylamine 323 B.p., 169.4	C ₈ H ₁₂	4-Vinylcyclohexene 1081
C ₇ H ₁₈ OSi	(Trimethylsiloxy)butane 1226	C ₈ H ₁₂ O	2-Methyl-1,2,3,6-tetrahydrobenzaldehyde 335 B.p., 176.4
C ₈ F ₁₆ O	Perfluorocyclic oxide B.p., 102.6 1125, 1330, 1571, 1596, 1602-1604	C ₈ H ₁₂ O ₂	3,4-Dihydro-2,5-dimethyl-2H-pyran-2-carboxaldehyde B.p., 170.9 336
C ₈ F ₁₈ O	Perfluorobutyl ether 1476, 1598 B.p., 100	C ₈ H ₁₂ O ₄	Diethyl fumarate 337 B.p., 218.1
C ₈ H ₅ Cl ₃	<u>ar</u> -Trichlorostyrene 1605	C ₈ H ₁₄	Diisobutylene B.p., 102.3 338, 1050, 1236, 1766, 1805
C ₈ H ₆ Cl ₂	<u>ar</u> -Dichlorostyrene 1431	C ₈ H ₁₄ O	Bicyclo[2.2.1]-heptane-2-methanol B.p., 203.9 339
C ₈ H ₆ O	Coumarone 1099 B.p., 173	C ₈ H ₁₄ O	Cyclohexyl vinyl ether 1523
C ₈ H ₇ N	Indole 1283 B.p., 253	C ₈ H ₁₄ O	Diisobutylene oxide 340
C ₈ H ₈	Styrene B.p., 67.9/57 324, 1070, 1078, 1247, 1606, 1736, 1898, 1908	C ₈ H ₁₄ O	2-Ethyl-2-hexenal 341, 668 B.p., 176
C ₈ H ₈ Cl ₂ O ₂	2-(2,4-Dichlorophenoxy) ethanol 325	C ₈ H ₁₄ O	2-Octenal 342
C ₈ H ₈ O	Acetophenone B.p., 201.6 326	C ₈ H ₁₄ O ₂	Butyl methacrylate 1371
C ₈ H ₈ O	(Epoxyethyl)benzene 327 B.p., 194.2	C ₈ H ₁₄ O ₂	1,1-Diallyloxyethane 343 B.p., 150.9
C ₈ H ₈ O ₂	Phenyl acetate B.p., 195.1 1483, 1919	C ₈ H ₁₄ O ₂	2-Ethyl-3-hexenoic acid 344 B.p., 231.8
C ₈ H ₈ O ₃	Methyl salicylate 1608 B.p., 222.3	C ₈ H ₁₄ O ₂	Vinyl 2-methylvalerate 345 B.p., 148.8
C ₈ H ₁₀	Ethylbenzene B.p., 136.15 328, 1011, 1071, 1079, 1126, 1193, 1227, 1248, 1284, 1344, 1409, 1424, 1558, 1599, 1606, 1609-1614, 1860, 1873, 1898, 1908, 1915, 1923, 1936	C ₈ H ₁₄ O ₃	Bis(2-vinyloxyethyl)ether 346, 1619 B.p., 198.7
		C ₈ H ₁₄ O ₃	Butyl acetoacetate 347 B.p., 213.9
		C ₈ H ₁₄ O ₃	2-Ethoxyethyl methacrylate 1372

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₈ H ₁₄ O ₄	Diethyl succinate 348 B.p., 216.2	C ₈ H ₁₆	2,4,4-Trimethyl-2-pentene 854 B.p., 104.91
C ₈ H ₁₅ N	2-(Aminoethyl)bicyclo[2.2.1]heptane 349 B.p., 185.9	C ₈ H ₁₆ O	2-Ethylhexanal 350, 1540 B.p., 163.6
C ₈ H ₁₆	1,1-Dimethylcyclohexane 847 B.p., 119.54	C ₈ H ₁₆ O	2,4,4-Trimethyl-1,2-epoxypentane B.p., 140.9 351
C ₈ H ₁₆	<u>trans</u> -1,2-Dimethylcyclohexane B.p., 123.42 1051, 1252	C ₈ H ₁₆ O	2,4,4-Trimethyl-2,3-epoxypentane B.p., 127.3 352
C ₈ H ₁₆	1,3-Dimethylcyclohexane 1383 B.p., 120.3	C ₈ H ₁₆ OS	2-Butylthioethyl vinyl ether 353, 1545 B.p., 210.5
C ₈ H ₁₆	<u>cis</u> -1,3-Dimethylcyclohexane B.p., 120.09 1082	C ₈ H ₁₆ O ₂	2-Butoxyethyl vinyl ether 354
C ₈ H ₁₆	<u>trans</u> -1,3-Dimethylcyclohexane B.p., 124.45 849, 905, 1198, 1356	C ₈ H ₁₆ O ₂	1,3-Dimethylbutyl acetate 1620 B.p., 146.1
C ₈ H ₁₆	<u>cis</u> -1,4-Dimethylcyclohexane B.p., 124.32 848	C ₈ H ₁₆ O ₂	2,3-Epoxy-2-ethylhexanol 355
C ₈ H ₁₆	<u>trans</u> -1,4-Dimethylcyclohexane B.p., 119.35 850	C ₈ H ₁₆ O ₂	2-Ethylbutyl acetate 356, 1542 B.p., 162.3
C ₈ H ₁₆	Ethylcyclohexane B.p., 131.85 1199, 1253, 1559, 1602, 1609, 1923	C ₈ H ₁₆ O ₂	2-Ethylhexanoic acid 357, 1621 B.p., 227.6
C ₈ H ₁₆	1-Ethyl-1-methylcyclopentane B.p., 121.52 851	C ₈ H ₁₆ O ₂	Hexyl acetate B.p., 171.0 358
C ₈ H ₁₆	<u>cis</u> -1-Ethyl-2-methylcyclopentane 1052 B.p., 128.05	C ₈ H ₁₆ O ₂	Iso-octanoic acid (isomers) B.p., 220 359
C ₈ H ₁₆	<u>trans</u> -1-Ethyl-2-methylcyclopentane B.p., 121.2 1053, 1083	C ₈ H ₁₆ O ₂	4-Methyl-2-pentyl acetate B.p., 146.1 360, 1510, 1524, 1544
C ₈ H ₁₆	<u>trans</u> -1-Ethyl-3-methylcyclopentane B.p., 120.8 1054, 1084	C ₈ H ₁₆ O ₂	Octanoic acid B.p., 238.5 1529, 1622
C ₈ H ₁₆	1-Octene B.p., 121.6 1610	C ₈ H ₁₆ O ₃	2-Butoxyethyl acetate 361 B.p., 192.2
C ₈ H ₁₆	<u>cis</u> -2-Octene B.p., 125.6 1254	C ₈ H ₁₆ O ₃	2,5-Diethoxytetrahydrofuran B.p., 173.0 362
C ₈ H ₁₆	1,1,2-Trimethylcyclopentane B.p., 113.73 1055, 1357	C ₈ H ₁₆ O ₃	2-Ethoxyethyl 2-vinyloxyethyl ether B.p., 194.0 363
C ₈ H ₁₆	1,1,3-Trimethylcyclopentane B.p., 104.89 1056, 1085	C ₈ H ₁₆ O ₄	2-(2-Ethoxyethoxyethyl acetate B.p., 217.4 364, 1623
C ₈ H ₁₆	1, <u>cis</u> -2, <u>cis</u> -3-Trimethylcyclopentane B.p., 123.0 1086	C ₈ H ₁₇ Cl	1-Chloro-2-ethylhexane 365 B.p., 173
C ₈ H ₁₆	1, <u>cis</u> -2, <u>trans</u> -3-Trimethylcyclopentane B.p., 117.5 852, 1057	C ₈ H ₁₇ Cl	3-(Chloromethyl)heptane 1541, 1624
C ₈ H ₁₆	1, <u>trans</u> -2, <u>cis</u> -3-Trimethylcyclopentane B.p., 110.2 1087	C ₈ H ₁₇ N	C ₈ H ₁₇ N 5-Ethyl-2-methylpiperidine B.p., 163.4 367
C ₈ H ₁₆	1, <u>cis</u> -2, <u>trans</u> -4-Trimethylcyclopentane 1058 B.p., 116.73	C ₈ H ₁₇ N	<u>ar</u> -Methylcyclohexanemethylamine 368
C ₈ H ₁₆	1, <u>trans</u> -2, <u>cis</u> -4-Trimethylcyclopentane 853 B.p., 109.29	C ₈ H ₁₇ NO	N,N-Dimethylhexanamide 1530
C ₈ H ₁₆	2,4,4-Trimethyl-1-pentene 493, 1088 B.p., 101.44	C ₈ H ₁₇ NO	4-Ethyl-2,6-dimethylmorpholine B.p., 158.1 369
		C ₈ H ₁₈	2,2-Dimethylhexane B.p., 106.84 855, 1323, 1353
		C ₈ H ₁₈	2,3-Dimethylhexane 856, 906 B.p., 115.61
		C ₈ H ₁₈	2,4-Dimethylhexane 1089 B.p., 109.43

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₈ H ₁₈	2,5-Dimethylhexane B.p., 109.15 1169, 1200, 1255, 1352, 1360, 1384	C ₈ H ₁₈ O ₂	2-Ethyl-3-methyl-1,5-pentanediol B.p., 265.5 377
C ₈ H ₁₈	3,3-Dimethylhexane 1256 B.p., 111.97	C ₈ H ₁₈ O ₂	2-Hexyloxyethanol 378 B.p., 208.1
C ₈ H ₁₈	3,4-Dimethylhexane 857 B.p., 117.73	C ₈ H ₁₈ O ₂	2-(2-Methylpentoxy)ethanol B.p., 197.1 379
C ₈ H ₁₈	3-Ethyl-3-methylpentane 1257 B.p., 118.26	C ₈ H ₁₈ O ₃	Bis(2-ethoxyethyl) ether B.p., 188.4 381, 1562, 1619
C ₈ H ₁₈	Iso-octane 529, 1237, 1497, 1579, 1806, 1933	C ₈ H ₁₈ O ₃	2-(2-Butoxyethoxy)ethanol B.p., 231.2 380, 884, 1286, 1479, 1633-1637, 1847
C ₈ H ₁₈	2-Methylheptane B.p., 117.65 858, 907, 1201, 1351, 1359	C ₈ H ₁₈ O ₄	1,2-Bis(2-methoxyethoxy)ethane 382
C ₈ H ₁₈	3-Methylheptane 859 B.p., 118.93	C ₈ H ₁₈ O ₄	2-[2-(2-Ethoxyethoxy)ethoxy]ethanol 1287
C ₈ H ₁₈	4-Methylheptane 860 B.p., 117.71	C ₈ H ₁₉ N	Dibutylamine B.p., 159.6 383, 1230, 1797, 1811, 1904
C ₈ H ₁₈	n-Octane B.p., 125.7 48, 370, 669, 723, 761, 1007, 1202, 1228, 1258, 1346, 1358, 1396, 1410, 1425, 1477, 1500, 1572, 1611, 1618, 1795, 1814, 1862, 1866, 1870	C ₈ H ₁₉ N	2-Ethylhexylamine 384 B.p., 169.1
C ₈ H ₁₈	2,2,3-Trimethylpentane 861, 1090 B.p., 109.84	C ₈ H ₁₉ NO	2-Diisopropylaminoethanol 385, 885 B.p., 190.9
C ₈ H ₁₈	2,2,4-Trimethylpentane B.p., 99.24 862, 1059, 1308, 1324, 1478, 1580, 1600, 1603	C ₈ H ₁₉ NO ₂	2,2'-Butyliminodiethanol 386
C ₈ H ₁₈	2,3,3-Trimethylpentane 863 B.p., 114.76	C ₈ H ₁₉ NO ₂	1,1'-Ethyliminodi-2-propanol B.p., 238.9 387
C ₈ H ₁₈	2,3,4-Trimethylpentane 864 B.p., 113.47	C ₉ F ₂₁ N	Tris(perfluoropropyl)amine B.p., 130 1638
C ₈ H ₁₈ Cl ₂ Sn	Dibutyltin dichloride B.p., 157/17 mm. 1204, 1625, 1902	C ₉ H ₆ N ₂ O ₂	2,4-Tolylene diisocyanate 1458, 1459, 1463, 1639
C ₈ H ₁₈ O	Butyl ether B.p., 142.1 865, 883, 969, 1107, 1149, 1206, 1229, 1239, 1528, 1626, 1737, 1796, 1807, 1827, 1828, 1907, 1935	C ₉ H ₆ N ₂ O ₂	2,6-Tolylene diisocyanate 1639
C ₈ H ₁₈ O	2-Ethyl-1-hexanol B.p., 184.8 371, 1156, 1484, 1615, 1624, 1626-1629	C ₉ H ₇ N	Isoquinoline 1640
C ₈ H ₁₈ O	Iso-octyl alcohol (isomers) 372 B.p., 186.5	C ₉ H ₇ N	Quinoline B.p., 237.3 1641
C ₈ H ₁₈ O	Octyl alcohol B.p., 195.15 1630	C ₉ H ₈ O ₂	Vinyl benzoate 388
C ₈ H ₁₈ OS	2-Hexylthioethanol 1631	C ₉ H ₁₀	α -Methylstyrene 1485
C ₈ H ₁₈ O ₂	1-Butoxy-2-ethoxyethane 374 B.p., 164.2	C ₉ H ₁₀ O	Benzyl vinyl ether 1583
C ₈ H ₁₈ O ₂	1,1-Diethoxybutane 375 B.p., 146.3	C ₉ H ₁₀ O ₂	1,2-Epoxy-3-phenoxypropane B.p., 244.4 389
C ₈ H ₁₈ O ₂	5-Ethoxy-3-methylpentanol B.p., 211.7 376	C ₉ H ₁₀ O ₂	Ethyl benzoate B.p., 213.3 584, 1584, 1591
C ₈ H ₁₈ O ₂	2-Ethyl-1,3-hexanediol B.p., 243.1 373, 866, 1632, 1738	C ₉ H ₁₀ O ₃	Ethyl salicylate 1642 B.p., 233.7 390
		C ₉ H ₁₁ N	5-Ethyl-2-vinylpyridine 390
		C ₉ H ₁₂	Cumene B.p., 152.4 391, 762, 1486, 1546, 1612, 1638, 1643
		C ₉ H ₁₂	m-Ethyltoluene 1433 B.p., 161.31
		C ₉ H ₁₂	o-Ethyltoluene B.p., 165.15 1259, 1434

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₉ H ₁₂	p-Ethyltoluene 1432 B.p., 161.99	C ₉ H ₂₀	3,3-Diethylpentane 1266 B.p., 146.17
C ₉ H ₁₂	x-Ethyltoluene 1531	C ₉ H ₂₀	n-Nonane B.p., 150.2 403, 671, 724, 763, 970, 1008, 1231, 1267, 1325, 1347, 1501, 1573, 1613, 1617, 1627, 1648, 1798, 1815, 1863, 1867, 1873, 1936, 1937
C ₉ H ₁₂	Mesitylene B.p., 164.72 1260, 1437, 1644	C ₉ H ₂₀	2,2,3,3-Tetramethylpen- tane B.p., 140.27 1268
C ₉ H ₁₂	Propylbenzene 1487 B.p., 158.9	C ₉ H ₂₀	2,2,3,4-Tetramethylpen- tane B.p., 133.02 1092
C ₉ H ₁₂	1,2,3-Trimethylbenzene 1435 B.p., 176.08	C ₉ H ₂₀	2,2,4,4-Tetramethylpen- tane B.p., 122.28 1269
C ₉ H ₁₂	1,2,4-Trimethylbenzene B.p., 169.35 1436, 1644	C ₉ H ₂₀	2,3,3,4-Tetramethylpen- tane B.p., 141.55 1270
C ₉ H ₁₂ OS	2-Benzylthioethanol 1645	C ₉ H ₂₀	2,2,3-Trimethylhexane 1271 B.p., 133.60
C ₉ H ₁₂ O ₂	Bicyclo[2.2.1]hept-5-ene- 2-ol acetate B.p., 188.6 392	C ₉ H ₂₀	2,2,4-Trimethylhexane 1272 B.p., 126.54
C ₉ H ₁₃ NO	5-Ethyl-2-pyridineethanol 393	C ₉ H ₂₀	2,2,5-Trimethylhexane B.p., 124 1411, 1426, 1614
C ₉ H ₁₄ O	Isophorone B.p., 215.2 394, 1646	C ₉ H ₂₀	2,3,3-Trimethylhexane 1273 B.p., 137.68
C ₉ H ₁₄ O	1-Methyl-2,5-endomethyl- enecyclohexane-1-meth- anol B.p., 211.1 395	C ₉ H ₂₀	2,3,4-Trimethylhexane 1093, 1604 B.p., 139.0
C ₉ H ₁₄ O	Phorone B.p., 197.8 886	C ₉ H ₂₀	2,3,5-Trimethylhexane B.p., 131.34 1094, 1274
C ₉ H ₁₄ OSi	(Trimethylsiloxy)benzene 1488 B.p., 181.9	C ₉ H ₂₀	2,4,4-Trimethylhexane 1275 B.p., 130.65
C ₉ H ₁₅ N	Triallylamine B.p., 151.1 396	C ₉ H ₂₀	3,3,4-Trimethylhexane 1276 B.p., 140.46
C ₉ H ₁₆	cis-Hexahydroindan 1547 B.p., 167.7	C ₉ H ₂₀ O	2,6-Dimethyl-4-heptanol 404, 1649 B.p., 178.1
C ₉ H ₁₆ O	5-Ethyl-3-hepten-2-one 397 B.p., 193.5	C ₉ H ₂₀ O ₂	Dibutoxymethane 1799 B.p., 181.8
C ₉ H ₁₆ O ₂	2,2-Bis(allyloxy)propane 1755, 1891	C ₉ H ₂₀ O ₂	Diisobutoxymethane 1808 B.p., 163.8
C ₉ H ₁₆ O ₄	Dimethyl pimelate 398 B.p., 248.9	C ₉ H ₂₀ O ₂	2-Ethyl-2-butyl-1,3- propanediol 405
C ₉ H ₁₈	Butylcyclopentane 1261 B.p., 156.56	C ₉ H ₂₀ O ₃	1-(2-Butoxyethoxy)-2- propanol B.p., 230.3 406
C ₉ H ₁₈	Isobutylcyclopentane 1262 B.p., 147.6	C ₉ H ₂₀ O ₃	2-(2-Isoamyoxyethoxy) ethanol 1605
C ₉ H ₁₈	Isopropylcyclohexane 1263 B.p., 154.5	C ₉ H ₂₀ O ₃	2-Methoxymethyl-2,4- dimethyl-1,5-pentanediol 407
C ₉ H ₁₈	1-Nonene B.p., 146.85 1264	C ₉ H ₂₀ O ₃	1,1,3-Triethoxypropane 408
C ₉ H ₁₈	Propylcyclohexane B.p., 156.72 1265, 1647	C ₉ H ₂₀ O ₄	Tripropylene glycol 1650-1652
C ₉ H ₁₈	1,1,3-Trimethylcyclohex- ane B.p., 136.6 1091	C ₉ H ₂₁ N	N-Methyldibutylamine 409 B.p., 163.1
C ₉ H ₁₈ O	2,6-Dimethyl-4-heptanone B.p., 169.4 399, 670, 1207, 1511, 1525, 1620	C ₉ H ₂₁ N	Tripropylamine B.p., 156. 410
C ₉ H ₁₈ O	2-Ethylheptanal 1616	C ₉ H ₂₁ NO ₂	1,1'-Isopropyliminodi-2- propanol B.p., 248.6 411
C ₉ H ₁₈ O ₂	2-Heptyl acetate 400 B.p., 176.4		
C ₉ H ₁₈ O ₂	3-Heptyl acetate 401 B.p., 173.8		
C ₉ H ₁₈ O ₃	3-(2-Ethylbutoxy)propionic acid 402		
C ₉ H ₁₉ NO	N,N-Dimethylheptanamide 1597		

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₉ H ₂₁ NO ₃	1,1',1'''-Nitrilotri-2-propanol 1569	C ₁₀ H ₁₈	Decahydronaphthalene 1654
C ₉ H ₂₁ NO ₄	2-(2-[2-(3-Aminopropoxy)ethoxy]ethoxy)ethanol 412	C ₁₀ H ₁₈ O ₂	Vinyl 2-ethylhexanoate 426 B.p., 185.2
C ₁₀ H ₈	Naphthalene B.p., 218.1 887, 1102, 1288, 1560, 1589, 1633, 1653, 1678, 1924-1926	C ₁₀ H ₁₈ O ₂	Vinyl octanoate (isomers) 427
C ₁₀ H ₉ N ₂	2,2'-Dipyridyl B.p., 274. 1348	C ₁₀ H ₁₈ O	Menthone B.p., 209.5 1655
C ₁₀ H ₁₀ O ₄	Dimethyl phthalate 413 B.p., 282.9	C ₁₀ H ₂₀	n-Butylcyclohexane 1552 B.p., 180.95
C ₁₀ H ₁₂ O ₃	2-Phenoxyethyl acetate 414 B.p., 260.6	C ₁₀ H ₂₀	sec-Butylcyclohexane 1553 B.p., 179.3
C ₁₀ H ₁₄	Butylbenzene B.p., 183.27 1438, 1548	C ₁₀ H ₂₀	tert-Butylcyclohexane 1277 B.p., 171.5
C ₁₀ H ₁₄	<u>sec</u> -Butylbenzene B.p., 173.30 1439, 1549	C ₁₀ H ₂₀	Isobutylcyclohexane 1554 B.p., 171.3
C ₁₀ H ₁₄	<u>tert</u> -Butylbenzene B.p., 169.11 1440, 1550	C ₁₀ H ₂₀	cis-1-Isopropyl-4-methylcyclohexane B.p., 172.7 1555
C ₁₀ H ₁₄	p-Cymene B.p., 177.2 1445, 1498, 1551	C ₁₀ H ₂₀ O	trans-1-Isopropyl-4-methylcyclohexane 1556 B.p., 170.5
C ₁₀ H ₁₄	Dicyclopentadiene 415 B.p., 172	C ₁₀ H ₂₀ O	2-Ethylhexyl vinyl ether 428, 1810 B.p., 177.7
C ₁₀ H ₁₄	m-Diethylbenzene 1442 B.p., 181.13	C ₁₀ H ₂₀ O	Menthol 1655
C ₁₀ H ₁₄	p-Diethylbenzene 1443 B.p., 183.78	C ₁₀ H ₂₀ O	Octyl vinyl ether 1630
C ₁₀ H ₁₄	5-Ethyl-m-xylene 1444 B.p., 183.75	C ₁₀ H ₂₀ OS	2-Hexylthioethyl vinyl ether 888, 1631
C ₁₀ H ₁₄	Isobutylbenzene 1441 B.p., 172.76	C ₁₀ H ₂₀ O ₂	2-Ethylbutyl butyrate 429 B.p., 199.6
C ₁₀ H ₁₄	1,2,3,5-Tetramethylbenzene B.p., 197.93 1446	C ₁₀ H ₂₀ O ₂	2-Ethylhexyl acetate 430, 1628 B.p., 198.4
C ₁₀ H ₁₄ N ₂	Nicotine 416	C ₁₀ H ₂₀ O ₂	4-Methyl-2-pentyl butyrate B.p., 182.6 431
C ₁₀ H ₁₄ O ₂	Ethyl bicyclo[2.2.1]hept-5-en-2-carboxylate 417 B.p., 198	C ₁₀ H ₂₀ O ₃	2-Butoxyethyl 2-vinyloxyethyl ether B.p., 226.7 432
C ₁₀ H ₁₄ O ₃	2-(2-Phenoxyethoxy)ethanol B.p., 297.9 418	C ₁₀ H ₂₁ Cl	Chlorodecane (isomers) 433 B.p., 210.6
C ₁₀ H ₁₅ N	<u>N</u> -Butylaniline B.p., 240.4 419	C ₁₀ H ₂₁ N	<u>N</u> -Butylcyclohexylamine 434 B.p., 209.5
C ₁₀ H ₁₅ N	<u>N</u> -Ethyl- α -methylbenzylamine B.p., 201.2 420	C ₁₀ H ₂₁ NO	<u>N,N</u> -Dimethyloctanamide B.p., 187/100 mm. 1622
C ₁₀ H ₁₅ N	<u>N,N</u> , α -Trimethylbenzylamine B.p., 195.8 421	C ₁₀ H ₂₂	Decane B.p., 173.3 672, 725, 765, 1009, 1016, 1349, 1593, 1654, 1816, 1864, 1868, 1871
C ₁₀ H ₁₅ NO	2-(α -Methylbenzylamino)ethanol 422	C ₁₀ H ₂₂	3-Ethyl-3-methylheptane 1326 B.p., 163
C ₁₀ H ₁₆	Camphene 764	C ₁₀ H ₂₂	3,3,5-Trimethylheptane 1557, 1656 B.p., 155.5
C ₁₀ H ₁₆ O	Dicyclopentenol 423	C ₁₀ H ₂₂	Decyl alcohol B.p., 232.9 1581, 1657, 1831
C ₁₀ H ₁₆ O	Trimethyltetrahydrobenzaldehyde B.p., 204.5 424	C ₁₀ H ₂₂ O	2-Ethyoctanol 436 B.p., 220.5
C ₁₀ H ₁₆ O ₄	Diisopropyl maleate 425 B.p., 228.7	C ₁₀ H ₂₂ O	2-Propylheptanol 437 B.p., 217.9
		C ₁₀ H ₂₂ OS	2-(2-Ethylhexylthio)ethanol 1658
		C ₁₀ H ₂₂ O ₂	1,2-Dibutoxyethane 438 B.p., 203.6

Formula	Name and System Nos.	Formula	Name and System Nos.
C ₁₀ H ₂₂ O ₂	1,2-Diisobutoxyethane 439 B.p., 160.5		1817, 1865, 1869, 1872, 1892, 1900
C ₁₀ H ₂₂ O ₃	2-(2-Hexyloxyethoxy) ethanol B.p., 259.1 440	C ₁₁ H ₂₄ O	5-Ethyl-2-nonanol B.p., 225 457, 1660, 1661
C ₁₀ H ₂₂ O ₄	1,2-Bis(2-ethoxyethoxy) ethane B.p., 206.9 441	C ₁₁ H ₂₄ O ₂	Diamyloxymethane 1397, 1821
C ₁₀ H ₂₂ O ₄	Tripropylene glycol methyl ether B.p., 243 889, 1103, 1659	C ₁₁ H ₂₄ O ₂	2,2-Dibutoxypropane 458
C ₁₀ H ₂₂ O ₅	Bis[2-(2-methoxyethoxy) ethyl]ether 442	C ₁₁ H ₂₄ O ₄	2-Nonyloxyethanol 459 B.p., 225.5
C ₁₀ H ₂₃ N	Decylamine (isomers) 443 B.p., 203.7	C ₁₁ H ₂₅ N	1,1,3,3-Tetraethoxopro- pane B.p., 220.1 460
C ₁₀ H ₂₃ N	Diamylamine (isomers) 444 B.p., 190	C ₁₁ H ₂₅ NO	2-Ethyl- <u>N</u> -propylhexyl- amine 1629
C ₁₀ H ₂₃ N	<u>N,N</u> -Dimethyl-2-ethylhex- ylamine B.p., 176.1 445	C ₁₂ F ₂₇ N	1-Dibutylamino-2-pro- panol B.p., 229.1 461
C ₁₀ H ₂₃ NO	2-Dibutylaminoethanol 446 B.p., 228.7		Tris(perfluorobutyl)amine B.p., 177 1457, 1643, 1647, 1648, 1656, 1917
C ₁₁ H ₁₀	1-Methylnaphthalene 1504, 1634, 1660 B.p., 244.8	C ₁₂ H ₉ N	Carbazole B.p., 294 1290, 1564, 1650, 1662, 1663
C ₁₁ H ₁₀	2-Methylnaphthalene B.p., 241.1 773, 1447, 1505, 1561, 1563, 1590, 1601, 1608, 1621, 1623, 1635, 1640, 1641	C ₁₂ H ₁₀	Biphenyl B.p., 355.9 1291, 1664
C ₁₁ H ₁₄ OS	2-(Benzylmercapto)-ethyl vinyl ether 1289, 1645	C ₁₂ H ₁₀ O	Phenyl ether B.p., 259.3 890, 1292, 1565, 1574, 1642
C ₁₁ H ₁₄ O ₃	Butyl salicylate 447 B.p., 268.2	C ₁₂ H ₁₁ N	Diphenylamine B.p., 265/350 mm. 1503
C ₁₁ H ₁₄ O ₃	Ethyl 6-formylbicyclo- [2.2.1]hept-5-en-2-car- boxylate 448	C ₁₂ H ₁₄ O ₄	Diethyl phthalate 462 B.p., 294.3
C ₁₁ H ₁₆	<u>tert</u> -Amylbenzene 1448 B.p., 198.1	C ₁₂ H ₁₈	1,3,5-Triethylbenzene 1489 B.p., 215.5
C ₁₁ H ₁₆ O ₃	Allyl 6-methyl-3,4-epoxy- cyclohexanecarboxylate 449 B.p., 251.4	C ₁₂ H ₁₈ O	Triisobutylene oxide 463
C ₁₁ H ₁₇ N	<u>N,N</u> -Diethyl- <u>o</u> -toluidine 1594	C ₁₂ H ₁₉ N	<u>N</u> -Butyl- α -methylbenzyl- amine B.p., 239.3 464
C ₁₁ H ₁₈ O ₂	Isopropyl 6-methyl-3- cyclohexanecarboxylate 450 B.p., 215.2	C ₁₂ H ₂₀ O ₂	<u>sec</u> -Butyl 6-methyl-3- cyclohexanecarboxylate 465
C ₁₁ H ₂₀ O	5-Ethyl-3-nonen-2-one 451 B.p., 226.4	C ₁₂ H ₂₀ O ₂	Isobornyl acetate 767 B.p., 225.8
C ₁₁ H ₂₀ O ₄	Diethyl pimelate 452 B.p., 268.1	C ₁₂ H ₂₀ O ₄	Dibutyl fumarate 466 B.p., 285.2
C ₁₁ H ₂₂	<u>tert</u> -Amylcyclohexane 1449 B.p., 198.1	C ₁₂ H ₂₀ O ₄	Dibutyl maleate 467 B.p., 280.6
C ₁₁ H ₂₂ O	5-Ethyl-2-nonanone 453 B.p., 222.9	C ₁₂ H ₂₂ O ₂	2-Ethylhexyl crotonate 468 B.p., 241.2
C ₁₁ H ₂₂ O ₂	2,6-Dimethyl-4-heptyl acetate B.p., 192.2 454	C ₁₂ H ₂₂ O ₂	Vinyl decanoate (isomers) 469
C ₁₁ H ₂₂ O ₃	4-Methoxy-2,6-dipropyl- 1,3-dioxane B.p., 223.6 455	C ₁₂ H ₂₂ O ₄	Diethyl 2-ethyl-3-methyl- glutarate B.p., 255.8 470
C ₁₁ H ₂₄	Undecane B.p., 195.88 456, 673, 726, 766, 1010, 1017, 1179, 1450,	C ₁₂ H ₂₃ N	Dicyclohexylamine 471 B.p., 255.8
		C ₁₂ H ₂₄	2,6,8-Trimethylnonene 1649, 1665
		C ₁₂ H ₂₄ O	2,6,8-Trimethyl-4-nona- none B.p., 218.2 472

<u>Formula</u>	<u>Name and System Nos.</u>	<u>Formula</u>	<u>Name and System Nos.</u>
C ₁₂ H ₂₄ OS	2-(2-Ethylhexylthio)ethyl vinyl ether 1293, 1658	C ₁₄ H ₂₄	1,3,6,8-Tetramethyl-1,6-cyclodecadiene 491 B.p., 220.5
C ₁₂ H ₂₄ O ₂	2-Ethylbutyl 2-ethylbutyrate B.p., 222.6 473	C ₁₄ H ₂₆ O ₄	Dibutyl adipate 492
C ₁₂ H ₂₄ O ₂	2-Ethylbutyl hexanoate 474 B.p., 236.2	C ₁₄ H ₂₈ O	Trimethylnonyl vinyl ether 493 B.p., 223.4
C ₁₂ H ₂₄ O ₂	Hexyl 2-ethylbutyrate 475 B.p., 230.3	C ₁₄ H ₂₈ O ₂	2-Ethylbutyl 2-ethylhexanoate 494 B.p., 261.5
C ₁₂ H ₂₄ O ₂	Hexyl hexanoate 476 B.p., 245.2	C ₁₄ H ₂₈ O ₂	2-Ethylhexyl 2-ethylbutyrate 495 B.p., 252.8
C ₁₂ H ₂₆	Dodecane B.p., 216 477, 768, 1018, 1104, 1451, 1636, 1653, 1666, 1818	C ₁₄ H ₂₈ O ₂	2-Ethylhexyl hexanoate 496 B.p., 267.2
C ₁₂ H ₂₆	2,2,4,6,6-Pentamethylheptane B.p., 185.6 1452	C ₁₄ H ₂₈ O ₂	Hexyl 2-ethylhexanoate 497 B.p., 254.3
C ₁₂ H ₂₆	2,2,4,6,6-Pentamethylheptane B.p., 177.9 1453	C ₁₄ H ₂₉ N	N-(2-Ethylhexyl)cyclohexylamine 498
C ₁₂ H ₂₆ O	2-Butyl-1-octanol 478 B.p., 253.4	C ₁₄ H ₃₀	Tetradecane B.p., 252.5 1105
C ₁₂ H ₂₆ O	Dodecyl alcohol 1657	C ₁₄ H ₃₀ O	7-Ethyl-2-methyl-4-undecanol B.p., 264.3 499
C ₁₂ H ₂₆ O	Hexyl ether 891, 1294	C ₁₄ H ₃₀ O	<u>x</u> -Tetradecyl alcohol 1662, 1667, 1669
C ₁₂ H ₂₆ O	2,6,8-Trimethyl-4-nonal B.p., 225.5 479, 1582, 1665, 1832	C ₁₄ H ₃₀ O ₂	2-(2,6,8-Trimethyl-4-nonyloxy)ethanol 500
C ₁₂ H ₂₆ O ₂	1,1-Diethoxy-2-ethylhexane B.p., 207.8 480	C ₁₅ H ₁₀ O ₂ N ₂	Di-p-isocyanatodiphenylmethane 1460 B.p., 192/5 mm.
C ₁₂ H ₂₆ O ₂	1,1-Diisopentoxyethane 481 B.p., 213.6	C ₁₅ H ₁₈	Amylnaphthalene 1532
C ₁₂ H ₂₆ O ₂	3-Ethoxy-4-ethyloctanol 482 B.p., 249.2	C ₁₅ H ₂₈ O ₄	Dibutyl pimelate 501
C ₁₂ H ₂₆ O ₃	Bis(2-butoxyethyl)ether 483 B.p., 254.6	C ₁₅ H ₃₀	1-Pentadecene B.p., 183.7/217 mm. 1637
C ₁₂ H ₂₆ O ₃	1,1,3-Triethoxyhexane 484	C ₁₅ H ₃₂ O	2,8-Dimethyl-6-isobutyl-4-nonanol B.p., 265.4 502
C ₁₂ H ₂₇ ClSn	Tributyltin chloride B.p., 116/17 mm. 1205, 1625, 1902	C ₁₆ H ₁₈ O	Bis(α -methylbenzyl)ether 503 B.p., 286.7
C ₁₂ H ₂₇ N	Dihexylamine B.p., 239.8 485	C ₁₆ H ₂₂ O ₄	Dibutyl phthalate B.p., 238/50 mm. 1130
C ₁₂ H ₂₇ N	Tributylamine B.p., 213.9 486	C ₁₆ H ₂₈ O ₄	Bis(4-methylbenzyl)ether maleate 504
C ₁₂ H ₂₇ O ₄ P	Tributyl phosphate 487	C ₁₆ H ₃₀ O ₂	Tridecyl acrylate 505
C ₁₃ H ₁₀	Fluorene B.p., 294 1295, 1566, 1651, 1667, 1668	C ₁₆ H ₃₁ N	1,1'-Bis(x -methylcyclohexyl)dimethylamine 506
C ₁₃ H ₂₄ O ₂	Decyl acrylate (isomers) 488	C ₁₆ H ₃₂ O ₂	2-Ethylhexyl 2-ethylhexanoate B.p., 280.4 507
C ₁₃ H ₂₆	1-Tridecene B.p., 232.78 1454	C ₁₆ H ₃₂ O ₂	Palmitic acid 1671
C ₁₄ H ₁₀	Anthracene B.p., 340 892	C ₁₆ H ₃₄	Hexadecane 1533, 1666
C ₁₄ H ₁₀	Phenanthrene B.p., 340 1296, 1567, 1652, 1669, 1670	C ₁₆ H ₃₄ O	Bis(2-ethylhexyl) ether B.p., 269.8 508, 893, 1106, 1298, 1632
C ₁₄ H ₁₄ O	Benzyl ether 1297, 1568	C ₁₆ H ₃₅ N	Bis(2-ethylhexyl)amine 509 B.p., 280.7
C ₁₄ H ₂₂ O	σ -(Ethyhexyl)phenol 489 B.p., 297.0		
C ₁₄ H ₂₃ N	N-(Ethyhexyl)aniline 490		

<u>Formula</u>	<u>Name and System Nos.</u>	<u>Formula</u>	<u>Name and System Nos.</u>
C ₁₇ H ₃₆ O	3,9-Diethyl-6-tridecanol 510 B.p., 309	C ₂₀ H ₃₆ O ₄	Bis(2-ethylhexyl)fumarate 514
C ₁₇ H ₃₆ O	x-Heptadecyl alcohol 1663, 1668, 1670	C ₂₀ H ₃₆ O ₄	Bis(2-ethylhexyl)maleate 515
C ₁₈ H ₂₄ N ₂	Bis(α -methylbenzyl)ethyl- enediamine 511	C ₂₀ H ₄₀ O ₃	2-Ethylhexyl 3-(2-ethyl- hexyloxy)butyrate 516
C ₁₈ H ₃₄ O ₂	Oleic acid 1672	C ₂₀ H ₄₂ O	Decyl ether (isomers) 517
C ₁₈ H ₃₄ O ₃	Ricinoleic acid 1672	C ₂₀ H ₄₂ O	Eicosanol (isomers) 518
C ₁₈ H ₃₆ O ₂	Stearic acid 1671, 1673	C ₂₀ H ₄₃ N	Didecylamine (isomers) 519
C ₁₈ H ₃₈ O ₂	1,1-Bis(2-ethylhexyloxy) ethane 512	C ₂₁ H ₃₈ O ₃	Allyl 9,10-epoxystearate 520
C ₁₈ H ₃₉ NO	2-[Bis(2-ethylhexyl)amino] ethanol 513	C ₂₄ H ₃₈ O ₄	Diocetyl phthalate 1664
C ₂₀ H ₃₀ O ₂	Abietic acid 1674	C ₂₄ H ₅₂ O ₄ Si	Tetra(2-ethylbutoxy)silane 521
		C ₃₁ H ₅₈ O ₆	Tri(2-ethylhexyl)-1,2,4- butanetricarboxylate 522

Bibliography

1. Adelson and Evans, U. S. Patent 2,605,216 (1952).
2. Akers and Eubanks, Proc. Cryogenic Eng. Conf., 2nd, Boulder, 1957, p. 275; C.A. 52, 14267 (1958).
3. Albanesi, Pasquon, and Genoni, Chim. e ind. (Milan) 39, 814 (1957); C.A. 52, 3440 (1958).
4. Allen and Ellis, U. K. At. Energy Authority, IGR-R/CA, 216 (1957).
5. Alpert and Elving, Ind. Eng. Chem. 43, 1174, 1182 (1951).
6. Al'tshuler, Zviadadze, and Chizhikov, Zhur. Neorg. Khim. 2, 1581 (1957); C.A. 52, 7833 (1958).
7. Amer, Paxton, and Van Winkle, Ind. Eng. Chem. 48, 142 (1956).
8. Amick, Weiss, and Kirshenbaum, Ibid., 43, 969 (1951).
9. Ansul Chemical Co., Ansul Ethers, Chem. Prod. Bull.
10. Bachman and Simons, Ind. Eng. Chem. 44, 202 (1952).
11. Ballard and Van Winkle, Ibid., 45, 1803 (1953).
12. Banks and Musgrave, J. Chem. Soc. 1956, p. 4682; C.A. 51, 3216 (1957).
13. Barber and Cady, J. Am. Chem. Soc. 73, 4247 (1951).
14. Barr-David and Dodge, J. Chem. Eng. Data 4, 107 (1959).
15. Benning, U. S. Patent 2,641,579 (1953).
16. Bierlein, Univ. Microfilms (Ann Arbor, Mich.), No. 24,101; C.A. 52, 6909 (1958).
17. Bierlein and Kay, Ind. Eng. Chem. 45, 618 (1953).
18. Boublík and Kuchynka, Chem. Listy 50, 1181 (1956); C.A. 50, 16320 (1956); Collection Czechoslov. Chem. Commun. 21, 1634 (1956); C.A. 51, 11794 (1957).
19. Boublík and Kuchynka, Collection Czechoslov. Chem. Commun. 25, 579 (1960); C.A. 54, 16068 (1960).
20. Broich and Hunsmann, Ger. Patent 1,002,321 (1957); C.A. 53, 21663 (1959).
21. Brooks and Nixon, J. Am. Chem. Soc. 75, 480 (1953).
22. Brown and Smith, Australian J. Chem. 7, 264 (1954); 8, 62 (1955).
23. Ibid., 10, 423 (1957); C.A. 52, 3441 (1958).
24. Ibid., 12, 407 (1959); C.A. 54, 1003 (1960).
25. Ibid., 13, 30 (1960); C.A. 54, 10436 (1960).
26. Bruner and Darden, U. S. Patent 2,609,336 (1952).
27. Brzostowski, Malawski, and Zieborak, Bull. acad. polon. sci., Classe III 7, 421 (1959); C.A. 54, 19067 (1960).
28. Burch and Leeds, Ind. Eng. Chem., Chem. & Eng. Data Ser. 2, 3 (1957).
29. Bures, Cano, and Wirth, J. Chem. Eng. Data 4, 199 (1959).
30. Burtle, Ind. Eng. Chem. 44, 1675 (1952).
31. Bushmakina and Kish, Zhur. Priklad. Khim. 30, 200 (1957); C.A. 51, 10989-90 (1957).
32. Butta, Chem. Listy 50, 1646 (1956); C.A. 51, 2349 (1957); Collection Czechoslov. Chem. Commun. 22, 1680 (1957); C.A. 52, 8708 (1958).
33. Byk and Sheherbak, Zhur. Fiz. Khim. 30, 56 (1956); C.A. 50, 10469 (1956).
34. Campbell and Hickman, J. Am. Chem. Soc. 75, 2879 (1953).
35. Canjar, Horni, and Rothfus, Ind. Eng. Chem. 48, 427 (1956).
36. Canjar and Lomergan, A.I.Ch.E. Journal 2, 280 (1956).
37. Carleton, Ind. Eng. Chem., Chem. & Eng. Data Ser. 1, 21 (1956).
38. Carswell and Morrill, Ind. Eng. Chem. 29, 1247 (1937).
39. Chabrier de la Saulniere, Ann. chim. 17, 353 (1942); C.A. 38, 3255 (1944).
40. Chaiyavech and Van Winkle, J. Chem. Eng. Data 4, 53 (1959).
41. Challis, U. S. Patent 2,691,624 (1954).
42. Chalov and Aleksandrova, Gidroliz. i Lesokhim. Prom. 10, 15 (1957); C.A. 51, 12585 (1957).
43. Chao, Univ. Microfilms (Ann Arbor, Mich.), No. 19076; C.A. 51, 9245 (1957).
44. Chao and Hougen, Chem. Eng. Sci. 7, 246 (1958); C.A. 52, 15219 (1958).
45. Choffe and Asselineau, Rev. inst. franç. pétrole et Ann. combustibles liquides 11, 948 (1956); C.A. 51, 3262 (1957).
46. Ibid., 12, 565 (1957); C.A. 51, 17383 (1957).
47. Choffe, Cliquet, and Meunier, Ibid., 15, 1051 (1960); C.A. 55, 8009 (1961).
48. Christian, J. Phys. Chem. 61, 1441 (1957).
49. Churchill, U. S. Patent 2,527,916 (1950).
50. Cines, Ibid., 2,692,227 (1954).
51. Ibid., 2,789,087 (1957).

52. Claxton, Physical & Azeotropic Data, Natl. Benzol & Allied Products Assoc. (1958).
53. Cole, Ind. Eng. Chem., Chem. & Eng. Data Ser. 3, 213 (1958).
54. Commercial Solvents Corp., Tech. Data Sheet No. 23 (1954).
55. Commercial Solvents Corp., unpublished data.
56. Conti, Othmer, and Gilmont, J. Chem. Eng. Data 5, 301 (1960).
57. Cova, Ibid., 5, 282 (1960).
58. Crawford, Edwards, and Lindsay, J. Chem. Soc. 1949, 1054; C.A. 43, 8835 (1949).
59. Crutzen, Jost, and Sieg, Z. Elektrochem. 61, 230 (1957); C.A. 51, 10214 (1957).
60. Curme and Johnson, "Glycols," ACS Monograph 114, Reinhold, New York, 1952.
61. Dakshinamurty and Rao, J. Appl. Chem. (London) 7, 654 (1957); C.A. 52, 6911 (1958).
62. Dakshinamurty and Rao, J. Sci. Ind. Research (India) 15 B, 118 (1956); C.A. 50, 11753 (1956).
63. Ibid., 17B, 105 (1958); C.A. 52, 16851 (1958).
64. Dakshinamurty and Rao, Trans. Indian Inst. Chem. Engrs. 8, 57 (1955-6); C.A. 51, 14400 (1957).
65. Dakshinamurty, Rao, Acharya, and Rao, Chem. Eng. Sci. 9, 69 (1958); C.A. 53, 8727 (1959).
66. Dakshinamurty, Rao, Raghavacharya, and Rao, J. Sci. Ind. Research (India) 16B, 340 (1957); C.A. 52, 2485 (1958).
67. Davis and Evans, J. Chem. Eng. Data 5, 401 (1960).
68. Delzenne, Ind. Eng. Chem., Chem. & Eng. Data Ser. 3, 224 (1958).
69. Delzenne, J. Chem. Eng. Data 5, 413 (1960).
70. Desty and Fidler, Ind. Eng. Chem. 43, 905 (1951).
71. Din, Inst. intern. froid, Commissions intern. Zurich 1953, p. 17; C.A. 49, 5910 (1955).
72. Dobroserdov and Il'ino, Zhur. Priklad. Khim. 34, 386 (1961); C.A. 55, 13023 (1961).
73. Donald and Ridgeway, Chem. Eng. Sci. 5, 188 (1956).
74. Donald and Ridgeway, J. Appl. Chem. (London) 8, 403, 408 (1958); C.A. 53, 21109 (1959).
75. Donham, Univ. Microfilms (Ann Arbor, Mich.), Mic. 58-687; C.A. 52, 14267 (1958).
76. Dow Chemical Co., unpublished data.
77. Drake, Duvall, Jacobs, Thompson, and Sonnichsen, J. Am. Chem. Soc. 60, 73 (1958).
78. Drout, U. S. Patent 2,647,861 (1953).
79. Dunlap, Bedford, Woodbrey, and Furrow, J. Am. Chem. Soc. 81, 2927 (1959).
80. Dunn, U. S. Patent 2,524,899 (1950).
81. Du Pont, Polychemicals Dept. Sales Bull. (1959).
82. Du Pont, New Products Bull. No. 19.
83. Dykyj, Paulech, and Seprakova, Chem. Zvesti 14, 327 (1960); C.A. 54, 21908 (1960).
84. Eastman Chemical Products, Inc., unpublished data.
85. Ehrrett and Weber, J. Chem. Eng. Data 4, 142 (1959).
86. Eiseman, J. Am. Chem. Soc. 79, 6087 (1957).
87. Eliot, U. S. Patent 2,635,072 (1953).
88. Eliot and Weaver, Ibid., 2,662,847 (1953).
89. Ellis, U. K. At. Energy Authority, Ind. Group Hdq. 5197 (1953); C.A. 53, 15681 (1959).
90. Ellis and Forest, Ibid., IGR-TN/CA 457 (1957); C.A. 51, 9245 (1957).
91. Ellis and Johnson, J. Inorg. & Nuclear Chem. 6, 194, 199 (1958).
92. Ellis and Razavipour, Chem. Eng. Sci. 11, 99 (1959); C.A. 54, 10436 (1960).
93. England, U. S. Patent 2,802,028 (1957).
94. Faerber, Ibid., 2,836,546 (1958).
95. Fahnoe, Ibid., 2,527,358 (1950).
96. Farbenwerke Hoechst, unpublished data.
97. Fastovskii and Petrovskii, Zhur. Fiz. Khim. 31, 836 (1957); C.A. 52, 25 (1958).
98. Feldman and Orchin, Ind. Eng. Chem. 44, 2909 (1952).
99. Feldman and Orchin, U. S. Patent 2,581,398 (1952).
100. Ibid., 2,590,096 (1952).
101. Fischer, Bingle, and Vogel, J. Am. Chem. Soc. 78, 902 (1956).
102. Fleischer, U. S. Patent 2,191,196 (1940).
103. Flom, Alpert, and Elving, Ind. Eng. Chem. 43, 1178 (1951).
104. Floyd, Univ. Microfilms (Ann Arbor, Mich.), No. 17,606; C.A. 51, 14352 (1957).
105. Forman, U. S. Patent 2,581,789 (1952).

106. Fowler, J. Soc. Chem. Ind. (London) 69, Suppl. 2, S65 (1950).
107. Fowler and Lim, J. Appl. Chem. (London) 6, 74 (1956); C.A. 53, 11924 (1959).
108. Fowler and Norris, *Ibid.*, 5, 266 (1955).
109. Free and Hutchison, J. Chem. Eng. Data 4, 193 (1959).
110. Fried, Pick, Hala, and Vilim, Chem. Listy 50, 1039 (1956); C.A. 50, 16320 (1956); Collection Czechoslov. Chem. Communis. 21, 1535 (1956); C.A. 51, 11794 (1957).
111. Galaska-Krajewska, Bull. acad. polon. sci., Classe III 6, 257 (1958); C.A. 52, 15993 (1958).
112. Garber and Rabukhina, Zhur. Priklad. Khim. 33, 2782 (1960); C.A. 55, 9015 (1961).
113. Garber, Zelenevskaya, and Rabukhina, *Ibid.*, 33, 694 (1960); C.A. 54, 20919 (1960).
114. Garner and Hall, J. Inst. Petrol. 41, 1, 18, 24 (1955).
115. Gause and Ernsberger, Ind. Eng. Chem., Chem. & Eng. Data Ser. 2, 28 (1957).
116. Gaziev, Zel'venskii, and Shalygin, Zhur. Priklad. Khim. 31, 1220 (1958); C.A. 52, 19361 (1958).
117. Gelperin and Novikova, J. Appl. Chem. U.S.S.R. 26, 841 (1953).
118. Gel'perin and Zelenetskii, Zhur. Fiz. Khim. 34, 2230 (1960); C.A. 55, 13022 (1961).
119. Goldberg and Zinov'ev, Zhur. Priklad. Khim. 33, 1913 (1960); C.A. 54, 23680 (1960).
120. Gondzik and Stateczny, Przemysl Chem. 9, 132 (1953); C.A. 48, 11759 (1954).
121. Gorodetskii, Morachevski, and Olevskii, Vestnik Leningrad Univ. 14, No. 22, Ser. Fiz. i Khim. No. 4, 136 (1959); C.A. 54, 8255 (1960).
122. Gorodetskii and Olevskii, Vestnik Leningrad Univ. 15, No. 16, Ser. Fiz. i Khim. No. 3, 102 (1960); C.A. 55, 1162 (1961).
123. Grekel, U. S. Patent 2,564,200 (1951).
124. Gropsianu, Kyri, and Gropsianu, Acad. rep. populare Române, Baza cercetării științ. Timisoara, Studii cercetării științ., Ser., știinte chim. 4, 73 (1957); C.A. 53, 19501 (1959); Gropsianu and Murarescu, *Ibid.*, 3, 81 (1956); C.A. 51, 16028 (1957).
125. Hack and Van Winkle, Ind. Eng. Chem. 46, 2392 (1954).
126. Hahn, Brennstoff Chemie 35, 105 (1954).
127. Hamilton and Cogdell, U. S. Patent 2,831,902 (1958); C.A. 52, 14649 (1958).
128. Hanson, Hogan, Nelson, and Cines, Ind. Eng. Chem. 44, 604 (1952).
129. Hanson, Hogan, Ruehlen, and Cines, Chem. Eng. Prog. Symposium Ser. 49, No. 6, 37 (1953).
130. Harper and Moore, Ind. Eng. Chem. 49, 411 (1957).
131. Harrison and Somers, U. S. Patent 2,704,271 (1955).
132. Haughton, Chem. Eng. Sci. 4, 97 (1955).
133. Heitz, Am. J. Enol. Viticult. 11, 19 (1960); C.A. 54, 18007 (1960).
134. Hellwig and Van Winkle, Ind. Eng. Chem. 45, 624 (1953).
135. Hill and Van Winkle, *Ibid.*, 44, 205, 208 (1952).
136. Hirata, Hirose, and Yanagawa, Kagaku Kogaku 24, 561 (1960); C.A. 54, 21908 (1960).
137. Hogan, Nelson, Hanson, and Cines, Ind. Eng. Chem. 47, 2210 (1955).
138. Hollo, Ember, Lengyel, and Wieg, Acta Chim. Acad. Sci. Hung. 13, 307 (1957); C.A. 52, 17862 (1958).
139. Hollo and Lengyel, Fette, Seifen, Anstrichmittel 62, 913 (1960); C.A. 55, 8009 (1961).
140. Hollo and Lengyel, Ind. Eng. Chem. 51, 957 (1959).
141. Hollo and Lengyel, Periodica Polytech. 2, 173 (1958); C.A. 53, 5799 (1959).
142. Hori, J. Agr. Chem. Soc. Japan 18, 155 (1942); C.A. 45, 4202 (1951).
143. Horyna, Collection Czechoslov. Chem. Communis. 24, 3253 (1959); C.A. 54, 10436 (1960).
144. Houser and Van Winkle, Ind. Eng. Chem., Chem. & Eng. Data Ser. 2, 12 (1957).
145. Hunt, U. S. Patent 2,862,856 (1958).
146. Ibl, Dandliker, and Trumpler, Chem. Eng. Sci. 5, 193 (1956).
147. Imperial Chemical Industries Ltd., unpublished data.
148. Ishiguro, Yagyu, Ikushima, and Nakazawa, J. Pharm. Soc. Japan 75, 434 (1955); C.A. 50, 2587 (1956).
149. Ishiguro, Yagyu, and Takagi, Yakugaku Zasshi 79, 1138 (1959); C.A. 54, 2857 (1960).
150. *Ibid.*, 80, 30 (1960); C.A. 54, 11617 (1960).
151. Jakubicek, Collection Czechoslov. Chem. Communis. 26, 300 (1961); C.A. 55, 10026 (1961).
152. Jakubicek, Fried, and Vahala, Chem. Listy 51, 1422 (1957); C.A. 51, 17382 (1957).
153. Johannessen, U. S. Patent 2,656,389 (1953).

154. Johnson, Ward, and Furter, Can. J. Technol. 34, 514 (1957); C.A. 51, 14351 (1957).
155. Jordan, Univ. Microfilms (Ann Arbor, Mich.), Mic. 60-1188; C.A. 54, 14848 (1960).
156. Junghaus, J. prakt. Chem. [4] 2, 265 (1955); C.A. 54, 17024 (1960).
157. Karr, Scheibel, Bowes, and Othmer, Ind. Eng. Chem. 43, 961 (1951).
158. Katz and Newman, Ibid., 48, 137 (1956).
159. Kay and Brice, Ibid., 45, 615 (1953).
160. Kay and Fisch, A.I.Ch.E. Journal 4, 293 (1958).
161. Kay and Rambousek, Ind. Eng. Chem. 45, 221 (1953).
162. Kay and Warzel, A.I.Ch.E. Journal 4, 296 (1958).
163. Keistler and Van Winkle, Ind. Eng. Chem. 44, 622 (1952).
164. Kenttamaa, Lindberg, and Nissema, Suomen Kemistilehti 33B, 189 (1960); C.A. 55, 8009 (1961).
165. Kharakhorin, Inzhener-Fiz. Zhur. Akad. Nauk Beloruss. S.S.R. 2, 55 (1959); C.A. 54, 1003 (1960).
166. Kibler and Gusakova, Gidroliz. i Lesokhim. Prom. 12, 14 (1959); C.A. 53, 12776 (1959).
167. Kieffer and Grabiell, Ind. Eng. Chem. 43, 973 (1951).
168. Kieffer and Holroyd, Ibid., 47, 457 (1955).
169. King, Kuck, and Frampton, J. Am. Oil Chemists' Assoc. 38, 19 (1961).
170. Kirk-Othmer, "Encyclopedia of Chemical Technology," Vol. III, p. 794, Interscience, New York, 1949.
171. Kirsanova and Byk, Zhur. Priklad. Khim. 31, 1610 (1958); C.A. 53, 2721 (1959).
172. Ibid., 33, 2784 (1960); C.A. 55, 9017 (1961).
173. Kobayashi, et al., Jap. Patent 3066 (1952); C.A. 48, 2772 (1954).
174. Kogan, Fridman, and Deizenrot, Zhur. Priklad. Khim. 30, 1339 (1957); C.A. 52, 2486 (1958).
175. Kogan, Fridman, and Romanova, Zhur. Fiz. Khim. 33, 1521 (1959); C.A. 54, 15993 (1960).
176. Kogan and Tolstova, Ibid., 33, 276 (1959); C.A. 53, 20995 (1959).
177. Kohoutek, Collection Czechoslov. Chem. Commun. 25, 288 (1960); C.A. 54, 16068 (1960).
178. Kominek-Szczepanik, Roczniki Chem. 33, 553 (1959); C.A. 53, 21723 (1959).
179. Korchemskaya, et al., Zhur. Priklad. Khim. 33, 2703 (1960); C.A. 55, 11006 (1961).
180. Kovalenko and Balandina, Uchenye Zapiski Rostov-a-Donu Univ. 41, 39 (1958); C.A. 55, 6118 (1961).
181. Kramer and Reid, J. Am. Chem. Soc. 43, 880 (1921).
182. Krichevskii, Khazanova, and Linshits, Zhur. Fiz. Khim. 31, 2711 (1957); C.A. 52, 8660 (1958).
183. Krishnamurty and Rao, J. Sci. Ind. Research (India) 14B, 55 (1955); C.A. 49, 11379 (1955).
184. Kurmanadharao, J. Sci. Ind. Research (India) 15B, 682 (1956); C.A. 51, 14352 (1957).
185. Kurmanadharao, Krishnamurty, and Venkataraao, Rec. trav. chim. 76, 769 (1957).
186. Kurmanadharao and Rao, Chem. Eng. Sci. 7, 97 (1957); C.A. 52, 15218 (1958).
187. Kurtyka, Bull. acad. polon. sci. Classe III 2, 291 (1954); 3, 47 (1955).
188. Ibid., 4, 49 (1956); C.A. 51, 1676 (1957).
189. Kurtyka and Trabczynski, Roczniki Chem. 32, 623 (1958); C.A. 53, 2077 (1959).
190. Kyle and Tetlow, J. Chem. Eng. Data 5, 275 (1960).
191. Landwehr, Yerazunis, and Steinhauser, Chem. & Eng. Data Ser. 3, 231 (1958).
192. Lang, Z. physik. Chem. (Leipzig) 196, 278 (1950); C.A. 45, 10025 (1951).
193. Langer, Connell, and Wender, J. Org. Chem. 23, 50 (1958).
194. Latimer, A.I.Ch.E. Journal 3, 75 (1957).
195. Lelakowska, Bull. acad. polon. sci. Classe III 6, 645 (1958); C.A. 53, 6719 (1959).
196. Ledwock, Farbe u. Lack 62, 462 (1956).
197. Lessells and Corrigan, Ind. Eng. Chem., Chem. & Eng. Data Ser. 3, 43 (1958).
198. Lewis, U. S. Patent 2,641,580 (1953).
199. Lloyd and Wyatt, J. Chem. Soc. 1955, p. 2248.
200. Long, Martin, and Vogel, Chem. & Eng. Data Ser. 3, 28 (1958).
201. Lorette and Howard, J. Org. Chem. 25, 1814 (1960).
202. Lu, Can. J. Technol. 34, 468 (1957); C.A. 55, 8009 (1961).
203. Lumatainen, U. S. At. Energy Comm. ANL 6003 (1959); C.A. 54, 2858 (1960).
204. Lyvers and Van Winkle, Chem. & Eng. Data Ser. 3, 60 (1958).
205. Macarron, Rev. real acad. cienc. exact. fis. y nat. (Madrid) 53, 357, 607 (1959); C.A. 54, 16969 (1960).
206. MacWood and Paridon, J. Phys. Chem. 63, 1302 (1959).

207. Mair, *Anal. Chem.* 28, 52 (1956).
208. Malesinska and Malesinski, *Bull Acad. polon. sci., Ser. sci. chim.* 8, 191 (1960); C.A. 55, 11047 (1961).
209. Malesinski, *Bull. acad. polon. sci., Classe III* 4, 365 (1956); C.A. 51, 3217 (1957).
210. Maltese and Valentini, *Chim. e ind. (Milan)* 40, 548 (1958); C.A. 53, 798 (1959).
211. Malusov, Malafeev, and Zhavoronkov, *Zhur. Fiz. Khim.* 31, 699 (1957); C.A. 52, 25 (1958).
212. Markowska-Majewska, *Bull. acad. polon. sci. Classe III* 2, 291 (1954); C.A. 49, 2804 (1955).
213. Marks and Wingard, *J. Chem. Eng. Data* 5, 416 (1960).
214. Marschner and Burney, *Ind. Eng. Chem.* 44, 1406 (1952).
215. McCormack, Walkup, and Rush, *J. Phys. Chem.* 60, 826 (1956).
216. Melnikov and Tsirlin, *J. Appl. Chem. U.S.S.R.* 29, 1573; C.A. 51, 17377 (1957).
217. Melnikov and Tsirlin, *Zhur. Fiz. Khim.* 30, 2290 (1956); C.A. 51, 9245 (1957).
218. Mettyushev, *Trudy Tekhnol. Inst. Pishchevoi Prom. im. A. I. Mikoyana* 15, 80 (1955); C.A. 51, 14398 (1957).
219. Metzger and Disteldorf, *J. chim. phys.* 50, 156 (1953).
220. Miller, *Ind. Eng. Chem., Chem. & Eng. Data Ser.* 3, 239 (1958).
221. Miller, *J. Phys. Chem.* 62, 512 (1958).
222. Minnesota Mining & Manufacturing Co., unpublished data.
223. Morachevskii and Komarova, *Vestnik Leningrad. Univ.* 12, No. 4, *Ser. Fiz. i. Khim.* No. 1, 118 (1957); C.A. 51, 11832 (1957).
224. Morachevskii and Leont'ev, *Zhur. Fiz. Khim.* 34, 2347 (1960); C.A. 55, 13023 (1961).
225. Morris and Snider, U. S. Patent 2,368,597 (1945).
226. Mukherjee and Grunwald, *J. Phys. Chem.* 62, 1311 (1958).
227. Murti and Van Winkle, *A.I.Ch.E. Journal* 3, 517 (1957).
228. Murti and Van Winkle, *Ind. Eng. Chem., Chem. & Eng. Data Ser.* 3, 72 (1958).
229. Myers, *Ind. Eng. Chem.* 47, 2215 (1955).
230. *Ibid.*, 48, 1104 (1956).
231. Myers, *Petrol. Refiner* 36, 175 (1957).
232. Narinski, *Kislorod* 10, 9 (1957); C.A. 52, 13348 (1958).
233. Natradze and Novikova, *Zhur. Fiz. Khim.* 31, 227 (1957); C.A. 51, 15236 (1957).
234. Nelson, U. S. Patent 2,786,804 (1957); C.A. 51, 11704 (1957).
235. *Ibid.*, 2,839,452 (1958); C.A. 52, 15890 (1958).
236. *Ibid.*, 2,922,753 (1960).
237. Newcome and Cady, *J. Am. Chem. Soc.* 78, 5216 (1956).
238. Newman, *Bull. inst. intern. froid. Annexe* 1955, p. 390; C.A. 53, 15681 (1959).
239. Newman, *Univ. Microfilms (Ann Arbor, Mich.) No. 16,290; C.A. 50, 12577 (1956).*
240. Nielsen and Weber, *J. Chem. Eng. Data* 4, 145 (1959).
241. Nixon, U. S. Patent 2,604,439 (1952).
242. Novak, Matous, and Pick, *Collection Czechoslov. Chem. Commun.* 25, 2405 (1960); C.A. 55, 3170 (1961).
243. Nycander and Gabrielson, *Acta Chem. Scand.* 8, 1530 (1954); C.A. 49, 6678 (1955).
244. Oakeson and Weber, *J. Chem. Eng. Data* 5, 279 (1960).
245. Ocon and Espantoso, *Anales real. soc. espan. fis. y quím. (Madrid)* 54B, 401 (1958); C.A. 53, 1879 (1959).
246. Ocon, Espantoso, and Mato, *Publs. inst. quím. fis. "Antonio de Gregorio Rocasolano"* 10, 214 (1956); C.A. 51, 16028 (1957).
247. Ogawa, Kishida, and Kuyama, *Kagaku Kogaku* 22, 151 (1958); C.A. 52, 8661 (1958).
248. Ogorodnikov, Kogan, and Nemtsov, *Zhur. Priklad. Khim.* 33, 1599 (1960); C.A. 54, 21909 (1960).
249. Ogorodnikov, Kogan, and Nemtsov, *J. Appl. Chem. U.S.S.R.* 33, 2650 (1960); C.A. 55, 9017 (1961).
250. Olekskii and Golubev, *Trudy Gosudarst. Nauk* 1957, 42, 58; C.A. 53, 21107 (1959).
251. Orr and Coates, *Ind. Eng. Chem.* 52, 27 (1960).
252. Orszagh, Lelakowska, and Beldowicz, *Bull. acad. polon. sci. Classe III* 6, 419 (1958); C.A. 52, 19415 (1958).
253. Orszagh, Lelakowska, and Radecki, *Ibid.*, 6, 605 (1958); C.A. 53, 6719 (1959).
254. Othmer, Chudgar, and Levy, *Ind. Eng. Chem.* 44, 1872 (1952).
255. Padgett, U. S. Patent 2,531,361 (1950).
256. Palazzo, *Univ. Microfilms (Ann Arbor, Mich.) Mic. 58-1354; C.A. 52, 13350 (1958).*
257. Papousek and Smekal, *Chem. Listy* 52, 542 (1958); C.A. 52, 19391 (1958); *Collection Czechoslov. Chem. Commun.* 24, 2031 (1957).

258. Paquot and Perron, Bull. soc. chim. France 1957, p. 529; C.A. 51, 10156 (1957).
259. Patton, U. S. Patent 2,940,973 (1960).
260. Pennington, Ind. Eng. Chem. 44, 2397 (1952).
261. Pennington, private communication.
262. Peppel, Ind. Eng. Chem. 50, 767 (1958).
263. Perugini, Chim. e ind. (Milan) 39, 445 (1957); C.A. 51, 16028 (1957).
264. Pick, Hala, and Fried, Chem. Listy 52, 561 (1958); C.A. 52, 19393 (1958); Collection Czechoslov. Chem. Commun. 24, 1589 (1959).
265. Prausnitz and Targovnik, Chem. & Eng. Data Ser. 3, 234 (1958).
266. Politziner, Ibid., 2, 16 (1957).
267. Price and Hickman, Proc. West Va. Acad. Sci. 22, 69 (1952).
268. Price and Kobayashi, J. Chem. Eng. Data 4, 40 (1959).
269. Prill, U. S. Patent 2,599,482 (1952).
270. Pryanishkov and Genin, J. Appl. Chem. U.S.S.R. 13, 140 (1940).
271. Qozati and Van Winkle, J. Chem. Eng. Data 5, 269 (1960).
272. Quintanilla, Riv. quím. ing. quím. Monterrey 2, 23 (1956); C.A. 51, 12585 (1957).
273. Rabe, Univ. Microfilms (Ann Arbor, Mich.), Mic. 58-1920; C.A. 52, 16853 (1958).
274. Rao, Rao, and Rao, J. Appl. Chem. (London) 7, 666 (1957); C.A. 52, 6909 (1958).
275. Rao, Sarma, Swami, and Rao, J. Sci. Ind. Research (India) 16B, 4 (1957); C.A. 51, 10196 (1957).
276. Rao, Swami, and Rao, A.I.Ch.E. Journal 3, 191 (1957).
277. Rao, Swami, and Rao, J. Sci. Ind. Research (India) 16B, 233 (1957); C.A. 51, 17301 (1957).
278. Ibid., p. 294; C.A. 52, 3440 (1958).
279. Ray, U. S. Patent 2,623,072 (1952).
280. Reed, Ibid., 2,511,993 (1950).
281. Reed, Univ. Microfilms (Ann Arbor, Mich.) No. 5338; C.A. 47, 11859 (1953).
282. Reed and Pennington, Modern Refrig. 53, 123 (1950).
283. Riddle, "Monomeric Acrylic Esters," p. 9, Reinhold, New York, 1954.
284. Ridley and Ridley, Brit. Patent 795,866 (1958); C.A. 53, 1154 (1959).
285. Rius, Otero, and Macarron, Chem. Eng. Sci. 10, 105 (1959); C.A. 53, 19501 (1959).
286. Rock and Shroder, Z. physik. Chem. (Frankfurt) [N.S.]11, 47 (1957).
287. Rohm and Haas, Tech. Data Sheet SP-148 (1958).
288. Rohrback and Cady, J. Am. Chem. Soc. 73, 4250 (1951).
289. Rose, Acciarri, and Williams, Chem. & Eng. Data Ser. 3, 210 (1958).
290. Rose, Papahronis, and Williams, Ibid., 3, 216 (1958).
291. Rossini, Mair, and Streiff, "Hydrocarbons from Petroleum," ACS Monograph 121, p. 89, Reinhold, New York, 1953.
292. Rowlinson, U. K. At. Energy Authority, Ind. Group R & DB(CA)TN-96D (1959); C.A. 53, 21114 (1959).
293. Rowlinson and Sutton, Proc. Roy. Soc. London A229, 396 (1955).
294. Rudakov and Kalinovskaya, Gidroliz i. Lesokhim. Prom. 10, 8 (1957); C.A. 51, 10989 (1957).
295. Ruhoff and Reid, J. Am. Chem. Soc. 59, 401 (1937).
296. Satapathy, Rao, Anjaneyulu, and Rao, J. Appl. Chem. (London) 6, 261 (1956); C.A. 51, 1677 (1957).
297. Schneider, Z. physik. Chem. (Frankfurt) [N.S.] 27, 171 (1961); C.A. 55, 13022 (1961).
298. Seba, J. Chem. Soc. 1951, p. 1975.
299. Sense, Stone, and Filbert, U. S. At. Energy Comm. BMI-1186 (1957); C.A. 51, 15236 (1957).
300. Seryakov, Vaks, and Sidorina, Zhur. Obshchey Khim. 30, 2130 (1960); C.A. 55, 8009 (1961).
301. Shair and Schurig, Ind. Eng. Chem. 43, 1624 (1951).
302. Shakhpuronov, et al., Zhur. Priklad. Khim. 33, 2699 (1960); C.A. 55, 11006 (1961).
303. Shcherbak, Byk, and Aerov, Ibid., 28, 1120 (1955); C.A. 50, 639 (1956).
304. Sinor and Weber, J. Chem. Eng. Data 5, 243 (1960).
305. Sizmann, Angew. Chem. 71, 243 (1959); C.A. 53, 15425 (1959).
306. Smirnova, Vestnik Leningrad Univ. 14, 80 (1959); C.A. 54, 8194 (1960).
307. Smirnova and Morachevskii, Zhur. Fiz. Khim. 34, 2546 (1960); C.A. 55, 6117 (1961).
308. Smirnova, Morachevskii, and Storonkin, Vestnik Leningrad Univ. 14, 70 (1959); C.A. 54, 9475 (1960).
309. Smit and Ruyter, Rec. trav. chim. 79, 1244 (1960); C.A. 55, 8008 (1961).
310. Smith and LaBonte, Ind. Eng. Chem. 44, 2740 (1952).
311. Spicer and Kruger, J. Am. Chem. Soc. 72, 1855 (1950).

312. Spicer and Meyer, Ibid., 73, 934 (1951).
313. Spicer and Page, Ibid., 75, 3603 (1953).
314. Steitz, U. S. Patent 2,552,911 (1951).
315. Storonkin and Markuzin, Vestnik Leningrad Univ. 13, 100 (1958); C.A. 52, 12493 (1958).
316. Storonkin and Morachevskii, Zhur. Fiz. Khim. 31, 42 (1957); C.A. 51, 15236 (1957).
317. Storonkin, Morachevskii, and Belousov, Vestnik Leningrad Univ. 13, 94 (1958); C.A. 52, 17863 (1958).
318. Studenberg and Thomas, Proc. S. Dakota Acad. Sci. 36, 167 (1957); C.A. 52, 15992 (1958).
319. Susarev, Zhur. Priklad. Khim. 34, 412 (1961); C.A. 55, 13023 (1961).
320. Swami and Rao, J. Sci. Ind. Research (India) 18B, 11 (1959); C.A. 53, 16628 (1959).
321. Swami, Rao, and Rao, J. Sci. Ind. Research (India) 15B, 550 (1956); C.A. 51, 6252 (1957); Trans. Indian Inst. Chem. Engrs. 9, 47 (1956-7); C.A. 53, 14622 (1959).
322. Swietoslawski, Bull. acad. polon. sci., Classe III 7, 13 (1959); C.A. 53, 19501 (1959).
323. Swietoslawski and Kreglewski, Ibid., 2, 77 (1954).
324. Swietoslawski and Malesinski, Ibid., 4, 159 (1956).
325. Swietoslawski and Zieborak, Bull. acad. polon. sci., Classe sci. math. et nat. Ser. A 1950, pp. 9, 13; C.A. 46, 410 (1952).
326. Swietoslawski, Zieborak, and Galska-Krajewska, Bull. acad. polon. sci., Classe III 7, 43 (1959); C.A. 54, 16068 (1960).
327. Swietoslawski and Zielenkiewicz, Bull. acad. polon. sci. 6, 111 (1958); C.A. 52, 15169 (1958).
328. Szapiro, Zeszyty Nauk Politech. Lodz. Chem. 7, 3 (1958); C.A. 52, 19475 (1958).
329. Tapp and Montagna, U. S. Patent 2,806,884 (1957).
330. Terry, Kepner, and Webb, J. Chem. Eng. Data 5, 403 (1960).
331. Thornton and Garner, J. Appl. Chem. (London) 1, S61, S68 (1951).
332. Trabczynski, Bull. acad. polon. sci., Classe III 6, 269 (1958); C.A. 52, 15993 (1958).
333. Tumova, Prenosil, and Pinkava, Chem. průmysl 8, 585 (1958); C.A. 54, 12702 (1960).
334. Union Carbide Chemicals Co., unpublished data.
335. Union Carbide Chemicals Co., "Glycols" (1958); "Alcohols" (1961).
336. Union Carbide Chemicals Co., Tech. Inform. Bull. (July 1959).
337. Urbancova, Chem. zvesti 13, 43 (1959); C.A. 53, 14621 (1959).
338. Vdovenko and Kovaleva, Zhur. Priklad. Khim. 31, 89 (1958); C.A. 52, 8661 (1958).
339. Wagner and Weber, Ind. Eng. Chem., Chem. & Eng. Data Ser. 3, 220 (1958).
340. Wang, Proc. Cryogenic Eng. Conf. 2nd, Boulder, 1957, p. 294; C.A. 52, 14267 (1958).
341. Watanabe and Conlon, U. S. Patent 2,760,990 (1956); C.A. 51, 3654 (1957).
342. Weber, Ind. Eng. Chem. 48, 134 (1956).
343. Weck and Hunt, Ibid., 46, 2521 (1954).
344. Wehe and Coates, A.I.Ch.E. Journal 1, 241 (1955).
345. Weismann and Wood, J. Chem. Phys. 32, 1153 (1960).
346. Whipple, Ind. Eng. Chem. 44, 1664 (1952).
347. Wilson and Simons, Ibid., 44, 2214 (1952).
348. Wingard and Durant, J. Alabama Acad. Sci. 27, 11 (1955); C.A. 50, 10469 (1956).
349. Wingard, Durant, Tubbs, and Brown, Ind. Eng. Chem. 47, 1757 (1955).
350. Wingard and Piazza, Alabama Polytech. Inst. Eng. Expt. Sta. Bull. No. 32 (1958); C.A. 53, 12776 (1959).
351. Wyandotte Chemical Corp., Market Development Property Sheet (Feb. 25, 1955).
352. Yamamoto and Maruyama, Kagaku Kogaku 23, 635 (1959); C.A. 54, 1004 (1960).
353. Yates and Kelly, U. S. Patent 2,752,295 (1956).
354. Yen and Reed, J. Chem. Eng. Data 4, 102 (1959).
355. Zieborak, Bull. acad. polon. sci., Classe III 3, 531 (1955).
356. Ibid., 6, 443, 449 (1958); C.A. 52, 19392 (1958).
357. Zieborak, Bull. intern. polon. sci., Classe sci., math., et nat. Ser. A 1950, p. 15; C.A. 46, 410 (1952).
358. Zieborak and Brzostowski, Bull. acad. polon. sci., Classe III 5, 309 (1957); C.A. 51, 14399 (1957).
359. Ibid., 6, 169 (1958); C.A. 52, 13349 (1958).

360. Zieborak, Brzostowski, and Kaminski, Ibid., 6, 371 (1958); C.A. 52, 19393 (1958).
361. Zieborak and Galska, Ibid., 3, 383 (1955); C.A. 50, 9080 (1956).
362. Zieborak and Galska-Krajewska, Ibid., 6, 763 (1958); C.A. 53, 12777 (1959).
363. Ibid., 7, 253 (1959); C.A. 54, 16068 (1960).
364. Zieborak, Kaczorowana-Badyoczek, and Maczynska, Roczniki Chem. 29, 783 (1955); C.A. 50, 6119 (1956).
365. Zieborak, Maczynska, and Maczynski, Ibid., 32, 85 (1958); C.A. 52, 12493 (1958).
366. Ibid., p. 295; C.A. 52, 17862 (1958).
367. Zieborak and Markowska-Majewska, Bull. acad. polon. sci., Classe III 2, 341 (1954).
368. Zieborak and Olszewski, Ibid., 4, 823 (1956); C.A. 51, 7789 (1957).
369. Zieborak and Wyrzykowska-Stankiewicz, Ibid., 6, 377 (1958); C.A. 52, 19392 (1958).
370. Ibid., p. 517; C.A. 53, 3875 (1959).
371. Ibid., 8, 137 (1960); C.A. 55, 11047 (1961).
372. Ibid., 7, 247 (1959); C.A. 54, 16068 (1960).
373. Zieborak and Zieborak, Ibid., 2, 287 (1954); C.A. 49, 2803 (1955).
374. Zilberman, J. Appl. Chem. U.S.S.R. 26, 809 (1954).

Editorial Library
American Chemical Society